

Fresh oranges: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³			Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)										
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number	
1970	16.2	3.0	15.7	12.0	13.8	27.0	20.0	55	7.3	0.3	9.1	86.0	184.0	6.5	4.2	0.049	
1971	15.7	3.0	15.3	12.0	13.4	27.0	20.0	55	7.1	0.3	8.8	86.0	184.0	6.5	4.1	0.048	
1972	14.5	3.0	14.0	12.0	12.4	27.0	20.0	55	6.5	0.3	8.1	86.0	184.0	6.5	3.8	0.044	
1973	14.4	3.0	14.0	12.0	12.3	27.0	20.0	55	6.5	0.3	8.1	86.0	184.0	6.5	3.8	0.044	
1974	14.4	3.0	14.0	12.0	12.3	27.0	20.0	55	6.5	0.3	8.1	86.0	184.0	6.5	3.8	0.044	
1975	15.9	3.0	15.4	12.0	13.6	27.0	20.0	55	7.2	0.3	8.9	86.0	184.0	6.5	4.2	0.049	
1976	14.7	3.0	14.3	12.0	12.6	27.0	20.0	55	6.7	0.3	8.3	86.0	184.0	6.5	3.9	0.045	
1977	13.4	3.0	13.0	12.0	11.5	27.0	20.0	55	6.1	0.3	7.6	86.0	184.0	6.5	3.5	0.041	
1978	13.4	3.0	13.0	12.0	11.5	27.0	20.0	55	6.1	0.3	7.6	86.0	184.0	6.5	3.5	0.041	
1979	11.5	3.0	11.2	12.0	9.8	27.0	20.0	55	5.2	0.2	6.5	86.0	184.0	6.5	3.0	0.035	
1980	14.3	3.0	13.9	12.0	12.2	27.0	20.0	55	6.5	0.3	8.0	86.0	184.0	6.5	3.8	0.044	
1981	12.4	3.0	12.0	12.0	10.6	27.0	20.0	55	5.6	0.2	7.0	86.0	184.0	6.5	3.2	0.038	
1982	11.7	3.0	11.3	12.0	10.0	27.0	20.0	55	5.3	0.2	6.6	86.0	184.0	6.5	3.1	0.036	
1983	15.0	3.0	14.6	12.0	12.8	27.0	20.0	55	6.8	0.3	8.5	86.0	184.0	6.5	4.0	0.046	
1984	11.9	3.0	11.5	12.0	10.1	27.0	20.0	55	5.4	0.2	6.7	86.0	184.0	6.5	3.1	0.036	
1985	11.6	3.0	11.2	12.0	9.9	27.0	20.0	55	5.2	0.2	6.5	86.0	184.0	6.5	3.0	0.035	
1986	13.4	3.0	13.0	12.0	11.5	27.0	20.0	55	6.1	0.3	7.6	86.0	184.0	6.5	3.5	0.041	
1987	12.8	3.0	12.4	12.0	10.9	27.0	20.0	55	5.8	0.3	7.2	86.0	184.0	6.5	3.4	0.039	
1988	13.9	3.0	13.5	12.0	11.9	27.0	20.0	55	6.3	0.3	7.8	86.0	184.0	6.5	3.7	0.042	
1989	12.2	3.0	11.8	12.0	10.4	27.0	20.0	55	5.5	0.2	6.8	86.0	184.0	6.5	3.2	0.037	
1990	12.4	3.0	12.0	12.0	10.6	27.0	20.0	55	5.6	0.2	7.0	86.0	184.0	6.5	3.2	0.038	
1991	8.4	3.0	8.2	12.0	7.2	27.0	20.0	55	3.8	0.2	4.7	86.0	184.0	6.5	2.2	0.026	
1992	12.8	3.0	12.4	12.0	11.0	27.0	20.0	55	5.8	0.3	7.2	86.0	184.0	6.5	3.4	0.039	
1993	14.1	3.0	13.7	12.0	12.1	27.0	20.0	55	6.4	0.3	7.9	86.0	184.0	6.5	3.7	0.043	
1994	12.9	3.0	12.5	12.0	11.0	27.0	20.0	55	5.8	0.3	7.3	86.0	184.0	6.5	3.4	0.040	
1995	11.8	3.0	11.5	12.0	10.1	27.0	20.0	55	5.3	0.2	6.6	86.0	184.0	6.5	3.1	0.036	
1996	12.6	3.0	12.2	12.0	10.7	27.0	20.0	55	5.7	0.2	7.1	86.0	184.0	6.5	3.3	0.038	
1997	13.9	3.0	13.5	12.0	11.9	27.0	20.0	55	6.3	0.3	7.8	86.0	184.0	6.5	3.7	0.042	
1998	14.6	3.0	14.2	12.0	12.5	27.0	20.0	55	6.6	0.3	8.2	86.0	184.0	6.5	3.8	0.045	
1999	8.4	3.0	8.1	12.0	7.1	27.0	20.0	55	3.8	0.2	4.7	86.0	184.0	6.5	2.2	0.026	
2000	11.7	3.0	11.4	12.0	10.0	27.0	20.0	55	5.3	0.2	6.6	86.0	184.0	6.5	3.1	0.036	
2001	11.9	3.0	11.5	12.0	10.1	27.0	20.0	55	5.4	0.2	6.7	86.0	184.0	6.5	3.1	0.036	
2002	11.7	3.0	11.4	12.0	10.0	27.0	20.0	55	5.3	0.2	6.6	86.0	184.0	6.5	3.1	0.036	
2003	11.9	3.0	11.5	12.0	10.2	27.0	20.0	55	5.4	0.2	6.7	86.0	184.0	6.5	3.1	0.036	
2004	10.8	3.0	10.5	12.0	9.2	27.0	20.0	55	4.9	0.2	6.1	86.0	184.0	6.5	2.8	0.033	

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's *Nutrient Database for Standard Reference Release 17*, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh tangerines: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Oz/day		G/day	Number		
1970	2.2	6.0	2.1	12.0	1.9	28.0	20.0	57	1.0	0.04	1.2	103.0	195.0	6.9	0.6	0.006
1971	2.3	6.0	2.2	12.0	1.9	28.0	20.0	57	1.0	0.04	1.3	103.0	195.0	6.9	0.7	0.006
1972	2.1	6.0	1.9	12.0	1.7	28.0	20.0	57	0.9	0.04	1.1	103.0	195.0	6.9	0.6	0.006
1973	2.1	6.0	1.9	12.0	1.7	28.0	20.0	57	0.9	0.04	1.1	103.0	195.0	6.9	0.6	0.006
1974	2.2	6.0	2.1	12.0	1.8	28.0	20.0	57	1.0	0.04	1.2	103.0	195.0	6.9	0.6	0.006
1975	2.6	6.0	2.4	12.0	2.1	28.0	20.0	57	1.1	0.05	1.4	103.0	195.0	6.9	0.7	0.007
1976	2.4	6.0	2.2	12.0	2.0	28.0	20.0	57	1.0	0.04	1.3	103.0	195.0	6.9	0.7	0.006
1977	2.6	6.0	2.5	12.0	2.2	28.0	20.0	57	1.1	0.05	1.4	103.0	195.0	6.9	0.7	0.007
1978	2.1	6.0	2.0	12.0	1.7	28.0	20.0	57	0.9	0.04	1.1	103.0	195.0	6.9	0.6	0.006
1979	2.0	6.0	1.9	12.0	1.7	28.0	20.0	57	0.9	0.04	1.1	103.0	195.0	6.9	0.6	0.005
1980	2.2	6.0	2.1	12.0	1.8	28.0	20.0	57	0.9	0.04	1.2	103.0	195.0	6.9	0.6	0.006
1981	2.0	6.0	1.9	12.0	1.7	28.0	20.0	57	0.9	0.04	1.1	103.0	195.0	6.9	0.6	0.006
1982	2.1	6.0	1.9	12.0	1.7	28.0	20.0	57	0.9	0.04	1.1	103.0	195.0	6.9	0.6	0.006
1983	2.2	6.0	2.1	12.0	1.9	28.0	20.0	57	1.0	0.04	1.2	103.0	195.0	6.9	0.6	0.006
1984	2.1	6.0	1.9	12.0	1.7	28.0	20.0	57	0.9	0.04	1.1	103.0	195.0	6.9	0.6	0.006
1985	1.5	6.0	1.4	12.0	1.2	28.0	20.0	57	0.6	0.03	0.8	103.0	195.0	6.9	0.4	0.004
1986	1.6	6.0	1.5	12.0	1.3	28.0	20.0	57	0.7	0.03	0.9	103.0	195.0	6.9	0.5	0.004
1987	1.8	6.0	1.7	12.0	1.5	28.0	20.0	57	0.8	0.03	1.0	103.0	195.0	6.9	0.5	0.005
1988	1.8	6.0	1.7	12.0	1.5	28.0	20.0	57	0.8	0.03	0.9	103.0	195.0	6.9	0.5	0.005
1989	1.7	6.0	1.6	12.0	1.4	28.0	20.0	57	0.7	0.03	0.9	103.0	195.0	6.9	0.5	0.005
1990	1.3	6.0	1.2	12.0	1.1	28.0	20.0	57	0.6	0.02	0.7	103.0	195.0	6.9	0.4	0.004
1991	1.4	6.0	1.3	12.0	1.1	28.0	20.0	57	0.6	0.03	0.7	103.0	195.0	6.9	0.4	0.004
1992	1.9	6.0	1.8	12.0	1.6	28.0	20.0	57	0.8	0.04	1.0	103.0	195.0	6.9	0.5	0.005
1993	1.9	6.0	1.7	12.0	1.5	28.0	20.0	57	0.8	0.03	1.0	103.0	195.0	6.9	0.5	0.005
1994	2.1	6.0	2.0	12.0	1.7	28.0	20.0	57	0.9	0.04	1.1	103.0	195.0	6.9	0.6	0.006
1995	2.0	6.0	1.9	12.0	1.6	28.0	20.0	57	0.9	0.04	1.1	103.0	195.0	6.9	0.6	0.005
1996	2.2	6.0	2.0	12.0	1.8	28.0	20.0	57	0.9	0.04	1.2	103.0	195.0	6.9	0.6	0.006
1997	2.5	6.0	2.4	12.0	2.1	28.0	20.0	57	1.1	0.05	1.3	103.0	195.0	6.9	0.7	0.007
1998	2.2	6.0	2.0	12.0	1.8	28.0	20.0	57	0.9	0.04	1.2	103.0	195.0	6.9	0.6	0.006
1999	2.3	6.0	2.2	12.0	1.9	28.0	20.0	57	1.0	0.04	1.2	103.0	195.0	6.9	0.6	0.006
2000	2.9	6.0	2.7	12.0	2.4	28.0	20.0	57	1.2	0.05	1.5	103.0	195.0	6.9	0.8	0.008
2001	2.7	6.0	2.6	12.0	2.3	28.0	20.0	57	1.2	0.05	1.5	103.0	195.0	6.9	0.8	0.007
2002	2.6	6.0	2.4	12.0	2.1	28.0	20.0	57	1.1	0.05	1.4	103.0	195.0	6.9	0.7	0.007
2003	2.7	6.0	2.6	12.0	2.2	28.0	20.0	57	1.2	0.05	1.5	103.0	195.0	6.9	0.8	0.007
2004	2.8	6.0	2.6	12.0	2.3	28.0	20.0	57	1.2	0.05	1.5	103.0	195.0	6.9	0.8	0.008

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's *Nutrient Database for Standard Reference Release 17*, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh grapefruit: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	8.2	3.0	8.0	12.0	7.0	50.0	20.0	74	2.1	0.1	2.6	82.0	256.0	9.0	0.8	0.010
1971	8.5	3.0	8.3	12.0	7.3	50.0	20.0	74	2.2	0.1	2.7	82.0	256.0	9.0	0.9	0.011
1972	8.6	3.0	8.3	12.0	7.3	50.0	20.0	74	2.2	0.1	2.7	82.0	256.0	9.0	0.9	0.011
1973	8.6	3.0	8.3	12.0	7.3	50.0	20.0	74	2.2	0.1	2.7	82.0	256.0	9.0	0.9	0.011
1974	8.2	3.0	8.0	12.0	7.0	50.0	20.0	74	2.1	0.1	2.6	82.0	256.0	9.0	0.8	0.010
1975	8.4	3.0	8.1	12.0	7.1	50.0	20.0	74	2.1	0.1	2.7	82.0	256.0	9.0	0.9	0.010
1976	9.3	3.0	9.0	12.0	7.9	50.0	20.0	74	2.4	0.1	2.9	82.0	256.0	9.0	0.9	0.012
1977	7.7	3.0	7.5	12.0	6.6	50.0	20.0	74	2.0	0.1	2.5	82.0	256.0	9.0	0.8	0.010
1978	8.3	3.0	8.1	12.0	7.1	50.0	20.0	74	2.1	0.1	2.7	82.0	256.0	9.0	0.9	0.010
1979	7.3	3.0	7.1	12.0	6.2	50.0	20.0	74	1.9	0.1	2.3	82.0	256.0	9.0	0.7	0.009
1980	7.3	3.0	7.1	12.0	6.2	50.0	20.0	74	1.9	0.1	2.3	82.0	256.0	9.0	0.7	0.009
1981	6.7	3.0	6.5	12.0	5.7	50.0	20.0	74	1.7	0.1	2.1	82.0	256.0	9.0	0.7	0.008
1982	7.2	3.0	7.0	12.0	6.1	50.0	20.0	74	1.8	0.1	2.3	82.0	256.0	9.0	0.7	0.009
1983	7.8	3.0	7.6	12.0	6.7	50.0	20.0	74	2.0	0.1	2.5	82.0	256.0	9.0	0.8	0.010
1984	6.0	3.0	5.8	12.0	5.1	50.0	20.0	74	1.5	0.1	1.9	82.0	256.0	9.0	0.6	0.007
1985	5.5	3.0	5.3	12.0	4.7	50.0	20.0	74	1.4	0.1	1.8	82.0	256.0	9.0	0.6	0.007
1986	6.1	3.0	5.9	12.0	5.2	50.0	20.0	74	1.6	0.1	2.0	82.0	256.0	9.0	0.6	0.008
1987	6.3	3.0	6.2	12.0	5.4	50.0	20.0	74	1.6	0.1	2.0	82.0	256.0	9.0	0.6	0.008
1988	6.7	3.0	6.5	12.0	5.7	50.0	20.0	74	1.7	0.1	2.1	82.0	256.0	9.0	0.7	0.008
1989	6.6	3.0	6.4	12.0	5.6	50.0	20.0	74	1.7	0.1	2.1	82.0	256.0	9.0	0.7	0.008
1990	4.4	3.0	4.3	12.0	3.8	50.0	20.0	74	1.1	0.0	1.4	82.0	256.0	9.0	0.5	0.006
1991	5.9	3.0	5.7	12.0	5.0	50.0	20.0	74	1.5	0.1	1.9	82.0	256.0	9.0	0.6	0.007
1992	5.9	3.0	5.7	12.0	5.1	50.0	20.0	74	1.5	0.1	1.9	82.0	256.0	9.0	0.6	0.007
1993	6.2	3.0	6.0	12.0	5.3	50.0	20.0	74	1.6	0.1	2.0	82.0	256.0	9.0	0.6	0.008
1994	6.1	3.0	5.9	12.0	5.2	50.0	20.0	74	1.6	0.1	1.9	82.0	256.0	9.0	0.6	0.008
1995	6.0	3.0	5.8	12.0	5.1	50.0	20.0	74	1.5	0.1	1.9	82.0	256.0	9.0	0.6	0.007
1996	5.8	3.0	5.7	12.0	5.0	50.0	20.0	74	1.5	0.1	1.9	82.0	256.0	9.0	0.6	0.007
1997	6.2	3.0	6.0	12.0	5.3	50.0	20.0	74	1.6	0.1	2.0	82.0	256.0	9.0	0.6	0.008
1998	5.9	3.0	5.8	12.0	5.1	50.0	20.0	74	1.5	0.1	1.9	82.0	256.0	9.0	0.6	0.007
1999	5.7	3.0	5.6	12.0	4.9	50.0	20.0	74	1.5	0.1	1.8	82.0	256.0	9.0	0.6	0.007
2000	5.1	3.0	4.9	12.0	4.3	50.0	20.0	74	1.3	0.1	1.6	82.0	256.0	9.0	0.5	0.006
2001	4.8	3.0	4.7	12.0	4.1	50.0	20.0	74	1.2	0.1	1.5	82.0	256.0	9.0	0.5	0.006
2002	4.6	3.0	4.5	12.0	3.9	50.0	20.0	74	1.2	0.1	1.5	82.0	256.0	9.0	0.5	0.006
2003	4.1	3.0	4.0	12.0	3.5	50.0	20.0	74	1.0	0.0	1.3	82.0	256.0	9.0	0.4	0.005
2004	4.1	3.0	4.0	12.0	3.5	50.0	20.0	74	1.1	0.0	1.3	82.0	256.0	9.0	0.4	0.005

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's *Nutrient Database for Standard Reference Release 17*, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh lemons: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³			Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams	Ounces		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number	
1970	2.1	4.0	2.0	12.0	1.7	47.0	20.0	72	0.6	0.03	0.7	61.0	212.0	7.5	0.2	0.003	
1971	2.3	4.0	2.2	12.0	1.9	47.0	20.0	72	0.6	0.03	0.8	61.0	212.0	7.5	0.2	0.004	
1972	1.9	4.0	1.8	12.0	1.6	47.0	20.0	72	0.5	0.02	0.6	61.0	212.0	7.5	0.2	0.003	
1973	1.9	4.0	1.9	12.0	1.6	47.0	20.0	72	0.5	0.02	0.7	61.0	212.0	7.5	0.2	0.003	
1974	2.0	4.0	1.9	12.0	1.7	47.0	20.0	72	0.6	0.02	0.7	61.0	212.0	7.5	0.2	0.003	
1975	2.0	4.0	1.9	12.0	1.6	47.0	20.0	72	0.5	0.02	0.7	61.0	212.0	7.5	0.2	0.003	
1976	1.9	4.0	1.8	12.0	1.6	47.0	20.0	72	0.5	0.02	0.7	61.0	212.0	7.5	0.2	0.003	
1977	2.1	4.0	2.0	12.0	1.8	47.0	20.0	72	0.6	0.03	0.7	61.0	212.0	7.5	0.2	0.003	
1978	2.1	4.0	2.0	12.0	1.8	47.0	20.0	72	0.6	0.03	0.7	61.0	212.0	7.5	0.2	0.003	
1979	1.9	4.0	1.8	12.0	1.6	47.0	20.0	72	0.5	0.02	0.7	61.0	212.0	7.5	0.2	0.003	
1980	1.9	4.0	1.8	12.0	1.6	47.0	20.0	72	0.5	0.02	0.7	61.0	212.0	7.5	0.2	0.003	
1981	2.0	4.0	1.9	12.0	1.7	47.0	20.0	72	0.6	0.02	0.7	61.0	212.0	7.5	0.2	0.003	
1982	2.1	4.0	2.0	12.0	1.7	47.0	20.0	72	0.6	0.03	0.7	61.0	212.0	7.5	0.2	0.003	
1983	2.3	4.0	2.2	12.0	2.0	47.0	20.0	72	0.6	0.03	0.8	61.0	212.0	7.5	0.2	0.004	
1984	2.2	4.0	2.1	12.0	1.8	47.0	20.0	72	0.6	0.03	0.7	61.0	212.0	7.5	0.2	0.004	
1985	2.3	4.0	2.2	12.0	1.9	47.0	20.0	72	0.6	0.03	0.8	61.0	212.0	7.5	0.2	0.004	
1986	2.5	4.0	2.4	12.0	2.1	47.0	20.0	72	0.7	0.03	0.9	61.0	212.0	7.5	0.2	0.004	
1987	2.5	4.0	2.4	12.0	2.1	47.0	20.0	72	0.7	0.03	0.9	61.0	212.0	7.5	0.2	0.004	
1988	2.5	4.0	2.4	12.0	2.1	47.0	20.0	72	0.7	0.03	0.9	61.0	212.0	7.5	0.2	0.004	
1989	2.4	4.0	2.3	12.0	2.0	47.0	20.0	72	0.7	0.03	0.8	61.0	212.0	7.5	0.2	0.004	
1990	2.6	4.0	2.5	12.0	2.2	47.0	20.0	72	0.7	0.03	0.9	61.0	212.0	7.5	0.3	0.004	
1991	2.6	4.0	2.5	12.0	2.2	47.0	20.0	72	0.7	0.03	0.9	61.0	212.0	7.5	0.3	0.004	
1992	2.5	4.0	2.4	12.0	2.1	47.0	20.0	72	0.7	0.03	0.9	61.0	212.0	7.5	0.3	0.004	
1993	2.6	4.0	2.5	12.0	2.2	47.0	20.0	72	0.7	0.03	0.9	61.0	212.0	7.5	0.3	0.004	
1994	2.7	4.0	2.5	12.0	2.2	47.0	20.0	72	0.7	0.03	0.9	61.0	212.0	7.5	0.3	0.004	
1995	2.8	4.0	2.7	12.0	2.4	47.0	20.0	72	0.8	0.03	1.0	61.0	212.0	7.5	0.3	0.005	
1996	2.9	4.0	2.7	12.0	2.4	47.0	20.0	72	0.8	0.03	1.0	61.0	212.0	7.5	0.3	0.005	
1997	2.8	4.0	2.6	12.0	2.3	47.0	20.0	72	0.8	0.03	1.0	61.0	212.0	7.5	0.3	0.005	
1998	2.5	4.0	2.4	12.0	2.1	47.0	20.0	72	0.7	0.03	0.9	61.0	212.0	7.5	0.2	0.004	
1999	2.6	4.0	2.5	12.0	2.2	47.0	20.0	72	0.7	0.03	0.9	61.0	212.0	7.5	0.3	0.004	
2000	2.4	4.0	2.3	12.0	2.1	47.0	20.0	72	0.7	0.03	0.8	61.0	212.0	7.5	0.2	0.004	
2001	3.0	4.0	2.8	12.0	2.5	47.0	20.0	72	0.8	0.04	1.0	61.0	212.0	7.5	0.3	0.005	
2002	3.3	4.0	3.2	12.0	2.8	47.0	20.0	72	0.9	0.04	1.2	61.0	212.0	7.5	0.3	0.005	
2003	3.3	4.0	3.2	12.0	2.8	47.0	20.0	72	0.9	0.04	1.2	61.0	212.0	7.5	0.3	0.005	
2004	3.1	4.0	3.0	12.0	2.7	47.0	20.0	72	0.9	0.04	1.1	61.0	212.0	7.5	0.3	0.005	

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's *Nutrient Database for Standard Reference Release 17*, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh limes: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Oz/day		G/day	Number		
1970	0.2	5.0	0.2	12.0	0.1	16.0	20.0	46	0.1	0.004	0.1	62.0	207.7	7.3	0.03	0.001
1971	0.2	5.0	0.2	12.0	0.1	16.0	20.0	46	0.1	0.004	0.1	62.0	207.7	7.3	0.03	0.001
1972	0.2	5.0	0.2	12.0	0.2	16.0	20.0	46	0.1	0.005	0.1	62.0	207.7	7.3	0.04	0.001
1973	0.2	5.0	0.2	12.0	0.2	16.0	20.0	46	0.1	0.005	0.1	62.0	207.7	7.3	0.04	0.001
1974	0.2	5.0	0.2	12.0	0.2	16.0	20.0	46	0.1	0.005	0.1	62.0	207.7	7.3	0.04	0.001
1975	0.2	5.0	0.2	12.0	0.2	16.0	20.0	46	0.1	0.005	0.1	62.0	207.7	7.3	0.04	0.001
1976	0.2	5.0	0.2	12.0	0.2	16.0	20.0	46	0.1	0.006	0.2	62.0	207.7	7.3	0.05	0.001
1977	0.2	5.0	0.2	12.0	0.2	16.0	20.0	46	0.1	0.006	0.2	62.0	207.7	7.3	0.05	0.001
1978	0.2	5.0	0.2	12.0	0.2	16.0	20.0	46	0.1	0.005	0.1	62.0	207.7	7.3	0.04	0.001
1979	0.3	5.0	0.3	12.0	0.2	16.0	20.0	46	0.1	0.006	0.2	62.0	207.7	7.3	0.05	0.001
1980	0.4	5.0	0.3	12.0	0.3	16.0	20.0	46	0.2	0.008	0.2	62.0	207.7	7.3	0.07	0.001
1981	0.4	5.0	0.4	12.0	0.4	16.0	20.0	46	0.2	0.010	0.3	62.0	207.7	7.3	0.08	0.001
1982	0.4	5.0	0.4	12.0	0.3	16.0	20.0	46	0.2	0.009	0.3	62.0	207.7	7.3	0.08	0.001
1983	0.5	5.0	0.5	12.0	0.4	16.0	20.0	46	0.3	0.012	0.3	62.0	207.7	7.3	0.10	0.002
1984	0.5	5.0	0.4	12.0	0.4	16.0	20.0	46	0.2	0.011	0.3	62.0	207.7	7.3	0.09	0.001
1985	0.6	5.0	0.5	12.0	0.5	16.0	20.0	46	0.3	0.013	0.4	62.0	207.7	7.3	0.11	0.002
1986	0.6	5.0	0.6	12.0	0.5	16.0	20.0	46	0.3	0.014	0.4	62.0	207.7	7.3	0.12	0.002
1987	0.5	5.0	0.5	12.0	0.4	16.0	20.0	46	0.3	0.012	0.3	62.0	207.7	7.3	0.10	0.002
1988	0.6	5.0	0.5	12.0	0.5	16.0	20.0	46	0.3	0.013	0.4	62.0	207.7	7.3	0.11	0.002
1989	0.7	5.0	0.7	12.0	0.6	16.0	20.0	46	0.4	0.016	0.5	62.0	207.7	7.3	0.14	0.002
1990	0.7	5.0	0.6	12.0	0.6	16.0	20.0	46	0.4	0.015	0.4	62.0	207.7	7.3	0.13	0.002
1991	0.8	5.0	0.7	12.0	0.6	16.0	20.0	46	0.4	0.018	0.5	62.0	207.7	7.3	0.15	0.002
1992	1.0	5.0	1.0	12.0	0.9	16.0	20.0	46	0.5	0.024	0.7	62.0	207.7	7.3	0.20	0.003
1993	1.0	5.0	0.9	12.0	0.8	16.0	20.0	46	0.5	0.022	0.6	62.0	207.7	7.3	0.19	0.003
1994	1.0	5.0	0.9	12.0	0.8	16.0	20.0	46	0.5	0.023	0.6	62.0	207.7	7.3	0.19	0.003
1995	1.2	5.0	1.1	12.0	1.0	16.0	20.0	46	0.6	0.028	0.8	62.0	207.7	7.3	0.23	0.004
1996	1.1	5.0	1.1	12.0	1.0	16.0	20.0	46	0.6	0.027	0.8	62.0	207.7	7.3	0.23	0.004
1997	1.1	5.0	1.1	12.0	1.0	16.0	20.0	46	0.6	0.027	0.8	62.0	207.7	7.3	0.23	0.004
1998	1.4	5.0	1.3	12.0	1.2	16.0	20.0	46	0.7	0.033	0.9	62.0	207.7	7.3	0.28	0.004
1999	1.3	5.0	1.3	12.0	1.1	16.0	20.0	46	0.7	0.031	0.9	62.0	207.7	7.3	0.26	0.004
2000	1.4	5.0	1.3	12.0	1.2	16.0	20.0	46	0.7	0.033	0.9	62.0	207.7	7.3	0.28	0.004
2001	1.5	5.0	1.4	12.0	1.3	16.0	20.0	46	0.8	0.035	1.0	62.0	207.7	7.3	0.30	0.005
2002	1.1	5.0	1.0	12.0	0.9	16.0	20.0	46	0.6	0.026	0.7	62.0	207.7	7.3	0.22	0.004
2003	1.9	5.0	1.8	12.0	1.6	16.0	20.0	46	1.0	0.045	1.3	62.0	207.7	7.3	0.38	0.006
2004	1.9	5.0	1.8	12.0	1.6	16.0	20.0	46	1.0	0.044	1.2	62.0	207.7	7.3	0.37	0.006

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's *Nutrient Database for Standard Reference Release 17*, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh citrus fruit: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Retail weight ²	Consumer weight	Total loss, all levels	Per capita consumption adjusted for loss			Calories consumed daily ³	Servings consumed daily ⁴
	Lbs/year	Lbs/year	Lbs/year	Percent	Lbs/year	Oz/day	G/day	Number	Number
1970	28.8	27.9	24.5	61.7	11.0	0.5	13.7	6.0	0.070
1971	29.0	28.1	24.7	62.0	11.0	0.5	13.7	5.9	0.069
1972	27.2	26.3	23.1	62.2	10.3	0.4	12.7	5.5	0.064
1973	27.2	26.3	23.2	62.3	10.3	0.5	12.8	5.5	0.064
1974	27.1	26.2	23.0	62.1	10.3	0.4	12.7	5.5	0.064
1975	29.0	28.0	24.6	61.7	11.1	0.5	13.8	6.0	0.070
1976	28.5	27.6	24.2	62.4	10.7	0.5	13.3	5.7	0.067
1977	26.1	25.3	22.2	62.1	9.9	0.4	12.3	5.3	0.062
1978	26.2	25.3	22.3	62.5	9.8	0.4	12.2	5.2	0.061
1979	23.0	22.2	19.5	62.5	8.6	0.4	10.7	4.6	0.054
1980	26.1	25.2	22.2	61.6	10.0	0.4	12.4	5.4	0.063
1981	23.5	22.7	20.0	61.9	9.0	0.4	11.1	4.8	0.056
1982	23.4	22.6	19.9	62.4	8.8	0.4	10.9	4.7	0.055
1983	28.0	27.0	23.8	61.7	10.7	0.5	13.3	5.7	0.067
1984	22.5	21.8	19.1	61.7	8.6	0.4	10.7	4.6	0.054
1985	21.5	20.7	18.3	61.6	8.2	0.4	10.2	4.4	0.052
1986	24.2	23.4	20.6	61.5	9.3	0.4	11.6	5.0	0.059
1987	23.9	23.1	20.3	61.8	9.2	0.4	11.4	4.9	0.058
1988	25.4	24.5	21.6	61.6	9.8	0.4	12.1	5.2	0.061
1989	23.6	22.8	20.0	61.9	9.0	0.4	11.1	4.7	0.056
1990	21.4	20.6	18.2	60.8	8.4	0.4	10.4	4.5	0.053
1991	19.0	18.4	16.2	63.0	7.0	0.3	8.7	3.6	0.043
1992	24.2	23.4	20.6	61.2	9.4	0.4	11.7	5.0	0.059
1993	25.8	24.9	21.9	61.1	10.0	0.4	12.5	5.3	0.063
1994	24.7	23.9	21.0	61.3	9.6	0.4	11.9	5.1	0.060
1995	23.8	23.0	20.2	61.5	9.2	0.4	11.4	4.8	0.057
1996	24.6	23.7	20.9	61.3	9.5	0.4	11.8	5.0	0.060
1997	26.5	25.6	22.5	61.0	10.3	0.5	12.8	5.5	0.065
1998	26.6	25.6	22.6	60.5	10.5	0.5	13.0	5.6	0.066
1999	20.4	19.6	17.3	62.2	7.7	0.3	9.6	4.0	0.048
2000	23.5	22.7	20.0	60.6	9.3	0.4	11.5	4.9	0.058
2001	23.9	23.1	20.3	60.6	9.4	0.4	11.7	5.0	0.059
2002	23.4	22.5	19.8	61.0	9.1	0.4	11.3	4.8	0.058
2003	23.9	23.1	20.3	60.1	9.5	0.4	11.9	5.0	0.060
2004	22.7	21.9	19.2	60.3	9.0	0.4	11.2	4.7	0.057

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and *My Pyramid Plan* servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh apples: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	17.2	4.0	16.5	12.0	14.6	8.0	20.0	39	10.5	0.5	13.0	57.0	110.0	3.9	6.8	0.118
1971	16.6	4.0	16.0	12.0	14.0	8.0	20.0	39	10.1	0.4	12.6	57.0	110.0	3.9	6.5	0.114
1972	15.7	4.0	15.1	12.0	13.2	8.0	20.0	39	9.5	0.4	11.9	57.0	110.0	3.9	6.1	0.108
1973	16.3	4.0	15.6	12.0	13.8	8.0	20.0	39	9.9	0.4	12.3	57.0	110.0	3.9	6.4	0.112
1974	16.6	4.0	15.9	12.0	14.0	8.0	20.0	39	10.1	0.4	12.5	57.0	110.0	3.9	6.5	0.114
1975	19.7	4.0	18.9	12.0	16.6	8.0	20.0	39	12.0	0.5	14.9	57.0	110.0	3.9	7.7	0.135
1976	17.2	4.0	16.6	12.0	14.6	8.0	20.0	39	10.5	0.5	13.0	57.0	110.0	3.9	6.8	0.119
1977	16.7	4.0	16.0	12.0	14.1	8.0	20.0	39	10.2	0.4	12.6	57.0	110.0	3.9	6.5	0.115
1978	18.1	4.0	17.4	12.0	15.3	8.0	20.0	39	11.0	0.5	13.7	57.0	110.0	3.9	7.1	0.125
1979	17.3	4.0	16.6	12.0	14.6	8.0	20.0	39	10.5	0.5	13.1	57.0	110.0	3.9	6.8	0.119
1980	19.4	4.0	18.6	12.0	16.4	8.0	20.0	39	11.8	0.5	14.7	57.0	110.0	3.9	7.6	0.133
1981	17.0	4.0	16.3	12.0	14.4	8.0	20.0	39	10.3	0.5	12.9	57.0	110.0	3.9	6.7	0.117
1982	17.7	4.0	17.0	12.0	15.0	8.0	20.0	39	10.8	0.5	13.4	57.0	110.0	3.9	6.9	0.122
1983	18.4	4.0	17.7	12.0	15.6	8.0	20.0	39	11.2	0.5	13.9	57.0	110.0	3.9	7.2	0.127
1984	18.5	4.0	17.8	12.0	15.6	8.0	20.0	39	11.3	0.5	14.0	57.0	110.0	3.9	7.3	0.127
1985	17.4	4.0	16.7	12.0	14.7	8.0	20.0	39	10.6	0.5	13.2	57.0	110.0	3.9	6.8	0.120
1986	18.0	4.0	17.3	12.0	15.2	8.0	20.0	39	10.9	0.5	13.6	57.0	110.0	3.9	7.1	0.124
1987	21.0	4.0	20.2	12.0	17.8	8.0	20.0	39	12.8	0.6	15.9	57.0	110.0	3.9	8.2	0.144
1988	20.0	4.0	19.2	12.0	16.9	8.0	20.0	39	12.2	0.5	15.1	57.0	110.0	3.9	7.8	0.138
1989	21.4	4.0	20.6	12.0	18.1	8.0	20.0	39	13.0	0.6	16.2	57.0	110.0	3.9	8.4	0.147
1990	19.8	4.0	19.0	12.0	16.7	8.0	20.0	39	12.1	0.5	15.0	57.0	110.0	3.9	7.8	0.136
1991	18.3	4.0	17.6	12.0	15.5	8.0	20.0	39	11.2	0.5	13.9	57.0	110.0	3.9	7.2	0.126
1992	19.4	4.0	18.6	12.0	16.4	8.0	20.0	39	11.8	0.5	14.6	57.0	110.0	3.9	7.6	0.133
1993	19.2	4.0	18.5	12.0	16.2	8.0	20.0	39	11.7	0.5	14.5	57.0	110.0	3.9	7.5	0.132
1994	19.6	4.0	18.8	12.0	16.5	8.0	20.0	39	11.9	0.5	14.8	57.0	110.0	3.9	7.7	0.134
1995	18.9	4.0	18.1	12.0	16.0	8.0	20.0	39	11.5	0.5	14.3	57.0	110.0	3.9	7.4	0.130
1996	18.9	4.0	18.1	12.0	15.9	8.0	20.0	39	11.5	0.5	14.3	57.0	110.0	3.9	7.4	0.130
1997	18.3	4.0	17.6	12.0	15.4	8.0	20.0	39	11.1	0.5	13.8	57.0	110.0	3.9	7.2	0.126
1998	19.2	4.0	18.4	12.0	16.2	8.0	20.0	39	11.7	0.5	14.5	57.0	110.0	3.9	7.5	0.132
1999	18.7	4.0	18.0	12.0	15.8	8.0	20.0	39	11.4	0.5	14.1	57.0	110.0	3.9	7.3	0.129
2000	17.6	4.0	16.9	12.0	14.9	8.0	20.0	39	10.7	0.5	13.3	57.0	110.0	3.9	6.9	0.121
2001	15.8	4.0	15.1	12.0	13.3	8.0	20.0	39	9.6	0.4	11.9	57.0	110.0	3.9	6.2	0.108
2002	16.2	4.0	15.5	12.0	13.6	8.0	20.0	39	9.8	0.4	12.2	57.0	110.0	3.9	6.3	0.111
2003	17.1	4.0	16.4	12.0	14.4	8.0	20.0	39	10.4	0.5	12.9	57.0	110.0	3.9	6.7	0.117
2004	18.8	4.0	18.0	12.0	15.9	8.0	20.0	39	11.4	0.5	14.2	57.0	110.0	3.9	7.4	0.129

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh apricots: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³		Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵	
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day	Number	Grams	Ounces				
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number		
1970	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.07	0.003	0.09	79.0	165.0	5.8	0.04	0.001		
1971	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.08	0.003	0.10	79.0	165.0	5.8	0.05	0.001		
1972	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.06	79.0	165.0	5.8	0.03	0.000		
1973	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.07	79.0	165.0	5.8	0.03	0.000		
1974	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.04	0.002	0.05	79.0	165.0	5.8	0.02	0.000		
1975	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.06	79.0	165.0	5.8	0.03	0.000		
1976	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.06	0.002	0.07	79.0	165.0	5.8	0.03	0.000		
1977	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.06	79.0	165.0	5.8	0.03	0.000		
1978	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.04	0.002	0.05	79.0	165.0	5.8	0.02	0.000		
1979	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.06	79.0	165.0	5.8	0.03	0.000		
1980	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.06	0.003	0.07	79.0	165.0	5.8	0.04	0.000		
1981	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.06	0.002	0.07	79.0	165.0	5.8	0.03	0.000		
1982	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.06	79.0	165.0	5.8	0.03	0.000		
1983	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.06	79.0	165.0	5.8	0.03	0.000		
1984	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.07	0.003	0.09	79.0	165.0	5.8	0.04	0.001		
1985	0.2	9.0	0.1	12.0	0.1	7.0	20.0	42	0.09	0.004	0.12	79.0	165.0	5.8	0.06	0.001		
1986	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.06	0.002	0.07	79.0	165.0	5.8	0.03	0.000		
1987	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.06	79.0	165.0	5.8	0.03	0.000		
1988	0.2	9.0	0.1	12.0	0.1	7.0	20.0	42	0.09	0.004	0.12	79.0	165.0	5.8	0.06	0.001		
1989	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.07	79.0	165.0	5.8	0.03	0.000		
1990	0.2	9.0	0.1	12.0	0.1	7.0	20.0	42	0.09	0.004	0.11	79.0	165.0	5.8	0.05	0.001		
1991	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.07	0.003	0.09	79.0	165.0	5.8	0.04	0.001		
1992	0.2	9.0	0.1	12.0	0.1	7.0	20.0	42	0.09	0.004	0.11	79.0	165.0	5.8	0.05	0.001		
1993	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.08	0.003	0.09	79.0	165.0	5.8	0.04	0.001		
1994	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.09	0.004	0.11	79.0	165.0	5.8	0.05	0.001		
1995	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.06	0.003	0.07	79.0	165.0	5.8	0.03	0.000		
1996	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.06	79.0	165.0	5.8	0.03	0.000		
1997	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.08	0.004	0.11	79.0	165.0	5.8	0.05	0.001		
1998	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.07	0.003	0.09	79.0	165.0	5.8	0.04	0.001		
1999	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.07	0.003	0.09	79.0	165.0	5.8	0.04	0.001		
2000	0.2	9.0	0.1	12.0	0.1	7.0	20.0	42	0.09	0.004	0.11	79.0	165.0	5.8	0.05	0.001		
2001	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.06	79.0	165.0	5.8	0.03	0.000		
2002	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.05	0.002	0.06	79.0	165.0	5.8	0.03	0.000		
2003	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.08	0.003	0.09	79.0	165.0	5.8	0.05	0.001		
2004	0.1	9.0	0.1	12.0	0.1	7.0	20.0	42	0.07	0.003	0.09	79.0	165.0	5.8	0.04	0.001		

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh avocados: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Lbs/year		Ounces			
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.5	6.0	0.4	12.0	0.4	24.0	20.0	54	0.2	0.01	0.3	234.0	146.0	5.2	0.4	0.002
1971	0.8	6.0	0.8	12.0	0.7	24.0	20.0	54	0.4	0.02	0.5	234.0	146.0	5.2	0.8	0.003
1972	0.4	6.0	0.4	12.0	0.4	24.0	20.0	54	0.2	0.01	0.2	234.0	146.0	5.2	0.4	0.002
1973	0.7	6.0	0.7	12.0	0.6	24.0	20.0	54	0.3	0.01	0.4	234.0	146.0	5.2	0.7	0.003
1974	1.2	6.0	1.2	12.0	1.0	24.0	20.0	54	0.6	0.03	0.7	234.0	146.0	5.2	1.1	0.005
1975	0.7	6.0	0.7	12.0	0.6	24.0	20.0	54	0.3	0.01	0.4	234.0	146.0	5.2	0.7	0.003
1976	1.2	6.0	1.1	12.0	1.0	24.0	20.0	54	0.6	0.02	0.7	234.0	146.0	5.2	1.1	0.005
1977	1.1	6.0	1.1	12.0	0.9	24.0	20.0	54	0.5	0.02	0.7	234.0	146.0	5.2	1.0	0.004
1978	1.3	6.0	1.2	12.0	1.1	24.0	20.0	54	0.6	0.03	0.7	234.0	146.0	5.2	1.2	0.005
1979	0.9	6.0	0.8	12.0	0.7	24.0	20.0	54	0.4	0.02	0.5	234.0	146.0	5.2	0.8	0.003
1980	2.1	6.0	2.0	12.0	1.7	24.0	20.0	54	1.0	0.04	1.2	234.0	146.0	5.2	1.9	0.008
1981	1.6	6.0	1.5	12.0	1.3	24.0	20.0	54	0.7	0.03	0.9	234.0	146.0	5.2	1.4	0.006
1982	1.9	6.0	1.7	12.0	1.5	24.0	20.0	54	0.9	0.04	1.1	234.0	146.0	5.2	1.7	0.007
1983	2.2	6.0	2.1	12.0	1.8	24.0	20.0	54	1.0	0.04	1.3	234.0	146.0	5.2	2.0	0.009
1984	1.8	6.0	1.7	12.0	1.5	24.0	20.0	54	0.9	0.04	1.1	234.0	146.0	5.2	1.7	0.007
1985	1.5	6.0	1.4	12.0	1.3	24.0	20.0	54	0.7	0.03	0.9	234.0	146.0	5.2	1.4	0.006
1986	2.4	6.0	2.2	12.0	2.0	24.0	20.0	54	1.1	0.05	1.4	234.0	146.0	5.2	2.2	0.009
1987	1.6	6.0	1.5	12.0	1.3	24.0	20.0	54	0.7	0.03	0.9	234.0	146.0	5.2	1.5	0.006
1988	1.6	6.0	1.5	12.0	1.3	24.0	20.0	54	0.7	0.03	0.9	234.0	146.0	5.2	1.5	0.006
1989	1.1	6.0	1.0	12.0	0.9	24.0	20.0	54	0.5	0.02	0.6	234.0	146.0	5.2	1.0	0.004
1990	1.4	6.0	1.3	12.0	1.2	24.0	20.0	54	0.7	0.03	0.8	234.0	146.0	5.2	1.3	0.006
1991	1.4	6.0	1.4	12.0	1.2	24.0	20.0	54	0.7	0.03	0.8	234.0	146.0	5.2	1.3	0.006
1992	2.2	6.0	2.1	12.0	1.8	24.0	20.0	54	1.0	0.04	1.3	234.0	146.0	5.2	2.0	0.009
1993	1.3	6.0	1.3	12.0	1.1	24.0	20.0	54	0.6	0.03	0.8	234.0	146.0	5.2	1.2	0.005
1994	1.4	6.0	1.3	12.0	1.1	24.0	20.0	54	0.6	0.03	0.8	234.0	146.0	5.2	1.3	0.005
1995	1.6	6.0	1.5	12.0	1.3	24.0	20.0	54	0.7	0.03	0.9	234.0	146.0	5.2	1.5	0.006
1996	1.6	6.0	1.5	12.0	1.3	24.0	20.0	54	0.7	0.03	0.9	234.0	146.0	5.2	1.5	0.006
1997	1.7	6.0	1.6	12.0	1.4	24.0	20.0	54	0.8	0.04	1.0	234.0	146.0	5.2	1.6	0.007
1998	1.5	6.0	1.4	12.0	1.3	24.0	20.0	54	0.7	0.03	0.9	234.0	146.0	5.2	1.4	0.006
1999	1.9	6.0	1.8	12.0	1.6	24.0	20.0	54	0.9	0.04	1.1	234.0	146.0	5.2	1.8	0.008
2000	2.2	6.0	2.1	12.0	1.8	24.0	20.0	54	1.0	0.05	1.3	234.0	146.0	5.2	2.1	0.009
2001	2.5	6.0	2.4	12.0	2.1	24.0	20.0	54	1.2	0.05	1.5	234.0	146.0	5.2	2.3	0.010
2002	2.4	3.0	2.3	12.0	2.0	24.0	20.0	52	1.1	0.05	1.4	234.0	146.0	5.2	2.2	0.010
2003	2.8	3.0	2.7	12.0	2.4	24.0	20.0	52	1.3	0.06	1.6	234.0	146.0	5.2	2.6	0.011
2004	2.9	3.0	2.8	12.0	2.5	24.0	20.0	52	1.4	0.06	1.7	234.0	146.0	5.2	2.8	0.012

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh bananas: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	17.4	0.0	17.4	12.0	15.3	35.0	20.0	60	6.9	0.3	8.6	134.0	150.0	5.3	7.6	0.057
1971	18.1	0.0	18.1	12.0	15.9	35.0	20.0	60	7.2	0.3	8.9	134.0	150.0	5.3	7.9	0.059
1972	17.9	0.0	17.9	12.0	15.8	35.0	20.0	60	7.1	0.3	8.8	134.0	150.0	5.3	7.9	0.059
1973	18.2	0.0	18.2	12.0	16.0	35.0	20.0	60	7.2	0.3	8.9	134.0	150.0	5.3	8.0	0.060
1974	18.5	0.0	18.5	12.0	16.3	35.0	20.0	60	7.3	0.3	9.1	134.0	150.0	5.3	8.1	0.061
1975	17.6	0.0	17.6	12.0	15.5	35.0	20.0	60	7.0	0.3	8.7	134.0	150.0	5.3	7.8	0.058
1976	19.3	0.0	19.3	12.0	16.9	35.0	20.0	60	7.6	0.3	9.5	134.0	150.0	5.3	8.5	0.063
1977	19.2	0.0	19.2	12.0	16.9	35.0	20.0	60	7.6	0.3	9.5	134.0	150.0	5.3	8.4	0.063
1978	20.2	0.0	20.2	12.0	17.8	35.0	20.0	60	8.0	0.4	9.9	134.0	150.0	5.3	8.9	0.066
1979	21.0	0.0	21.0	12.0	18.5	35.0	20.0	60	8.3	0.4	10.3	134.0	150.0	5.3	9.2	0.069
1980	20.8	0.0	20.8	12.0	18.3	35.0	20.0	60	8.2	0.4	10.2	134.0	150.0	5.3	9.1	0.068
1981	21.5	0.0	21.5	12.0	18.9	35.0	20.0	60	8.5	0.4	10.6	134.0	150.0	5.3	9.4	0.070
1982	22.5	0.0	22.5	12.0	19.8	35.0	20.0	60	8.9	0.4	11.1	134.0	150.0	5.3	9.9	0.074
1983	21.3	0.0	21.3	12.0	18.7	35.0	20.0	60	8.4	0.4	10.5	134.0	150.0	5.3	9.3	0.070
1984	22.2	0.0	22.2	12.0	19.5	35.0	20.0	60	8.8	0.4	10.9	134.0	150.0	5.3	9.8	0.073
1985	23.5	0.0	23.5	12.0	20.7	35.0	20.0	60	9.3	0.4	11.6	134.0	150.0	5.3	10.3	0.077
1986	25.8	0.0	25.8	12.0	22.7	35.0	20.0	60	10.2	0.4	12.7	134.0	150.0	5.3	11.4	0.085
1987	25.0	0.0	25.0	12.0	22.0	35.0	20.0	60	9.9	0.4	12.3	134.0	150.0	5.3	11.0	0.082
1988	24.3	0.0	24.3	12.0	21.4	35.0	20.0	60	9.6	0.4	12.0	134.0	150.0	5.3	10.7	0.080
1989	24.7	0.0	24.7	12.0	21.7	35.0	20.0	60	9.8	0.4	12.2	134.0	150.0	5.3	10.9	0.081
1990	24.3	0.0	24.3	12.0	21.4	35.0	20.0	60	9.6	0.4	12.0	134.0	150.0	5.3	10.7	0.080
1991	25.0	0.0	25.0	12.0	22.0	35.0	20.0	60	9.9	0.4	12.3	134.0	150.0	5.3	11.0	0.082
1992	27.1	0.0	27.1	12.0	23.8	35.0	20.0	60	10.7	0.5	13.3	134.0	150.0	5.3	11.9	0.089
1993	26.6	0.0	26.6	12.0	23.4	35.0	20.0	60	10.5	0.5	13.1	134.0	150.0	5.3	11.7	0.087
1994	27.8	0.0	27.8	12.0	24.4	35.0	20.0	60	11.0	0.5	13.7	134.0	150.0	5.3	12.2	0.091
1995	27.1	0.0	27.1	12.0	23.8	35.0	20.0	60	10.7	0.5	13.3	134.0	150.0	5.3	11.9	0.089
1996	27.6	0.0	27.6	12.0	24.3	35.0	20.0	60	10.9	0.5	13.6	134.0	150.0	5.3	12.1	0.090
1997	27.1	0.0	27.1	12.0	23.9	35.0	20.0	60	10.7	0.5	13.4	134.0	150.0	5.3	11.9	0.089
1998	28.0	0.0	28.0	12.0	24.6	35.0	20.0	60	11.1	0.5	13.8	134.0	150.0	5.3	12.3	0.092
1999	30.7	0.0	30.7	12.0	27.0	35.0	20.0	60	12.2	0.5	15.1	134.0	150.0	5.3	13.5	0.101
2000	28.4	0.0	28.4	12.0	25.0	35.0	20.0	60	11.3	0.5	14.0	134.0	150.0	5.3	12.5	0.093
2001	26.6	0.0	26.6	12.0	23.4	35.0	20.0	60	10.5	0.5	13.1	134.0	150.0	5.3	11.7	0.087
2002	26.8	0.0	26.8	12.0	23.6	35.0	20.0	60	10.6	0.5	13.2	134.0	150.0	5.3	11.8	0.088
2003	26.2	0.0	26.2	12.0	23.0	35.0	20.0	60	10.4	0.5	12.9	134.0	150.0	5.3	11.5	0.086
2004	25.8	0.0	25.8	12.0	22.7	35.0	20.0	60	10.2	0.4	12.7	134.0	150.0	5.3	11.3	0.085

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh cantaloup: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Lbs/year		Ounces			
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	7.2	8.0	6.6	12.0	5.8	49.0	20.0	75	1.8	0.1	2.2	53.0	156.0	5.5	0.8	0.014
1971	6.8	8.0	6.3	12.0	5.5	49.0	20.0	75	1.7	0.1	2.1	53.0	156.0	5.5	0.7	0.014
1972	7.0	8.0	6.4	12.0	5.7	49.0	20.0	75	1.8	0.1	2.2	53.0	156.0	5.5	0.7	0.014
1973	6.1	8.0	5.6	12.0	4.9	49.0	20.0	75	1.5	0.1	1.9	53.0	156.0	5.5	0.6	0.012
1974	5.3	8.0	4.9	12.0	4.3	49.0	20.0	75	1.3	0.1	1.7	53.0	156.0	5.5	0.6	0.011
1975	5.2	8.0	4.8	12.0	4.2	49.0	20.0	75	1.3	0.1	1.6	53.0	156.0	5.5	0.6	0.010
1976	5.3	8.0	4.9	12.0	4.3	49.0	20.0	75	1.3	0.1	1.7	53.0	156.0	5.5	0.6	0.011
1977	5.8	8.0	5.3	12.0	4.7	49.0	20.0	75	1.5	0.1	1.8	53.0	156.0	5.5	0.6	0.012
1978	6.6	8.0	6.1	12.0	5.3	49.0	20.0	75	1.7	0.1	2.1	53.0	156.0	5.5	0.7	0.013
1979	6.1	8.0	5.6	12.0	4.9	49.0	20.0	75	1.5	0.1	1.9	53.0	156.0	5.5	0.6	0.012
1980	5.8	8.0	5.3	12.0	4.7	49.0	20.0	75	1.5	0.1	1.8	53.0	156.0	5.5	0.6	0.012
1981	6.1	8.0	5.6	12.0	4.9	49.0	20.0	75	1.5	0.1	1.9	53.0	156.0	5.5	0.6	0.012
1982	7.7	8.0	7.1	12.0	6.2	49.0	20.0	75	1.9	0.1	2.4	53.0	156.0	5.5	0.8	0.015
1983	6.5	8.0	6.0	12.0	5.3	49.0	20.0	75	1.6	0.1	2.0	53.0	156.0	5.5	0.7	0.013
1984	7.7	8.0	7.1	12.0	6.2	49.0	20.0	75	1.9	0.1	2.4	53.0	156.0	5.5	0.8	0.015
1985	8.5	8.0	7.8	12.0	6.9	49.0	20.0	75	2.1	0.1	2.7	53.0	156.0	5.5	0.9	0.017
1986	9.4	8.0	8.6	12.0	7.6	49.0	20.0	75	2.4	0.1	2.9	53.0	156.0	5.5	1.0	0.019
1987	9.1	8.0	8.4	12.0	7.4	49.0	20.0	75	2.3	0.1	2.8	53.0	156.0	5.5	1.0	0.018
1988	7.9	8.0	7.3	12.0	6.4	49.0	20.0	75	2.0	0.1	2.5	53.0	156.0	5.5	0.8	0.016
1989	10.4	8.0	9.6	12.0	8.4	49.0	20.0	75	2.6	0.1	3.2	53.0	156.0	5.5	1.1	0.021
1990	9.2	8.0	8.5	12.0	7.4	49.0	20.0	75	2.3	0.1	2.9	53.0	156.0	5.5	1.0	0.018
1991	8.6	8.0	7.9	12.0	7.0	49.0	20.0	75	2.2	0.1	2.7	53.0	156.0	5.5	0.9	0.017
1992	8.5	8.0	7.8	12.0	6.9	49.0	20.0	75	2.1	0.1	2.7	53.0	156.0	5.5	0.9	0.017
1993	8.6	8.0	7.9	12.0	7.0	49.0	20.0	75	2.2	0.1	2.7	53.0	156.0	5.5	0.9	0.017
1994	8.4	8.0	7.7	12.0	6.8	49.0	20.0	75	2.1	0.1	2.6	53.0	156.0	5.5	0.9	0.017
1995	9.0	8.0	8.3	12.0	7.3	49.0	20.0	75	2.3	0.1	2.8	53.0	156.0	5.5	1.0	0.018
1996	10.3	8.0	9.5	12.0	8.3	49.0	20.0	75	2.6	0.1	3.2	53.0	156.0	5.5	1.1	0.021
1997	10.5	8.0	9.7	12.0	8.5	49.0	20.0	75	2.6	0.1	3.3	53.0	156.0	5.5	1.1	0.021
1998	10.6	8.0	9.8	12.0	8.6	49.0	20.0	75	2.7	0.1	3.3	53.0	156.0	5.5	1.1	0.021
1999	11.4	8.0	10.5	12.0	9.2	49.0	20.0	75	2.9	0.1	3.6	53.0	156.0	5.5	1.2	0.023
2000	11.1	8.0	10.2	12.0	9.0	49.0	20.0	75	2.8	0.1	3.5	53.0	156.0	5.5	1.2	0.022
2001	11.2	8.0	10.3	12.0	9.1	49.0	20.0	75	2.8	0.1	3.5	53.0	156.0	5.5	1.2	0.022
2002	11.1	8.0	10.2	12.0	9.0	49.0	20.0	75	2.8	0.1	3.5	53.0	156.0	5.5	1.2	0.022
2003	10.8	8.0	9.9	12.0	8.7	49.0	20.0	75	2.7	0.1	3.4	53.0	156.0	5.5	1.1	0.022
2004	9.5	8.0	8.7	12.0	7.7	49.0	20.0	75	2.4	0.1	3.0	53.0	156.0	5.5	1.0	0.019

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh cherries: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Lbs/year		Ounces			
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	NA	8.0	NA	12.0	NA	10.0	20.0	NA	NA	NA	NA	74.0	117.0	4.1	NA	NA
1971	NA	8.0	NA	12.0	NA	10.0	20.0	NA	NA	NA	NA	74.0	117.0	4.1	NA	NA
1972	NA	8.0	NA	12.0	NA	10.0	20.0	NA	NA	NA	NA	74.0	117.0	4.1	NA	NA
1973	NA	8.0	NA	12.0	NA	10.0	20.0	NA	NA	NA	NA	74.0	117.0	4.1	NA	NA
1974	NA	8.0	NA	12.0	NA	10.0	20.0	NA	NA	NA	NA	74.0	117.0	4.1	NA	NA
1975	NA	8.0	NA	12.0	NA	10.0	20.0	NA	NA	NA	NA	74.0	117.0	4.1	NA	NA
1976	NA	8.0	NA	12.0	NA	10.0	20.0	NA	NA	NA	NA	74.0	117.0	4.1	NA	NA
1977	NA	8.0	NA	12.0	NA	10.0	20.0	NA	NA	NA	NA	74.0	117.0	4.1	NA	NA
1978	NA	8.0	NA	12.0	NA	10.0	20.0	NA	NA	NA	NA	74.0	117.0	4.1	NA	NA
1979	NA	8.0	NA	12.0	NA	10.0	20.0	NA	NA	NA	NA	74.0	117.0	4.1	NA	NA
1980	0.2	8.0	0.2	12.0	0.2	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.1	0.001
1981	0.2	8.0	0.2	12.0	0.2	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.1	0.001
1982	0.2	8.0	0.2	12.0	0.2	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.1	0.001
1983	0.1	8.0	0.1	12.0	0.1	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.0	0.001
1984	0.2	8.0	0.2	12.0	0.2	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.1	0.001
1985	0.2	8.0	0.2	12.0	0.2	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.1	0.001
1986	0.2	8.0	0.2	12.0	0.2	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.1	0.001
1987	0.2	8.0	0.2	12.0	0.2	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.1	0.001
1988	0.2	8.0	0.2	12.0	0.2	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.1	0.001
1989	0.2	8.0	0.2	12.0	0.2	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.1	0.001
1990	0.1	8.0	0.1	12.0	0.1	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.0	0.001
1991	0.2	8.0	0.2	12.0	0.2	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.1	0.001
1992	0.2	8.0	0.2	12.0	0.2	10.0	20.0	43	0.1	0.00	0.1	74.0	117.0	4.1	0.1	0.001
1993	0.3	8.0	0.3	12.0	0.2	10.0	20.0	43	0.2	0.01	0.2	74.0	117.0	4.1	0.1	0.002
1994	0.3	8.0	0.3	12.0	0.2	10.0	20.0	43	0.2	0.01	0.2	74.0	117.0	4.1	0.1	0.002
1995	0.3	8.0	0.3	12.0	0.2	10.0	20.0	43	0.2	0.01	0.2	74.0	117.0	4.1	0.1	0.002
1996	0.3	8.0	0.3	12.0	0.2	10.0	20.0	43	0.2	0.01	0.2	74.0	117.0	4.1	0.1	0.002
1997	0.3	8.0	0.3	12.0	0.2	10.0	20.0	43	0.2	0.01	0.2	74.0	117.0	4.1	0.1	0.002
1998	0.3	8.0	0.3	12.0	0.2	10.0	20.0	43	0.2	0.01	0.2	74.0	117.0	4.1	0.1	0.002
1999	0.3	8.0	0.3	12.0	0.2	10.0	20.0	43	0.2	0.01	0.2	74.0	117.0	4.1	0.1	0.002
2000	0.3	8.0	0.3	12.0	0.2	10.0	20.0	43	0.2	0.01	0.2	74.0	117.0	4.1	0.1	0.002
2001	0.3	8.0	0.3	12.0	0.2	10.0	20.0	43	0.2	0.01	0.2	74.0	117.0	4.1	0.1	0.002
2002	0.4	8.0	0.4	12.0	0.3	10.0	20.0	43	0.2	0.01	0.3	74.0	117.0	4.1	0.2	0.002
2003	0.4	8.0	0.4	12.0	0.3	10.0	20.0	43	0.2	0.01	0.3	74.0	117.0	4.1	0.2	0.002
2004	0.5	8.0	0.5	12.0	0.4	10.0	20.0	43	0.3	0.01	0.4	74.0	117.0	4.1	0.2	0.003

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh cranberries: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.5	4.0	0.5	12.0	0.4	5.0	20.0	37	0.3	0.014	0.4	44.0	95.0	3.4	0.18	0.004
1971	0.7	4.0	0.6	12.0	0.6	5.0	20.0	37	0.4	0.019	0.5	44.0	95.0	3.4	0.24	0.006
1972	0.4	4.0	0.4	12.0	0.3	5.0	20.0	37	0.2	0.011	0.3	44.0	95.0	3.4	0.14	0.003
1973	0.7	4.0	0.7	12.0	0.6	5.0	20.0	37	0.5	0.020	0.6	44.0	95.0	3.4	0.27	0.006
1974	0.6	4.0	0.6	12.0	0.5	5.0	20.0	37	0.4	0.016	0.5	44.0	95.0	3.4	0.21	0.005
1975	0.7	4.0	0.7	12.0	0.6	5.0	20.0	37	0.4	0.019	0.5	44.0	95.0	3.4	0.25	0.006
1976	0.8	4.0	0.8	12.0	0.7	5.0	20.0	37	0.5	0.023	0.6	44.0	95.0	3.4	0.30	0.007
1977	0.6	4.0	0.6	12.0	0.5	5.0	20.0	37	0.4	0.018	0.5	44.0	95.0	3.4	0.23	0.005
1978	0.5	4.0	0.5	12.0	0.4	5.0	20.0	37	0.3	0.015	0.4	44.0	95.0	3.4	0.19	0.004
1979	0.7	4.0	0.6	12.0	0.6	5.0	20.0	37	0.4	0.019	0.5	44.0	95.0	3.4	0.25	0.006
1980	0.7	4.0	0.7	12.0	0.6	5.0	20.0	37	0.4	0.019	0.5	44.0	95.0	3.4	0.25	0.006
1981	0.5	4.0	0.5	12.0	0.4	5.0	20.0	37	0.3	0.015	0.4	44.0	95.0	3.4	0.19	0.004
1982	0.5	4.0	0.5	12.0	0.4	5.0	20.0	37	0.3	0.014	0.4	44.0	95.0	3.4	0.19	0.004
1983	0.7	4.0	0.7	12.0	0.6	5.0	20.0	37	0.5	0.020	0.6	44.0	95.0	3.4	0.27	0.006
1984	0.7	4.0	0.7	12.0	0.6	5.0	20.0	37	0.4	0.019	0.6	44.0	95.0	3.4	0.26	0.006
1985	0.4	4.0	0.4	12.0	0.4	5.0	20.0	37	0.3	0.012	0.3	44.0	95.0	3.4	0.15	0.004
1986	0.5	4.0	0.5	12.0	0.4	5.0	20.0	37	0.3	0.014	0.4	44.0	95.0	3.4	0.18	0.004
1987	0.7	4.0	0.7	12.0	0.6	5.0	20.0	37	0.5	0.020	0.6	44.0	95.0	3.4	0.26	0.006
1988	0.5	4.0	0.5	12.0	0.4	5.0	20.0	37	0.3	0.014	0.4	44.0	95.0	3.4	0.19	0.004
1989	0.5	4.0	0.5	12.0	0.5	5.0	20.0	37	0.3	0.015	0.4	44.0	95.0	3.4	0.20	0.004
1990	0.4	4.0	0.4	12.0	0.3	5.0	20.0	37	0.2	0.011	0.3	44.0	95.0	3.4	0.14	0.003
1991	0.4	4.0	0.4	12.0	0.3	5.0	20.0	37	0.3	0.011	0.3	44.0	95.0	3.4	0.15	0.003
1992	0.5	4.0	0.5	12.0	0.4	5.0	20.0	37	0.3	0.015	0.4	44.0	95.0	3.4	0.19	0.004
1993	0.4	4.0	0.4	12.0	0.4	5.0	20.0	37	0.3	0.012	0.3	44.0	95.0	3.4	0.16	0.004
1994	0.5	4.0	0.5	12.0	0.4	5.0	20.0	37	0.3	0.014	0.4	44.0	95.0	3.4	0.19	0.004
1995	0.3	4.0	0.3	12.0	0.2	5.0	20.0	37	0.2	0.008	0.2	44.0	95.0	3.4	0.10	0.002
1996	0.4	4.0	0.4	12.0	0.3	5.0	20.0	37	0.3	0.011	0.3	44.0	95.0	3.4	0.15	0.003
1997	0.6	4.0	0.6	12.0	0.5	5.0	20.0	37	0.4	0.017	0.5	44.0	95.0	3.4	0.22	0.005
1998	0.5	4.0	0.5	12.0	0.4	5.0	20.0	37	0.3	0.014	0.4	44.0	95.0	3.4	0.19	0.004
1999	0.6	4.0	0.6	12.0	0.5	5.0	20.0	37	0.4	0.017	0.5	44.0	95.0	3.4	0.23	0.005
2000	0.6	4.0	0.6	12.0	0.5	5.0	20.0	37	0.4	0.017	0.5	44.0	95.0	3.4	0.22	0.005
2001	0.8	4.0	0.7	12.0	0.7	5.0	20.0	37	0.5	0.022	0.6	44.0	95.0	3.4	0.28	0.006
2002	0.7	4.0	0.7	12.0	0.6	5.0	20.0	37	0.4	0.019	0.5	44.0	95.0	3.4	0.25	0.006
2003	0.9	4.0	0.9	12.0	0.8	5.0	20.0	37	0.6	0.025	0.7	44.0	95.0	3.4	0.33	0.008
2004	1.0	4.0	0.9	12.0	0.8	5.0	20.0	37	0.6	0.027	0.8	44.0	95.0	3.4	0.36	0.008

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh grapes: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.2	9.0	0.2	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1971	0.2	9.0	0.2	12.0	0.2	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.002
1972	0.2	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1973	0.2	9.0	0.2	12.0	0.2	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.002
1974	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1975	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1976	0.2	9.0	0.2	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.002
1977	0.2	9.0	0.2	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.002
1978	0.2	9.0	0.2	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1979	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1980	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1981	0.2	9.0	0.2	12.0	0.2	4.0	20.0	39	0.1	0.0	0.2	62.0	92.0	3.2	0.1	0.002
1982	0.2	9.0	0.2	12.0	0.2	4.0	20.0	39	0.1	0.0	0.2	62.0	92.0	3.2	0.1	0.002
1983	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1984	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1985	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1986	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1987	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
1988	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.0	0.0	0.1	62.0	92.0	3.2	0.0	0.001
1989	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.0	0.0	0.1	62.0	92.0	3.2	0.0	0.001
1990	0.1	9.0	0.0	12.0	0.0	4.0	20.0	39	0.0	0.0	0.0	62.0	92.0	3.2	0.0	0.000
1991	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.0	0.0	0.1	62.0	92.0	3.2	0.0	0.001
1992	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.0	0.0	0.1	62.0	92.0	3.2	0.0	0.001
1993	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.0	0.0	0.1	62.0	92.0	3.2	0.0	0.001
1994	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.0	0.0	0.1	62.0	92.0	3.2	0.0	0.001
1995	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.0	0.001
1996	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.0	0.0	0.1	62.0	92.0	3.2	0.0	0.001
1997	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.0	0.0	0.1	62.0	92.0	3.2	0.0	0.001
1998	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.0	0.0	0.1	62.0	92.0	3.2	0.0	0.001
1999	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
2000	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
2001	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
2002	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001
2003	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.0	0.001
2004	0.1	9.0	0.1	12.0	0.1	4.0	20.0	39	0.1	0.0	0.1	62.0	92.0	3.2	0.1	0.001

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh honeydew: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Oz/day		G/day	Number		
1970	0.9	8.0	0.8	12.0	0.7	54.0	20.0	79	0.2	0.01	0.2	61.0	170.0	6.0	0.1	0.001
1971	0.9	8.0	0.8	12.0	0.7	54.0	20.0	79	0.2	0.01	0.2	61.0	170.0	6.0	0.1	0.001
1972	1.0	8.0	0.9	12.0	0.8	54.0	20.0	79	0.2	0.01	0.3	61.0	170.0	6.0	0.1	0.002
1973	1.1	8.0	1.0	12.0	0.9	54.0	20.0	79	0.2	0.01	0.3	61.0	170.0	6.0	0.1	0.002
1974	1.0	8.0	0.9	12.0	0.8	54.0	20.0	79	0.2	0.01	0.3	61.0	170.0	6.0	0.1	0.002
1975	1.1	8.0	1.0	12.0	0.9	54.0	20.0	79	0.2	0.01	0.3	61.0	170.0	6.0	0.1	0.002
1976	1.0	8.0	0.9	12.0	0.8	54.0	20.0	79	0.2	0.01	0.3	61.0	170.0	6.0	0.1	0.002
1977	1.1	8.0	1.0	12.0	0.9	54.0	20.0	79	0.2	0.01	0.3	61.0	170.0	6.0	0.1	0.002
1978	1.6	8.0	1.5	12.0	1.3	54.0	20.0	79	0.3	0.01	0.4	61.0	170.0	6.0	0.2	0.002
1979	1.6	8.0	1.5	12.0	1.3	54.0	20.0	79	0.3	0.01	0.4	61.0	170.0	6.0	0.2	0.002
1980	1.4	8.0	1.3	12.0	1.1	54.0	20.0	79	0.3	0.01	0.4	61.0	170.0	6.0	0.1	0.002
1981	1.5	8.0	1.4	12.0	1.2	54.0	20.0	79	0.3	0.01	0.4	61.0	170.0	6.0	0.1	0.002
1982	1.8	8.0	1.7	12.0	1.5	54.0	20.0	79	0.4	0.02	0.5	61.0	170.0	6.0	0.2	0.003
1983	1.8	8.0	1.7	12.0	1.5	54.0	20.0	79	0.4	0.02	0.5	61.0	170.0	6.0	0.2	0.003
1984	1.8	8.0	1.7	12.0	1.5	54.0	20.0	79	0.4	0.02	0.5	61.0	170.0	6.0	0.2	0.003
1985	2.1	8.0	1.9	12.0	1.7	54.0	20.0	79	0.4	0.02	0.5	61.0	170.0	6.0	0.2	0.003
1986	2.4	8.0	2.2	12.0	1.9	54.0	20.0	79	0.5	0.02	0.6	61.0	170.0	6.0	0.2	0.004
1987	2.2	8.0	2.0	12.0	1.8	54.0	20.0	79	0.5	0.02	0.6	61.0	170.0	6.0	0.2	0.003
1988	2.4	8.0	2.2	12.0	1.9	54.0	20.0	79	0.5	0.02	0.6	61.0	170.0	6.0	0.2	0.004
1989	2.5	8.0	2.3	12.0	2.0	54.0	20.0	79	0.5	0.02	0.7	61.0	170.0	6.0	0.2	0.004
1990	2.1	8.0	1.9	12.0	1.7	54.0	20.0	79	0.4	0.02	0.5	61.0	170.0	6.0	0.2	0.003
1991	1.9	8.0	1.7	12.0	1.5	54.0	20.0	79	0.4	0.02	0.5	61.0	170.0	6.0	0.2	0.003
1992	2.1	8.0	1.9	12.0	1.7	54.0	20.0	79	0.4	0.02	0.5	61.0	170.0	6.0	0.2	0.003
1993	1.7	8.0	1.6	12.0	1.4	54.0	20.0	79	0.4	0.02	0.4	61.0	170.0	6.0	0.2	0.003
1994	2.0	8.0	1.8	12.0	1.6	54.0	20.0	79	0.4	0.02	0.5	61.0	170.0	6.0	0.2	0.003
1995	1.9	8.0	1.7	12.0	1.5	54.0	20.0	79	0.4	0.02	0.5	61.0	170.0	6.0	0.2	0.003
1996	2.0	8.0	1.8	12.0	1.6	54.0	20.0	79	0.4	0.02	0.5	61.0	170.0	6.0	0.2	0.003
1997	2.2	8.0	2.0	12.0	1.8	54.0	20.0	79	0.5	0.02	0.6	61.0	170.0	6.0	0.2	0.003
1998	2.3	8.0	2.1	12.0	1.9	54.0	20.0	79	0.5	0.02	0.6	61.0	170.0	6.0	0.2	0.004
1999	2.4	8.0	2.2	12.0	1.9	54.0	20.0	79	0.5	0.02	0.6	61.0	170.0	6.0	0.2	0.004
2000	2.3	8.0	2.1	12.0	1.9	54.0	20.0	79	0.5	0.02	0.6	61.0	170.0	6.0	0.2	0.004
2001	2.0	8.0	1.8	12.0	1.6	54.0	20.0	79	0.4	0.02	0.5	61.0	170.0	6.0	0.2	0.003
2002	2.2	8.0	2.0	12.0	1.8	54.0	20.0	79	0.5	0.02	0.6	61.0	170.0	6.0	0.2	0.003
2003	2.2	8.0	2.0	12.0	1.8	54.0	20.0	79	0.5	0.02	0.6	61.0	170.0	6.0	0.2	0.003
2004	2.2	8.0	2.0	12.0	1.8	54.0	20.0	79	0.5	0.02	0.6	61.0	170.0	6.0	0.2	0.003

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh kiwi: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	2.9	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1971	2.5	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1972	2.5	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1973	2.9	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1974	3.2	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1975	3.6	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1976	3.6	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1977	3.6	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1978	3.1	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1979	3.5	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1980	4.0	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1981	4.1	6.0	NA	12.0	NA	14.0	20.0	NA	NA	NA	NA	56.0	91.0	3.2	NA	NA
1982	5.8	6.0	5.4	12.0	4.8	14.0	20.0	45	3.2	0.1	3.9	56.0	91.0	3.2	2.41	0.043
1983	5.6	6.0	5.3	12.0	4.7	14.0	20.0	45	3.1	0.1	3.8	56.0	91.0	3.2	2.36	0.042
1984	6.1	6.0	5.8	12.0	5.1	14.0	20.0	45	3.4	0.1	4.2	56.0	91.0	3.2	2.56	0.046
1985	6.9	6.0	6.5	12.0	5.7	14.0	20.0	45	3.8	0.2	4.7	56.0	91.0	3.2	2.88	0.051
1986	7.2	6.0	6.7	12.0	5.9	14.0	20.0	45	3.9	0.2	4.9	56.0	91.0	3.2	2.99	0.053
1987	7.1	6.0	6.7	12.0	5.9	14.0	20.0	45	3.9	0.2	4.8	56.0	91.0	3.2	2.97	0.053
1988	7.8	6.0	7.3	12.0	6.4	14.0	20.0	45	4.2	0.2	5.3	56.0	91.0	3.2	3.24	0.058
1989	8.0	6.0	7.5	12.0	6.6	14.0	20.0	45	4.4	0.2	5.4	56.0	91.0	3.2	3.35	0.060
1990	7.9	6.0	7.4	12.0	6.5	14.0	20.0	45	4.3	0.2	5.4	56.0	91.0	3.2	3.30	0.059
1991	7.4	6.0	6.9	12.0	6.1	14.0	20.0	45	4.0	0.2	5.0	56.0	91.0	3.2	3.07	0.055
1992	7.2	6.0	6.8	12.0	6.0	14.0	20.0	45	3.9	0.2	4.9	56.0	91.0	3.2	3.01	0.054
1993	7.1	6.0	6.6	12.0	5.8	14.0	20.0	45	3.9	0.2	4.8	56.0	91.0	3.2	2.95	0.053
1994	7.1	6.0	6.7	12.0	5.9	14.0	20.0	45	3.9	0.2	4.8	56.0	91.0	3.2	2.97	0.053
1995	7.5	6.0	7.1	12.0	6.2	14.0	20.0	45	4.1	0.2	5.1	56.0	91.0	3.2	3.15	0.056
1996	6.8	6.0	6.4	12.0	5.6	14.0	20.0	45	3.7	0.2	4.6	56.0	91.0	3.2	2.84	0.051
1997	7.8	6.0	7.4	12.0	6.5	14.0	20.0	45	4.3	0.2	5.3	56.0	91.0	3.2	3.28	0.059
1998	7.2	6.0	6.8	12.0	6.0	14.0	20.0	45	4.0	0.2	4.9	56.0	91.0	3.2	3.03	0.054
1999	8.1	6.0	7.6	12.0	6.7	14.0	20.0	45	4.4	0.2	5.5	56.0	91.0	3.2	3.36	0.060
2000	7.5	6.0	7.1	12.0	6.2	14.0	20.0	45	4.1	0.2	5.1	56.0	91.0	3.2	3.14	0.056
2001	7.5	6.0	7.0	12.0	6.2	14.0	20.0	45	4.1	0.2	5.1	56.0	91.0	3.2	3.11	0.056
2002	8.5	6.0	8.0	12.0	7.0	14.0	20.0	45	4.6	0.2	5.8	56.0	91.0	3.2	3.55	0.063
2003	7.7	6.0	7.3	12.0	6.4	14.0	20.0	45	4.2	0.2	5.2	56.0	91.0	3.2	3.23	0.058
2004	7.9	6.0	7.4	12.0	6.5	14.0	20.0	45	4.3	0.2	5.3	56.0	91.0	3.2	3.28	0.059

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh mangoes: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1971	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1972	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1973	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1974	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1975	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1976	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1977	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1978	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1979	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1980	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1981	NA	5.0	NA	12.0	NA	31.0	20.0	NA	NA	NA	NA	107.0	165.0	5.8	NA	NA
1982	0.1	5.0	0.1	12.0	0.1	31.0	20.0	59	0.03	0.001	0.04	107.0	165.0	5.8	0.02	0.0002
1983	0.1	5.0	0.1	12.0	0.1	31.0	20.0	59	0.04	0.002	0.05	107.0	165.0	5.8	0.03	0.0003
1984	0.2	5.0	0.1	12.0	0.1	31.0	20.0	59	0.06	0.003	0.08	107.0	165.0	5.8	0.05	0.0005
1985	0.1	5.0	0.1	12.0	0.1	31.0	20.0	59	0.06	0.003	0.07	107.0	165.0	5.8	0.05	0.0004
1986	0.1	5.0	0.1	12.0	0.1	31.0	20.0	59	0.06	0.003	0.08	107.0	165.0	5.8	0.05	0.0005
1987	0.2	5.0	0.2	12.0	0.2	31.0	20.0	59	0.10	0.004	0.13	107.0	165.0	5.8	0.08	0.0008
1988	0.2	5.0	0.2	12.0	0.2	31.0	20.0	59	0.10	0.004	0.13	107.0	165.0	5.8	0.08	0.0008
1989	0.3	5.0	0.3	12.0	0.3	31.0	20.0	59	0.13	0.006	0.17	107.0	165.0	5.8	0.11	0.0010
1990	0.5	5.0	0.5	12.0	0.4	31.0	20.0	59	0.20	0.009	0.25	107.0	165.0	5.8	0.16	0.0015
1991	0.4	5.0	0.4	12.0	0.4	31.0	20.0	59	0.18	0.008	0.23	107.0	165.0	5.8	0.15	0.0014
1992	0.4	5.0	0.4	12.0	0.3	31.0	20.0	59	0.16	0.007	0.20	107.0	165.0	5.8	0.13	0.0012
1993	0.6	5.0	0.6	12.0	0.5	31.0	20.0	59	0.24	0.011	0.30	107.0	165.0	5.8	0.20	0.0018
1994	0.6	5.0	0.5	12.0	0.5	31.0	20.0	59	0.23	0.010	0.29	107.0	165.0	5.8	0.19	0.0017
1995	0.6	5.0	0.5	12.0	0.5	31.0	20.0	59	0.23	0.010	0.28	107.0	165.0	5.8	0.18	0.0017
1996	0.5	5.0	0.5	12.0	0.5	31.0	20.0	59	0.22	0.010	0.28	107.0	165.0	5.8	0.18	0.0017
1997	0.5	5.0	0.5	12.0	0.4	31.0	20.0	59	0.20	0.009	0.25	107.0	165.0	5.8	0.16	0.0015
1998	0.6	5.0	0.5	12.0	0.5	31.0	20.0	59	0.23	0.010	0.28	107.0	165.0	5.8	0.18	0.0017
1999	0.5	5.0	0.5	12.0	0.5	31.0	20.0	59	0.23	0.010	0.28	107.0	165.0	5.8	0.18	0.0017
2000	0.6	5.0	0.5	12.0	0.5	31.0	20.0	59	0.23	0.010	0.29	107.0	165.0	5.8	0.18	0.0017
2001	0.6	5.0	0.5	12.0	0.5	31.0	20.0	59	0.23	0.010	0.29	107.0	165.0	5.8	0.19	0.0018
2002	0.5	5.0	0.5	12.0	0.4	31.0	20.0	59	0.20	0.009	0.25	107.0	165.0	5.8	0.16	0.0015
2003	0.4	5.0	0.4	12.0	0.3	31.0	20.0	59	0.16	0.007	0.20	107.0	165.0	5.8	0.13	0.0012
2004	0.4	5.0	0.4	12.0	0.4	31.0	20.0	59	0.18	0.008	0.23	107.0	165.0	5.8	0.15	0.0014

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh peaches: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Lbs/year		Ounces			
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.1	6.0	0.1	12.0	0.1	24.0	35.0	66	0.0	0.0	0.0	61.0	138.0	4.9	0.0	0.000
1971	0.1	6.0	0.1	12.0	0.1	24.0	35.0	66	0.0	0.0	0.0	61.0	138.0	4.9	0.0	0.000
1972	0.1	6.0	0.1	12.0	0.1	24.0	35.0	66	0.0	0.0	0.0	61.0	138.0	4.9	0.0	0.000
1973	0.1	6.0	0.1	12.0	0.1	24.0	35.0	66	0.0	0.0	0.0	61.0	138.0	4.9	0.0	0.000
1974	0.1	6.0	0.1	12.0	0.1	24.0	35.0	66	0.0	0.0	0.1	61.0	138.0	4.9	0.0	0.000
1975	0.2	6.0	0.2	12.0	0.1	24.0	35.0	66	0.1	0.0	0.1	61.0	138.0	4.9	0.0	0.001
1976	0.2	6.0	0.2	12.0	0.2	24.0	35.0	66	0.1	0.0	0.1	61.0	138.0	4.9	0.0	0.001
1977	0.1	6.0	0.1	12.0	0.1	24.0	35.0	66	0.1	0.0	0.1	61.0	138.0	4.9	0.0	0.000
1978	0.2	6.0	0.2	12.0	0.2	24.0	35.0	66	0.1	0.0	0.1	61.0	138.0	4.9	0.0	0.001
1979	0.2	6.0	0.2	12.0	0.2	24.0	35.0	66	0.1	0.0	0.1	61.0	138.0	4.9	0.0	0.001
1980	0.2	6.0	0.2	12.0	0.2	24.0	35.0	66	0.1	0.0	0.1	61.0	138.0	4.9	0.0	0.001
1981	0.2	6.0	0.2	12.0	0.2	24.0	35.0	66	0.1	0.0	0.1	61.0	138.0	4.9	0.0	0.001
1982	0.3	6.0	0.3	12.0	0.2	24.0	35.0	66	0.1	0.0	0.1	61.0	138.0	4.9	0.1	0.001
1983	0.4	6.0	0.4	12.0	0.4	24.0	35.0	66	0.1	0.0	0.2	61.0	138.0	4.9	0.1	0.001
1984	0.4	6.0	0.4	12.0	0.4	24.0	35.0	66	0.1	0.0	0.2	61.0	138.0	4.9	0.1	0.001
1985	0.4	6.0	0.4	12.0	0.4	24.0	35.0	66	0.1	0.0	0.2	61.0	138.0	4.9	0.1	0.001
1986	0.5	6.0	0.5	12.0	0.4	24.0	35.0	66	0.2	0.0	0.2	61.0	138.0	4.9	0.1	0.001
1987	0.6	6.0	0.5	12.0	0.5	24.0	35.0	66	0.2	0.0	0.2	61.0	138.0	4.9	0.1	0.002
1988	0.4	6.0	0.4	12.0	0.3	24.0	35.0	66	0.1	0.0	0.2	61.0	138.0	4.9	0.1	0.001
1989	0.5	6.0	0.5	12.0	0.4	24.0	35.0	66	0.2	0.0	0.2	61.0	138.0	4.9	0.1	0.002
1990	0.5	6.0	0.5	12.0	0.4	24.0	35.0	66	0.2	0.0	0.2	61.0	138.0	4.9	0.1	0.002
1991	0.9	6.0	0.8	12.0	0.7	24.0	35.0	66	0.3	0.0	0.4	61.0	138.0	4.9	0.2	0.003
1992	0.7	6.0	0.6	12.0	0.6	24.0	35.0	66	0.2	0.0	0.3	61.0	138.0	4.9	0.1	0.002
1993	0.9	6.0	0.8	12.0	0.7	24.0	35.0	66	0.3	0.0	0.4	61.0	138.0	4.9	0.2	0.003
1994	1.0	6.0	0.9	12.0	0.8	24.0	35.0	66	0.3	0.0	0.4	61.0	138.0	4.9	0.2	0.003
1995	1.1	6.0	1.1	12.0	0.9	24.0	35.0	66	0.4	0.0	0.5	61.0	138.0	4.9	0.2	0.003
1996	1.3	6.0	1.3	12.0	1.1	24.0	35.0	66	0.5	0.0	0.6	61.0	138.0	4.9	0.2	0.004
1997	1.4	6.0	1.3	12.0	1.2	24.0	35.0	66	0.5	0.0	0.6	61.0	138.0	4.9	0.3	0.004
1998	1.5	6.0	1.4	12.0	1.2	24.0	35.0	66	0.5	0.0	0.6	61.0	138.0	4.9	0.3	0.005
1999	1.6	6.0	1.5	12.0	1.3	24.0	35.0	66	0.6	0.0	0.7	61.0	138.0	4.9	0.3	0.005
2000	1.8	6.0	1.6	12.0	1.4	24.0	35.0	66	0.6	0.0	0.7	61.0	138.0	4.9	0.3	0.005
2001	1.8	6.0	1.7	12.0	1.5	24.0	35.0	66	0.6	0.0	0.8	61.0	138.0	4.9	0.3	0.005
2002	2.0	6.0	1.9	12.0	1.6	24.0	35.0	66	0.7	0.0	0.8	61.0	138.0	4.9	0.4	0.006
2003	2.1	6.0	1.9	12.0	1.7	24.0	35.0	66	0.7	0.0	0.9	61.0	138.0	4.9	0.4	0.006
2004	2.0	6.0	1.9	12.0	1.7	24.0	35.0	66	0.7	0.0	0.8	61.0	138.0	4.9	0.4	0.006

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh pears: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Lbs/year		Ounces			
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.1	5.0	0.1	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1971	0.1	5.0	0.1	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.0	0.000
1972	0.1	5.0	0.1	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.0	0.000
1973	0.1	5.0	0.1	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1974	0.2	5.0	0.2	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1975	0.2	5.0	0.2	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1976	0.2	5.0	0.2	12.0	0.2	8.0	20.0	40	0.1	0.0	0.2	96.0	166.0	5.9	0.1	0.001
1977	0.3	5.0	0.2	12.0	0.2	8.0	20.0	40	0.2	0.0	0.2	96.0	166.0	5.9	0.1	0.001
1978	0.3	5.0	0.2	12.0	0.2	8.0	20.0	40	0.2	0.0	0.2	96.0	166.0	5.9	0.1	0.001
1979	0.2	5.0	0.2	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1980	0.2	5.0	0.2	12.0	0.2	8.0	20.0	40	0.1	0.0	0.2	96.0	166.0	5.9	0.1	0.001
1981	0.2	5.0	0.2	12.0	0.2	8.0	20.0	40	0.1	0.0	0.2	96.0	166.0	5.9	0.1	0.001
1982	0.2	5.0	0.2	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1983	0.2	5.0	0.2	12.0	0.2	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1984	0.3	5.0	0.2	12.0	0.2	8.0	20.0	40	0.2	0.0	0.2	96.0	166.0	5.9	0.1	0.001
1985	0.2	5.0	0.2	12.0	0.2	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1986	0.2	5.0	0.2	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1987	0.2	5.0	0.2	12.0	0.2	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1988	0.2	5.0	0.1	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1989	0.1	5.0	0.1	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1990	0.2	5.0	0.2	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1991	0.2	5.0	0.2	12.0	0.1	8.0	20.0	40	0.1	0.0	0.1	96.0	166.0	5.9	0.1	0.001
1992	0.2	5.0	0.2	12.0	0.2	8.0	20.0	40	0.1	0.0	0.2	96.0	166.0	5.9	0.1	0.001
1993	0.3	5.0	0.3	12.0	0.2	8.0	20.0	40	0.2	0.0	0.2	96.0	166.0	5.9	0.1	0.001
1994	0.3	5.0	0.3	12.0	0.3	8.0	20.0	40	0.2	0.0	0.2	96.0	166.0	5.9	0.1	0.001
1995	0.4	5.0	0.3	12.0	0.3	8.0	20.0	40	0.2	0.0	0.3	96.0	166.0	5.9	0.2	0.002
1996	0.5	5.0	0.5	12.0	0.5	8.0	20.0	40	0.3	0.0	0.4	96.0	166.0	5.9	0.2	0.002
1997	0.5	5.0	0.4	12.0	0.4	8.0	20.0	40	0.3	0.0	0.4	96.0	166.0	5.9	0.2	0.002
1998	0.5	5.0	0.4	12.0	0.4	8.0	20.0	40	0.3	0.0	0.3	96.0	166.0	5.9	0.2	0.002
1999	0.6	5.0	0.6	12.0	0.5	8.0	20.0	40	0.4	0.0	0.5	96.0	166.0	5.9	0.3	0.003
2000	0.7	5.0	0.6	12.0	0.6	8.0	20.0	40	0.4	0.0	0.5	96.0	166.0	5.9	0.3	0.003
2001	0.8	5.0	0.7	12.0	0.7	8.0	20.0	40	0.5	0.0	0.6	96.0	166.0	5.9	0.3	0.004
2002	0.8	5.0	0.7	12.0	0.7	8.0	20.0	40	0.5	0.0	0.6	96.0	166.0	5.9	0.3	0.004
2003	0.9	5.0	0.8	12.0	0.7	8.0	20.0	40	0.5	0.0	0.7	96.0	166.0	5.9	0.4	0.004
2004	1.0	5.0	1.0	12.0	0.9	8.0	20.0	40	0.6	0.0	0.8	96.0	166.0	5.9	0.4	0.005

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh pineapple: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	5.8	5.0	5.5	12.0	4.9	48.0	20.0	73	1.6	0.07	1.9	74.0	155.0	5.5	0.9	0.012
1971	5.7	5.0	5.4	12.0	4.7	48.0	20.0	73	1.5	0.07	1.9	74.0	155.0	5.5	0.9	0.012
1972	3.9	5.0	3.7	12.0	3.2	48.0	20.0	73	1.0	0.05	1.3	74.0	155.0	5.5	0.6	0.008
1973	4.3	5.0	4.0	12.0	3.6	48.0	20.0	73	1.1	0.05	1.4	74.0	155.0	5.5	0.7	0.009
1974	4.3	5.0	4.1	12.0	3.6	48.0	20.0	73	1.2	0.05	1.4	74.0	155.0	5.5	0.7	0.009
1975	5.0	5.0	4.7	12.0	4.2	48.0	20.0	73	1.3	0.06	1.7	74.0	155.0	5.5	0.8	0.011
1976	5.1	5.0	4.9	12.0	4.3	48.0	20.0	73	1.4	0.06	1.7	74.0	155.0	5.5	0.8	0.011
1977	5.1	5.0	4.8	12.0	4.3	48.0	20.0	73	1.4	0.06	1.7	74.0	155.0	5.5	0.8	0.011
1978	6.1	5.0	5.8	12.0	5.1	48.0	20.0	73	1.6	0.07	2.0	74.0	155.0	5.5	1.0	0.013
1979	6.7	5.0	6.3	12.0	5.6	48.0	20.0	73	1.8	0.08	2.2	74.0	155.0	5.5	1.1	0.014
1980	7.1	5.0	6.7	12.0	5.9	48.0	20.0	73	1.9	0.08	2.4	74.0	155.0	5.5	1.1	0.015
1981	6.9	5.0	6.5	12.0	5.7	48.0	20.0	73	1.8	0.08	2.3	74.0	155.0	5.5	1.1	0.015
1982	5.3	5.0	5.1	12.0	4.5	48.0	20.0	73	1.4	0.06	1.8	74.0	155.0	5.5	0.8	0.011
1983	5.4	5.0	5.2	12.0	4.5	48.0	20.0	73	1.5	0.06	1.8	74.0	155.0	5.5	0.9	0.012
1984	6.7	5.0	6.4	12.0	5.6	48.0	20.0	73	1.8	0.08	2.2	74.0	155.0	5.5	1.1	0.014
1985	5.5	5.0	5.2	12.0	4.6	48.0	20.0	73	1.5	0.06	1.8	74.0	155.0	5.5	0.9	0.012
1986	5.8	5.0	5.5	12.0	4.9	48.0	20.0	73	1.6	0.07	1.9	74.0	155.0	5.5	0.9	0.013
1987	6.0	5.0	5.7	12.0	5.1	48.0	20.0	73	1.6	0.07	2.0	74.0	155.0	5.5	1.0	0.013
1988	6.7	5.0	6.4	12.0	5.6	48.0	20.0	73	1.8	0.08	2.2	74.0	155.0	5.5	1.1	0.014
1989	5.9	5.0	5.6	12.0	4.9	48.0	20.0	73	1.6	0.07	1.9	74.0	155.0	5.5	0.9	0.013
1990	5.5	5.0	5.3	12.0	4.6	48.0	20.0	73	1.5	0.06	1.8	74.0	155.0	5.5	0.9	0.012
1991	6.4	5.0	6.1	12.0	5.4	48.0	20.0	73	1.7	0.08	2.1	74.0	155.0	5.5	1.0	0.014
1992	6.0	5.0	5.7	12.0	5.0	48.0	20.0	73	1.6	0.07	2.0	74.0	155.0	5.5	1.0	0.013
1993	5.8	5.0	5.6	12.0	4.9	48.0	20.0	73	1.6	0.07	1.9	74.0	155.0	5.5	0.9	0.013
1994	5.4	5.0	5.1	12.0	4.5	48.0	20.0	73	1.4	0.06	1.8	74.0	155.0	5.5	0.9	0.012
1995	5.3	5.0	5.1	12.0	4.4	48.0	20.0	73	1.4	0.06	1.8	74.0	155.0	5.5	0.8	0.011
1996	4.4	5.0	4.2	12.0	3.7	48.0	20.0	73	1.2	0.05	1.5	74.0	155.0	5.5	0.7	0.009
1997	5.5	5.0	5.2	12.0	4.6	48.0	20.0	73	1.5	0.06	1.8	74.0	155.0	5.5	0.9	0.012
1998	4.7	5.0	4.5	12.0	3.9	48.0	20.0	73	1.3	0.06	1.6	74.0	155.0	5.5	0.7	0.010
1999	5.3	5.0	5.0	12.0	4.4	48.0	20.0	73	1.4	0.06	1.8	74.0	155.0	5.5	0.8	0.011
2000	5.3	5.0	5.0	12.0	4.4	48.0	20.0	73	1.4	0.06	1.8	74.0	155.0	5.5	0.8	0.011
2001	5.2	5.0	4.9	12.0	4.3	48.0	20.0	73	1.4	0.06	1.7	74.0	155.0	5.5	0.8	0.011
2002	5.2	5.0	5.0	12.0	4.4	48.0	20.0	73	1.4	0.06	1.7	74.0	155.0	5.5	0.8	0.011
2003	5.2	5.0	4.9	12.0	4.3	48.0	20.0	73	1.4	0.06	1.7	74.0	155.0	5.5	0.8	0.011
2004	5.1	5.0	4.9	12.0	4.3	48.0	20.0	73	1.4	0.06	1.7	74.0	155.0	5.5	0.8	0.011

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh papaya: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Oz/day		G/day	Number		
1970	1.9	5.0	1.8	12.0	1.6	33.0	20.0	61	0.76	0.033	0.94	55.0	140.0	4.9	0.37	0.007
1971	2.6	5.0	2.4	12.0	2.1	33.0	20.0	61	1.01	0.044	1.25	55.0	140.0	4.9	0.49	0.009
1972	2.3	5.0	2.2	12.0	1.9	33.0	20.0	61	0.91	0.040	1.13	55.0	140.0	4.9	0.44	0.008
1973	2.6	5.0	2.5	12.0	2.2	33.0	20.0	61	1.02	0.045	1.27	55.0	140.0	4.9	0.50	0.009
1974	2.5	5.0	2.4	12.0	2.1	33.0	20.0	61	0.99	0.043	1.23	55.0	140.0	4.9	0.48	0.009
1975	2.8	5.0	2.6	12.0	2.3	33.0	20.0	61	1.09	0.048	1.35	55.0	140.0	4.9	0.53	0.010
1976	2.9	5.0	2.7	12.0	2.4	33.0	20.0	61	1.12	0.049	1.39	55.0	140.0	4.9	0.55	0.010
1977	2.4	5.0	2.3	12.0	2.0	33.0	20.0	61	0.94	0.041	1.17	55.0	140.0	4.9	0.46	0.008
1978	2.3	5.0	2.2	12.0	1.9	33.0	20.0	61	0.91	0.040	1.13	55.0	140.0	4.9	0.44	0.008
1979	2.3	5.0	2.2	12.0	1.9	33.0	20.0	61	0.91	0.040	1.13	55.0	140.0	4.9	0.44	0.008
1980	2.6	5.0	2.5	12.0	2.2	33.0	20.0	61	1.03	0.045	1.28	55.0	140.0	4.9	0.50	0.009
1981	2.8	5.0	2.7	12.0	2.4	33.0	20.0	61	1.12	0.049	1.39	55.0	140.0	4.9	0.55	0.010
1982	2.9	5.0	2.7	12.0	2.4	33.0	20.0	61	1.13	0.049	1.40	55.0	140.0	4.9	0.55	0.010
1983	3.0	5.0	2.9	12.0	2.5	33.0	20.0	61	1.18	0.052	1.47	55.0	140.0	4.9	0.58	0.010
1984	2.6	5.0	2.4	12.0	2.1	33.0	20.0	61	1.00	0.044	1.25	55.0	140.0	4.9	0.49	0.009
1985	2.8	5.0	2.7	12.0	2.3	33.0	20.0	61	1.10	0.048	1.37	55.0	140.0	4.9	0.54	0.010
1986	3.0	5.0	2.8	12.0	2.5	33.0	20.0	61	1.18	0.052	1.46	55.0	140.0	4.9	0.57	0.010
1987	3.5	5.0	3.4	12.0	3.0	33.0	20.0	61	1.39	0.061	1.73	55.0	140.0	4.9	0.68	0.012
1988	3.2	5.0	3.1	12.0	2.7	33.0	20.0	61	1.28	0.056	1.59	55.0	140.0	4.9	0.62	0.011
1989	3.2	5.0	3.1	12.0	2.7	33.0	20.0	61	1.27	0.056	1.58	55.0	140.0	4.9	0.62	0.011
1990	3.3	5.0	3.1	12.0	2.7	33.0	20.0	61	1.28	0.056	1.59	55.0	140.0	4.9	0.62	0.011
1991	3.2	5.0	3.0	12.0	2.7	33.0	20.0	61	1.25	0.055	1.55	55.0	140.0	4.9	0.61	0.011
1992	3.2	5.0	3.0	12.0	2.6	33.0	20.0	61	1.24	0.054	1.54	55.0	140.0	4.9	0.61	0.011
1993	3.4	5.0	3.2	12.0	2.8	33.0	20.0	61	1.33	0.058	1.65	55.0	140.0	4.9	0.65	0.012
1994	3.5	5.0	3.3	12.0	2.9	33.0	20.0	61	1.37	0.060	1.70	55.0	140.0	4.9	0.67	0.012
1995	3.4	5.0	3.2	12.0	2.8	33.0	20.0	61	1.33	0.058	1.66	55.0	140.0	4.9	0.65	0.012
1996	3.1	5.0	2.9	12.0	2.6	33.0	20.0	61	1.21	0.053	1.51	55.0	140.0	4.9	0.59	0.011
1997	3.4	5.0	3.3	12.0	2.9	33.0	20.0	61	1.35	0.059	1.67	55.0	140.0	4.9	0.66	0.012
1998	3.5	5.0	3.3	12.0	2.9	33.0	20.0	61	1.36	0.060	1.69	55.0	140.0	4.9	0.67	0.012
1999	3.6	5.0	3.4	12.0	3.0	33.0	20.0	61	1.40	0.062	1.74	55.0	140.0	4.9	0.69	0.012
2000	3.4	5.0	3.3	12.0	2.9	33.0	20.0	61	1.35	0.059	1.68	55.0	140.0	4.9	0.66	0.012
2001	3.3	5.0	3.1	12.0	2.7	33.0	20.0	61	1.29	0.057	1.60	55.0	140.0	4.9	0.63	0.011
2002	3.1	5.0	2.9	12.0	2.6	33.0	20.0	61	1.21	0.053	1.51	55.0	140.0	4.9	0.59	0.011
2003	3.1	5.0	3.0	12.0	2.6	33.0	20.0	61	1.22	0.054	1.52	55.0	140.0	4.9	0.60	0.011
2004	3.1	5.0	2.9	12.0	2.6	33.0	20.0	61	1.20	0.053	1.50	55.0	140.0	4.9	0.59	0.011

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh plums: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.7	5.0	0.7	12.0	0.6	6.0	20.0	38	0.4	0.02	0.5	76.0	165.0	5.8	0.2	0.003
1971	0.6	5.0	0.6	12.0	0.5	6.0	20.0	38	0.4	0.02	0.5	76.0	165.0	5.8	0.2	0.003
1972	0.8	5.0	0.7	12.0	0.6	6.0	20.0	38	0.5	0.02	0.6	76.0	165.0	5.8	0.3	0.004
1973	0.9	5.0	0.9	12.0	0.8	6.0	20.0	38	0.6	0.02	0.7	76.0	165.0	5.8	0.3	0.004
1974	0.9	5.0	0.9	12.0	0.7	6.0	20.0	38	0.6	0.02	0.7	76.0	165.0	5.8	0.3	0.004
1975	1.0	5.0	1.0	12.0	0.9	6.0	20.0	38	0.6	0.03	0.8	76.0	165.0	5.8	0.4	0.005
1976	1.1	5.0	1.1	12.0	1.0	6.0	20.0	38	0.7	0.03	0.9	76.0	165.0	5.8	0.4	0.005
1977	1.4	5.0	1.3	12.0	1.1	6.0	20.0	38	0.8	0.04	1.0	76.0	165.0	5.8	0.5	0.006
1978	1.4	5.0	1.4	12.0	1.2	6.0	20.0	38	0.9	0.04	1.1	76.0	165.0	5.8	0.5	0.007
1979	1.5	5.0	1.4	12.0	1.2	6.0	20.0	38	0.9	0.04	1.1	76.0	165.0	5.8	0.5	0.007
1980	1.5	5.0	1.4	12.0	1.2	6.0	20.0	38	0.9	0.04	1.1	76.0	165.0	5.8	0.5	0.007
1981	1.5	5.0	1.5	12.0	1.3	6.0	20.0	38	1.0	0.04	1.2	76.0	165.0	5.8	0.5	0.007
1982	1.7	5.0	1.6	12.0	1.4	6.0	20.0	38	1.0	0.04	1.3	76.0	165.0	5.8	0.6	0.008
1983	1.7	5.0	1.6	12.0	1.4	6.0	20.0	38	1.0	0.05	1.3	76.0	165.0	5.8	0.6	0.008
1984	1.5	5.0	1.4	12.0	1.3	6.0	20.0	38	0.9	0.04	1.2	76.0	165.0	5.8	0.5	0.007
1985	1.5	5.0	1.4	12.0	1.2	6.0	20.0	38	0.9	0.04	1.1	76.0	165.0	5.8	0.5	0.007
1986	1.7	5.0	1.6	12.0	1.4	6.0	20.0	38	1.1	0.05	1.3	76.0	165.0	5.8	0.6	0.008
1987	1.6	5.0	1.5	12.0	1.4	6.0	20.0	38	1.0	0.04	1.2	76.0	165.0	5.8	0.6	0.008
1988	1.8	5.0	1.7	12.0	1.5	6.0	20.0	38	1.1	0.05	1.4	76.0	165.0	5.8	0.6	0.008
1989	2.0	5.0	1.9	12.0	1.6	6.0	20.0	38	1.2	0.05	1.5	76.0	165.0	5.8	0.7	0.009
1990	2.0	5.0	1.9	12.0	1.7	6.0	20.0	38	1.3	0.06	1.6	76.0	165.0	5.8	0.7	0.010
1991	1.9	5.0	1.8	12.0	1.6	6.0	20.0	38	1.2	0.05	1.5	76.0	165.0	5.8	0.7	0.009
1992	2.0	5.0	1.9	12.0	1.7	6.0	20.0	38	1.2	0.05	1.5	76.0	165.0	5.8	0.7	0.009
1993	2.0	5.0	1.9	12.0	1.7	6.0	20.0	38	1.3	0.06	1.6	76.0	165.0	5.8	0.7	0.009
1994	2.0	5.0	1.9	12.0	1.7	6.0	20.0	38	1.2	0.05	1.6	76.0	165.0	5.8	0.7	0.009
1995	1.9	5.0	1.8	12.0	1.6	6.0	20.0	38	1.2	0.05	1.5	76.0	165.0	5.8	0.7	0.009
1996	1.9	5.0	1.8	12.0	1.6	6.0	20.0	38	1.2	0.05	1.5	76.0	165.0	5.8	0.7	0.009
1997	2.3	5.0	2.2	12.0	2.0	6.0	20.0	38	1.4	0.06	1.8	76.0	165.0	5.8	0.8	0.011
1998	2.8	5.0	2.6	12.0	2.3	6.0	20.0	38	1.7	0.07	2.1	76.0	165.0	5.8	1.0	0.013
1999	3.0	5.0	2.9	12.0	2.5	6.0	20.0	38	1.9	0.08	2.3	76.0	165.0	5.8	1.1	0.014
2000	3.2	5.0	3.1	12.0	2.7	6.0	20.0	38	2.0	0.09	2.5	76.0	165.0	5.8	1.1	0.015
2001	3.2	5.0	3.0	12.0	2.6	6.0	20.0	38	2.0	0.09	2.4	76.0	165.0	5.8	1.1	0.015
2002	3.8	5.0	3.6	12.0	3.2	6.0	20.0	38	2.4	0.10	2.9	76.0	165.0	5.8	1.4	0.018
2003	4.4	5.0	4.2	12.0	3.7	6.0	20.0	38	2.7	0.12	3.4	76.0	165.0	5.8	1.6	0.020
2004	4.4	5.0	4.2	12.0	3.7	6.0	20.0	38	2.7	0.12	3.4	76.0	165.0	5.8	1.6	0.020

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh strawberries: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Oz/day		G/day	Number		
1970	1.5	8.0	1.4	12.0	1.2	6.0	20.0	40	0.9	0.04	1.1	46.0	144.0	5.1	0.3	0.008
1971	1.3	8.0	1.2	12.0	1.0	6.0	20.0	40	0.8	0.03	1.0	46.0	144.0	5.1	0.3	0.007
1972	1.1	8.0	1.0	12.0	0.9	6.0	20.0	40	0.6	0.03	0.8	46.0	144.0	5.1	0.3	0.006
1973	1.1	8.0	1.0	12.0	0.9	6.0	20.0	40	0.7	0.03	0.8	46.0	144.0	5.1	0.3	0.006
1974	1.5	8.0	1.4	12.0	1.2	6.0	20.0	40	0.9	0.04	1.1	46.0	144.0	5.1	0.4	0.008
1975	1.3	8.0	1.2	12.0	1.1	6.0	20.0	40	0.8	0.03	1.0	46.0	144.0	5.1	0.3	0.007
1976	1.2	8.0	1.1	12.0	1.0	6.0	20.0	40	0.7	0.03	0.9	46.0	144.0	5.1	0.3	0.006
1977	1.5	8.0	1.4	12.0	1.2	6.0	20.0	40	0.9	0.04	1.1	46.0	144.0	5.1	0.4	0.008
1978	1.5	8.0	1.4	12.0	1.2	6.0	20.0	40	0.9	0.04	1.1	46.0	144.0	5.1	0.4	0.008
1979	1.6	8.0	1.5	12.0	1.3	6.0	20.0	40	1.0	0.04	1.2	46.0	144.0	5.1	0.4	0.008
1980	1.5	8.0	1.4	12.0	1.2	6.0	20.0	40	0.9	0.04	1.1	46.0	144.0	5.1	0.4	0.008
1981	1.7	8.0	1.6	12.0	1.4	6.0	20.0	40	1.0	0.04	1.3	46.0	144.0	5.1	0.4	0.009
1982	1.1	8.0	1.0	12.0	0.9	6.0	20.0	40	0.6	0.03	0.8	46.0	144.0	5.1	0.3	0.005
1983	1.4	8.0	1.3	12.0	1.1	6.0	20.0	40	0.8	0.04	1.0	46.0	144.0	5.1	0.3	0.007
1984	1.8	8.0	1.7	12.0	1.5	6.0	20.0	40	1.1	0.05	1.4	46.0	144.0	5.1	0.4	0.009
1985	1.4	8.0	1.3	12.0	1.1	6.0	20.0	40	0.8	0.04	1.1	46.0	144.0	5.1	0.3	0.007
1986	1.3	8.0	1.2	12.0	1.0	6.0	20.0	40	0.8	0.03	1.0	46.0	144.0	5.1	0.3	0.007
1987	1.9	8.0	1.7	12.0	1.5	6.0	20.0	40	1.1	0.05	1.4	46.0	144.0	5.1	0.5	0.010
1988	1.7	8.0	1.6	12.0	1.4	6.0	20.0	40	1.0	0.05	1.3	46.0	144.0	5.1	0.4	0.009
1989	1.4	8.0	1.3	12.0	1.1	6.0	20.0	40	0.8	0.04	1.0	46.0	144.0	5.1	0.3	0.007
1990	1.5	8.0	1.4	12.0	1.2	6.0	20.0	40	0.9	0.04	1.1	46.0	144.0	5.1	0.4	0.008
1991	1.4	8.0	1.3	12.0	1.1	6.0	20.0	40	0.8	0.04	1.1	46.0	144.0	5.1	0.3	0.007
1992	1.8	8.0	1.6	12.0	1.4	6.0	20.0	40	1.1	0.05	1.3	46.0	144.0	5.1	0.4	0.009
1993	1.3	8.0	1.2	12.0	1.0	6.0	20.0	40	0.8	0.03	0.9	46.0	144.0	5.1	0.3	0.007
1994	1.6	8.0	1.5	12.0	1.3	6.0	20.0	40	1.0	0.04	1.2	46.0	144.0	5.1	0.4	0.008
1995	0.9	8.0	0.9	12.0	0.8	6.0	20.0	40	0.6	0.02	0.7	46.0	144.0	5.1	0.2	0.005
1996	1.4	8.0	1.3	12.0	1.2	6.0	20.0	40	0.9	0.04	1.1	46.0	144.0	5.1	0.3	0.007
1997	1.5	8.0	1.4	12.0	1.2	6.0	20.0	40	0.9	0.04	1.1	46.0	144.0	5.1	0.4	0.008
1998	1.2	8.0	1.1	12.0	1.0	6.0	20.0	40	0.7	0.03	0.9	46.0	144.0	5.1	0.3	0.006
1999	1.3	8.0	1.2	12.0	1.0	6.0	20.0	40	0.8	0.03	0.9	46.0	144.0	5.1	0.3	0.007
2000	1.2	8.0	1.1	12.0	1.0	6.0	20.0	40	0.7	0.03	0.9	46.0	144.0	5.1	0.3	0.006
2001	1.3	8.0	1.2	12.0	1.1	6.0	20.0	40	0.8	0.03	1.0	46.0	144.0	5.1	0.3	0.007
2002	1.3	8.0	1.2	12.0	1.0	6.0	20.0	40	0.8	0.03	0.9	46.0	144.0	5.1	0.3	0.006
2003	1.2	8.0	1.1	12.0	1.0	6.0	20.0	40	0.7	0.03	0.9	46.0	144.0	5.1	0.3	0.006
2004	1.1	8.0	1.0	12.0	0.9	6.0	20.0	40	0.7	0.03	0.8	46.0	144.0	5.1	0.3	0.006

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh watermelon: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Oz/day		G/day	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	13.5	10.0	12.2	12.0	10.7	48.0	20.0	75	3.4	0.1	4.3	46.0	152.0	5.4	1.3	0.028
1971	13.0	10.0	11.7	12.0	10.3	48.0	20.0	75	3.3	0.1	4.1	46.0	152.0	5.4	1.2	0.027
1972	12.3	10.0	11.1	12.0	9.7	48.0	20.0	75	3.1	0.1	3.9	46.0	152.0	5.4	1.2	0.025
1973	12.7	10.0	11.4	12.0	10.1	48.0	20.0	75	3.2	0.1	4.0	46.0	152.0	5.4	1.2	0.026
1974	11.3	10.0	10.2	12.0	8.9	48.0	20.0	75	2.9	0.1	3.6	46.0	152.0	5.4	1.1	0.023
1975	11.4	10.0	10.3	12.0	9.0	48.0	20.0	75	2.9	0.1	3.6	46.0	152.0	5.4	1.1	0.024
1976	12.6	10.0	11.3	12.0	10.0	48.0	20.0	75	3.2	0.1	4.0	46.0	152.0	5.4	1.2	0.026
1977	12.6	10.0	11.3	12.0	10.0	48.0	20.0	75	3.2	0.1	4.0	46.0	152.0	5.4	1.2	0.026
1978	11.9	10.0	10.7	12.0	9.4	48.0	20.0	75	3.0	0.1	3.7	46.0	152.0	5.4	1.1	0.025
1979	11.4	10.0	10.3	12.0	9.0	48.0	20.0	75	2.9	0.1	3.6	46.0	152.0	5.4	1.1	0.024
1980	10.7	10.0	9.6	12.0	8.5	48.0	20.0	75	2.7	0.1	3.4	46.0	152.0	5.4	1.0	0.022
1981	11.7	10.0	10.5	12.0	9.3	48.0	20.0	75	3.0	0.1	3.7	46.0	152.0	5.4	1.1	0.024
1982	12.5	10.0	11.3	12.0	9.9	48.0	20.0	75	3.2	0.1	3.9	46.0	152.0	5.4	1.2	0.026
1983	11.3	10.0	10.2	12.0	8.9	48.0	20.0	75	2.9	0.1	3.6	46.0	152.0	5.4	1.1	0.023
1984	14.4	10.0	13.0	12.0	11.4	48.0	20.0	75	3.6	0.2	4.5	46.0	152.0	5.4	1.4	0.030
1985	13.5	10.0	12.2	12.0	10.7	48.0	20.0	75	3.4	0.1	4.3	46.0	152.0	5.4	1.3	0.028
1986	12.8	10.0	11.5	12.0	10.1	48.0	20.0	75	3.2	0.1	4.0	46.0	152.0	5.4	1.2	0.027
1987	13.0	10.0	11.7	12.0	10.3	48.0	20.0	75	3.3	0.1	4.1	46.0	152.0	5.4	1.2	0.027
1988	13.5	10.0	12.2	12.0	10.7	48.0	20.0	75	3.4	0.1	4.3	46.0	152.0	5.4	1.3	0.028
1989	13.6	10.0	12.2	12.0	10.8	48.0	20.0	75	3.4	0.2	4.3	46.0	152.0	5.4	1.3	0.028
1990	13.3	10.0	12.0	12.0	10.5	48.0	20.0	75	3.4	0.1	4.2	46.0	152.0	5.4	1.3	0.028
1991	12.7	10.0	11.4	12.0	10.1	48.0	20.0	75	3.2	0.1	4.0	46.0	152.0	5.4	1.2	0.026
1992	14.7	10.0	13.2	12.0	11.6	48.0	20.0	75	3.7	0.2	4.6	46.0	152.0	5.4	1.4	0.030
1993	14.2	10.0	12.8	12.0	11.2	48.0	20.0	75	3.6	0.2	4.5	46.0	152.0	5.4	1.4	0.029
1994	15.0	10.0	13.5	12.0	11.9	48.0	20.0	75	3.8	0.2	4.7	46.0	152.0	5.4	1.4	0.031
1995	15.2	10.0	13.7	12.0	12.0	48.0	20.0	75	3.9	0.2	4.8	46.0	152.0	5.4	1.4	0.031
1996	16.6	10.0	14.9	12.0	13.1	48.0	20.0	75	4.2	0.2	5.2	46.0	152.0	5.4	1.6	0.034
1997	15.5	10.0	14.0	12.0	12.3	48.0	20.0	75	3.9	0.2	4.9	46.0	152.0	5.4	1.5	0.032
1998	14.3	10.0	12.9	12.0	11.3	48.0	20.0	75	3.6	0.2	4.5	46.0	152.0	5.4	1.4	0.030
1999	15.2	10.0	13.7	12.0	12.0	48.0	20.0	75	3.9	0.2	4.8	46.0	152.0	5.4	1.4	0.031
2000	13.8	10.0	12.4	12.0	10.9	48.0	20.0	75	3.5	0.2	4.3	46.0	152.0	5.4	1.3	0.029
2001	15.0	10.0	13.5	12.0	11.9	48.0	20.0	75	3.8	0.2	4.7	46.0	152.0	5.4	1.4	0.031
2002	14.0	10.0	12.6	12.0	11.1	48.0	20.0	75	3.5	0.2	4.4	46.0	152.0	5.4	1.3	0.029
2003	13.6	10.0	12.2	12.0	10.8	48.0	20.0	75	3.4	0.2	4.3	46.0	152.0	5.4	1.3	0.028
2004	13.0	10.0	11.7	12.0	10.3	48.0	20.0	75	3.3	0.1	4.1	46.0	152.0	5.4	1.2	0.027

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh noncitrus fruit: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Retail weight ²	Consumer weight	Total loss, all levels	Per capita consumption adjusted for loss			Calories consumed daily ³	Servings consumed daily ⁴
	Lbs/year	Lbs/year	Lbs/year	Percent	Lbs/year	Oz/day	G/day	Number	Number
1970	70.5	64.3	56.5	61.4	27.2	1.2	33.8	19.2	0.258
1971	70.1	64.3	56.6	61.1	27.2	1.2	33.8	19.6	0.258
1972	65.7	60.2	53.0	61.2	25.5	1.1	31.7	18.3	0.240
1973	68.1	62.1	54.7	61.0	26.6	1.2	33.0	19.2	0.252
1974	67.4	61.3	53.9	60.5	26.6	1.2	33.1	19.7	0.252
1975	70.8	64.0	56.3	60.0	28.3	1.2	35.2	20.3	0.272
1976	72.0	65.3	57.5	60.8	28.2	1.2	35.1	20.8	0.268
1977	71.8	65.0	57.2	61.0	28.0	1.2	34.8	20.6	0.264
1978	75.4	69.0	60.7	60.7	29.7	1.3	36.9	21.9	0.280
1979	75.1	68.4	60.1	61.0	29.3	1.3	36.4	21.5	0.275
1980	78.5	71.2	62.6	60.3	31.1	1.4	38.7	23.5	0.295
1981	77.8	70.4	62.0	61.3	30.1	1.3	37.5	22.6	0.282
1982	82.3	78.5	69.1	58.4	34.2	1.5	42.5	25.9	0.334
1983	80.4	76.7	67.5	57.6	34.1	1.5	42.3	25.9	0.334
1984	87.2	82.9	73.0	58.6	36.1	1.6	44.9	26.8	0.352
1985	86.3	82.2	72.3	58.8	35.6	1.6	44.2	26.6	0.347
1986	91.5	87.3	76.8	58.7	37.8	1.7	46.9	29.0	0.367
1987	94.2	89.8	79.1	58.0	39.6	1.7	49.2	29.4	0.389
1988	92.7	88.3	77.7	58.2	38.8	1.7	48.2	28.9	0.381
1989	96.1	91.5	80.5	58.2	40.1	1.8	49.9	29.4	0.395
1990	92.4	88.0	77.5	58.1	38.7	1.7	48.0	28.7	0.379
1991	90.5	86.4	76.0	58.5	37.6	1.6	46.7	28.2	0.367
1992	96.3	91.8	80.8	58.5	40.0	1.8	49.7	30.4	0.389
1993	93.9	89.6	78.8	58.5	39.0	1.7	48.5	29.3	0.379
1994	96.6	92.1	81.1	58.4	40.1	1.8	49.9	30.1	0.390
1995	95.5	91.1	80.1	58.8	39.3	1.7	48.9	29.7	0.382
1996	97.8	93.2	82.0	59.1	40.0	1.8	49.7	30.0	0.386
1997	99.5	94.8	83.4	59.0	40.8	1.8	50.7	30.6	0.395
1998	98.8	94.2	82.9	58.6	40.8	1.8	50.8	30.7	0.395
1999	105.5	100.6	88.5	58.9	43.4	1.9	53.9	33.0	0.417
2000	100.4	95.7	84.2	58.8	41.3	1.8	51.4	31.5	0.397
2001	97.9	93.2	82.0	59.2	39.9	1.8	49.6	30.4	0.382
2002	99.0	94.4	83.0	58.7	40.8	1.8	50.8	31.1	0.393
2003	99.1	94.5	83.1	58.3	41.3	1.8	51.3	31.5	0.397
2004	98.9	94.4	83.1	57.6	42.0	1.8	52.1	32.1	0.406

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and *My Pyramid Plan* servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fresh fruit: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Retail weight ²	Consumer weight	Total loss, all levels	Per capita consumption adjusted for loss			Calories consumed daily ³	Servings consumed daily ⁴
	Lbs/year	Lbs/year	Lbs/year	Percent	Lbs/year	Oz/day	G/day	Number	Number
1970	99.3	92.1	81.1	61.5	38.3	1.7	47.5	25.2	0.33
1971	99.1	92.4	81.3	61.4	38.3	1.7	47.5	25.5	0.33
1972	92.9	86.5	76.1	61.5	35.7	1.6	44.4	23.8	0.30
1973	95.3	88.4	77.8	61.4	36.8	1.6	45.8	24.7	0.32
1974	94.4	87.4	76.9	61.0	36.9	1.6	45.8	25.2	0.32
1975	99.7	92.0	81.0	60.5	39.4	1.7	48.9	26.3	0.34
1976	100.5	92.9	81.7	61.3	38.9	1.7	48.4	26.5	0.33
1977	97.9	90.3	79.5	61.3	37.9	1.7	47.1	25.9	0.33
1978	101.6	94.3	83.0	61.1	39.5	1.7	49.1	27.1	0.34
1979	98.0	90.6	79.7	61.3	37.9	1.7	47.1	26.1	0.33
1980	104.5	96.3	84.8	60.7	41.1	1.8	51.1	28.9	0.36
1981	101.3	93.1	81.9	61.4	39.1	1.7	48.6	27.4	0.34
1982	105.7	101.1	89.0	59.3	43.0	1.9	53.5	30.6	0.39
1983	108.4	103.7	91.3	58.7	44.8	2.0	55.6	31.6	0.40
1984	109.7	104.7	92.1	59.2	44.7	2.0	55.6	31.5	0.41
1985	107.7	102.9	90.6	59.3	43.8	1.9	54.4	31.0	0.40
1986	115.7	110.7	97.4	59.3	47.1	2.1	58.5	34.0	0.43
1987	118.2	113.0	99.4	58.8	48.7	2.1	60.6	34.3	0.45
1988	118.0	112.8	99.3	58.9	48.5	2.1	60.3	34.1	0.44
1989	119.6	114.3	100.6	59.0	49.1	2.2	61.0	34.2	0.45
1990	113.7	108.7	95.6	58.7	47.0	2.1	58.4	33.2	0.43
1991	109.6	104.7	92.1	59.3	44.6	2.0	55.4	31.8	0.41
1992	120.6	115.2	101.4	59.0	49.4	2.2	61.4	35.4	0.45
1993	119.7	114.5	100.8	59.0	49.0	2.1	60.9	34.6	0.44
1994	121.3	116.0	102.1	59.0	49.7	2.2	61.8	35.2	0.45
1995	119.4	114.1	100.4	59.4	48.5	2.1	60.3	34.5	0.44
1996	122.4	116.9	102.9	59.5	49.5	2.2	61.6	35.0	0.45
1997	126.0	120.3	105.9	59.4	51.2	2.2	63.6	36.1	0.46
1998	125.3	119.8	105.5	59.0	51.3	2.3	63.8	36.3	0.46
1999	125.9	120.2	105.8	59.4	51.0	2.2	63.4	36.9	0.46
2000	123.9	118.4	104.2	59.2	50.6	2.2	62.9	36.5	0.46
2001	121.8	116.3	102.3	59.5	49.3	2.2	61.3	35.4	0.44
2002	122.4	116.9	102.8	59.2	50.0	2.2	62.1	35.9	0.45
2003	123.0	117.5	103.4	58.7	50.8	2.2	63.2	36.5	0.46
2004	121.6	116.2	102.3	58.1	51.0	2.2	63.3	36.8	0.46

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and *My Pyramid Plan* servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Canned apples and applesauce: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Lbs/year		Ounces			
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	5.71	20.0	4.57	6.0	4.3	0.0	10.0	32	3.9	0.2	4.8	105.0	244.0	8.6	2.1	0.020
1971	5.33	20.0	4.26	6.0	4.0	0.0	10.0	32	3.6	0.2	4.5	105.0	244.0	8.6	1.9	0.018
1972	4.71	20.0	3.77	6.0	3.5	0.0	10.0	32	3.2	0.1	4.0	105.0	244.0	8.6	1.7	0.016
1973	6.02	20.0	4.82	6.0	4.5	0.0	10.0	32	4.1	0.2	5.1	105.0	244.0	8.6	2.2	0.021
1974	5.81	20.0	4.65	6.0	4.4	0.0	10.0	32	3.9	0.2	4.9	105.0	244.0	8.6	2.1	0.020
1975	4.80	20.0	3.84	6.0	3.6	0.0	10.0	32	3.2	0.1	4.0	105.0	244.0	8.6	1.7	0.017
1976	4.30	20.0	3.44	6.0	3.2	0.0	10.0	32	2.9	0.1	3.6	105.0	244.0	8.6	1.6	0.015
1977	4.94	20.0	3.95	6.0	3.7	0.0	10.0	32	3.3	0.1	4.2	105.0	244.0	8.6	1.8	0.017
1978	5.57	20.0	4.46	6.0	4.2	0.0	10.0	32	3.8	0.2	4.7	105.0	244.0	8.6	2.0	0.019
1979	5.98	20.0	4.79	6.0	4.5	0.0	10.0	32	4.1	0.2	5.0	105.0	244.0	8.6	2.2	0.021
1980	5.33	20.0	4.26	6.0	4.0	0.0	10.0	32	3.6	0.2	4.5	105.0	244.0	8.6	1.9	0.018
1981	4.39	20.0	3.51	6.0	3.3	0.0	10.0	32	3.0	0.1	3.7	105.0	244.0	8.6	1.6	0.015
1982	5.42	20.0	4.33	6.0	4.1	0.0	10.0	32	3.7	0.2	4.6	105.0	244.0	8.6	2.0	0.019
1983	5.18	20.0	4.14	6.0	3.9	0.0	10.0	32	3.5	0.2	4.4	105.0	244.0	8.6	1.9	0.018
1984	5.05	20.0	4.04	6.0	3.8	0.0	10.0	32	3.4	0.1	4.2	105.0	244.0	8.6	1.8	0.017
1985	5.31	20.0	4.25	6.0	4.0	0.0	10.0	32	3.6	0.2	4.5	105.0	244.0	8.6	1.9	0.018
1986	4.96	20.0	3.97	6.0	3.7	0.0	10.0	32	3.4	0.1	4.2	105.0	244.0	8.6	1.8	0.017
1987	5.43	20.0	4.34	6.0	4.1	0.0	10.0	32	3.7	0.2	4.6	105.0	244.0	8.6	2.0	0.019
1988	5.76	20.0	4.61	6.0	4.3	0.0	10.0	32	3.9	0.2	4.8	105.0	244.0	8.6	2.1	0.020
1989	5.39	20.0	4.31	6.0	4.1	0.0	10.0	32	3.6	0.2	4.5	105.0	244.0	8.6	2.0	0.019
1990	5.57	20.0	4.45	6.0	4.2	0.0	10.0	32	3.8	0.2	4.7	105.0	244.0	8.6	2.0	0.019
1991	5.21	20.0	4.17	6.0	3.9	0.0	10.0	32	3.5	0.2	4.4	105.0	244.0	8.6	1.9	0.018
1992	5.87	20.0	4.70	6.0	4.4	0.0	10.0	32	4.0	0.2	4.9	105.0	244.0	8.6	2.1	0.020
1993	5.18	20.0	4.14	6.0	3.9	0.0	10.0	32	3.5	0.2	4.4	105.0	244.0	8.6	1.9	0.018
1994	5.40	20.0	4.32	6.0	4.1	0.0	10.0	32	3.7	0.2	4.5	105.0	244.0	8.6	2.0	0.019
1995	4.94	20.0	3.95	6.0	3.7	0.0	10.0	32	3.3	0.1	4.2	105.0	244.0	8.6	1.8	0.017
1996	4.96	20.0	3.97	6.0	3.7	0.0	10.0	32	3.4	0.1	4.2	105.0	244.0	8.6	1.8	0.017
1997	5.66	20.0	4.53	6.0	4.3	0.0	10.0	32	3.8	0.2	4.8	105.0	244.0	8.6	2.0	0.020
1998	4.41	20.0	3.53	6.0	3.3	0.0	10.0	32	3.0	0.1	3.7	105.0	244.0	8.6	1.6	0.015
1999	4.90	20.0	3.92	6.0	3.7	0.0	10.0	32	3.3	0.1	4.1	105.0	244.0	8.6	1.8	0.017
2000	4.40	20.0	3.52	6.0	3.3	0.0	10.0	32	3.0	0.1	3.7	105.0	244.0	8.6	1.6	0.015
2001	4.61	20.0	3.69	6.0	3.5	0.0	10.0	32	3.1	0.1	3.9	105.0	244.0	8.6	1.7	0.016
2002	4.04	20.0	3.24	6.0	3.0	0.0	10.0	32	2.7	0.1	3.4	105.0	244.0	8.6	1.5	0.014
2003	4.54	20.0	3.63	6.0	3.4	0.0	10.0	32	3.1	0.1	3.8	105.0	244.0	8.6	1.6	0.016
2004	4.51	20.0	3.61	6.0	3.4	0.0	10.0	32	3.1	0.1	3.8	105.0	244.0	8.6	1.6	0.016

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Canned apricots: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Gain from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	1.14	30.6	0.79	6.0	0.7	0.0	10.0	41	0.7	0.0	0.8	50.0	227.0	8.0	0.2	0.004
1971	0.95	30.6	0.66	6.0	0.6	0.0	10.0	41	0.6	0.0	0.7	50.0	227.0	8.0	0.2	0.003
1972	0.92	30.6	0.64	6.0	0.6	0.0	10.0	41	0.5	0.0	0.7	50.0	227.0	8.0	0.1	0.003
1973	1.07	30.6	0.74	6.0	0.7	0.0	10.0	41	0.6	0.0	0.8	50.0	227.0	8.0	0.2	0.003
1974	0.62	30.6	0.43	6.0	0.4	0.0	10.0	41	0.4	0.0	0.5	50.0	227.0	8.0	0.1	0.002
1975	0.95	30.6	0.66	6.0	0.6	0.0	10.0	41	0.6	0.0	0.7	50.0	227.0	8.0	0.2	0.003
1976	0.79	30.6	0.55	6.0	0.5	0.0	10.0	41	0.5	0.0	0.6	50.0	227.0	8.0	0.1	0.003
1977	0.77	30.6	0.54	6.0	0.5	0.0	10.0	41	0.5	0.0	0.6	50.0	227.0	8.0	0.1	0.002
1978	0.72	30.6	0.50	6.0	0.5	0.0	10.0	41	0.4	0.0	0.5	50.0	227.0	8.0	0.1	0.002
1979	0.68	30.6	0.47	6.0	0.4	0.0	10.0	41	0.4	0.0	0.5	50.0	227.0	8.0	0.1	0.002
1980	0.66	30.6	0.46	6.0	0.4	0.0	10.0	41	0.4	0.0	0.5	50.0	227.0	8.0	0.1	0.002
1981	0.48	30.6	0.34	6.0	0.3	0.0	10.0	41	0.3	0.0	0.4	50.0	227.0	8.0	0.1	0.002
1982	0.54	30.6	0.38	6.0	0.4	0.0	10.0	41	0.3	0.0	0.4	50.0	227.0	8.0	0.1	0.002
1983	0.43	30.6	0.30	6.0	0.3	0.0	10.0	41	0.3	0.0	0.3	50.0	227.0	8.0	0.1	0.001
1984	0.54	30.6	0.38	6.0	0.4	0.0	10.0	41	0.3	0.0	0.4	50.0	227.0	8.0	0.1	0.002
1985	0.56	30.6	0.39	6.0	0.4	0.0	10.0	41	0.3	0.0	0.4	50.0	227.0	8.0	0.1	0.002
1986	0.30	30.6	0.21	6.0	0.2	0.0	10.0	41	0.2	0.0	0.2	50.0	227.0	8.0	0.0	0.001
1987	0.44	30.6	0.31	6.0	0.3	0.0	10.0	41	0.3	0.0	0.3	50.0	227.0	8.0	0.1	0.001
1988	0.36	30.6	0.25	6.0	0.2	0.0	10.0	41	0.2	0.0	0.3	50.0	227.0	8.0	0.1	0.001
1989	0.54	30.6	0.38	6.0	0.4	0.0	10.0	41	0.3	0.0	0.4	50.0	227.0	8.0	0.1	0.002
1990	0.51	30.6	0.36	6.0	0.3	0.0	10.0	41	0.3	0.0	0.4	50.0	227.0	8.0	0.1	0.002
1991	0.33	30.6	0.23	6.0	0.2	0.0	10.0	41	0.2	0.0	0.2	50.0	227.0	8.0	0.1	0.001
1992	0.42	30.6	0.29	6.0	0.3	0.0	10.0	41	0.2	0.0	0.3	50.0	227.0	8.0	0.1	0.001
1993	0.37	30.6	0.25	6.0	0.2	0.0	10.0	41	0.2	0.0	0.3	50.0	227.0	8.0	0.1	0.001
1994	0.54	30.6	0.37	6.0	0.4	0.0	10.0	41	0.3	0.0	0.4	50.0	227.0	8.0	0.1	0.002
1995	0.14	30.6	0.10	6.0	0.1	0.0	10.0	41	0.1	0.0	0.1	50.0	227.0	8.0	0.0	0.000
1996	0.15	30.6	0.10	6.0	0.1	0.0	10.0	41	0.1	0.0	0.1	50.0	227.0	8.0	0.0	0.000
1997	0.34	30.6	0.24	6.0	0.2	0.0	10.0	41	0.2	0.0	0.2	50.0	227.0	8.0	0.1	0.001
1998	0.29	30.6	0.20	6.0	0.2	0.0	10.0	41	0.2	0.0	0.2	50.0	227.0	8.0	0.0	0.001
1999	0.24	30.6	0.16	6.0	0.2	0.0	10.0	41	0.1	0.0	0.2	50.0	227.0	8.0	0.0	0.001
2000	0.22	30.6	0.16	6.0	0.1	0.0	10.0	41	0.1	0.0	0.2	50.0	227.0	8.0	0.0	0.001
2001	0.22	30.6	0.15	6.0	0.1	0.0	10.0	41	0.1	0.0	0.2	50.0	227.0	8.0	0.0	0.001
2002	0.21	30.6	0.15	6.0	0.1	0.0	10.0	41	0.1	0.0	0.2	50.0	227.0	8.0	0.0	0.001
2003	0.20	30.6	0.14	6.0	0.1	0.0	10.0	41	0.1	0.0	0.1	50.0	227.0	8.0	0.0	0.001
2004	0.21	30.6	0.14	6.0	0.1	0.0	10.0	41	0.1	0.0	0.2	50.0	227.0	8.0	0.0	0.001

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Canned cherries: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight ³	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ⁴	Serving weight ⁵			Calories consumed daily ⁵	Servings consumed daily ⁶
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams	Ounces		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number	
1970	0.5		0.4	6.0	0.4	0.0	10.0	30	0.4	0.0	0.4	114.0	248.0	8.7	0.2	0.002	
1971	0.5		0.4	6.0	0.4	0.0	10.0	34	0.3	0.0	0.4	114.0	248.0	8.7	0.2	0.002	
1972	0.4		0.4	6.0	0.4	0.0	10.0	27	0.3	0.0	0.4	114.0	248.0	8.7	0.2	0.002	
1973	0.4		0.2	6.0	0.2	0.0	10.0	40	0.2	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
1974	0.5		0.4	6.0	0.4	0.0	10.0	31	0.3	0.0	0.4	114.0	248.0	8.7	0.2	0.002	
1975	0.4		0.3	6.0	0.3	0.0	10.0	33	0.3	0.0	0.3	114.0	248.0	8.7	0.2	0.001	
1976	0.3		0.2	6.0	0.2	0.0	10.0	41	0.2	0.0	0.2	114.0	248.0	8.7	0.1	0.001	
1977	0.3		0.3	6.0	0.2	0.0	10.0	32	0.2	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
1978	0.3		0.2	6.0	0.2	0.0	10.0	34	0.2	0.0	0.2	114.0	248.0	8.7	0.1	0.001	
1979	0.2		0.2	6.0	0.2	0.0	10.0	31	0.2	0.0	0.2	114.0	248.0	8.7	0.1	0.001	
1980	0.4		0.3	6.0	0.3	0.0	10.0	32	0.3	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
1981	0.3		0.2	6.0	0.2	0.0	10.0	34	0.2	0.0	0.2	114.0	248.0	8.7	0.1	0.001	
1982	0.3		0.3	6.0	0.3	0.0	10.0	27	0.3	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
1983	0.2		0.2	6.0	0.2	0.0	10.0	32	0.2	0.0	0.2	114.0	248.0	8.7	0.1	0.001	
1984	0.4		0.3	6.0	0.3	0.0	10.0	29	0.3	0.0	0.3	114.0	248.0	8.7	0.2	0.001	
1985	0.3		0.3	6.0	0.3	0.0	10.0	28	0.2	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
1986	0.2		0.2	6.0	0.2	0.0	10.0	23	0.2	0.0	0.2	114.0	248.0	8.7	0.1	0.001	
1987	0.3		0.3	6.0	0.3	0.0	10.0	24	0.2	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
1988	0.3		0.2	6.0	0.2	0.0	10.0	30	0.2	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
1989	0.3		0.2	6.0	0.2	0.0	10.0	34	0.2	0.0	0.2	114.0	248.0	8.7	0.1	0.001	
1990	0.3		0.3	6.0	0.2	0.0	10.0	24	0.2	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
1991	0.3		0.2	6.0	0.2	0.0	10.0	26	0.2	0.0	0.2	114.0	248.0	8.7	0.1	0.001	
1992	0.3		0.3	6.0	0.3	0.0	10.0	28	0.3	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
1993	0.4		0.3	6.0	0.3	0.0	10.0	25	0.3	0.0	0.3	114.0	248.0	8.7	0.2	0.001	
1994	0.4		0.4	6.0	0.3	0.0	10.0	25	0.3	0.0	0.4	114.0	248.0	8.7	0.2	0.001	
1995	0.4		0.3	6.0	0.3	0.0	10.0	27	0.3	0.0	0.3	114.0	248.0	8.7	0.2	0.001	
1996	0.3		0.2	6.0	0.2	0.0	10.0	25	0.2	0.0	0.2	114.0	248.0	8.7	0.1	0.001	
1997	0.4		0.3	6.0	0.3	0.0	10.0	27	0.3	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
1998	0.3		0.3	6.0	0.3	0.0	10.0	29	0.2	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
1999	0.3		0.3	6.0	0.3	0.0	10.0	27	0.3	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
2000	0.3		0.3	6.0	0.3	0.0	10.0	23	0.2	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
2001	0.3		0.3	6.0	0.3	0.0	10.0	24	0.2	0.0	0.3	114.0	248.0	8.7	0.1	0.001	
2002	0.04		0.03	6.0	0.0	0.0	10.0	24	0.0	0.0	0.0	114.0	248.0	8.7	0.0	0.000	
2003	0.25		0.21	6.0	0.2	0.0	10.0	29	0.2	0.0	0.2	114.0	248.0	8.7	0.1	0.001	
2004	0.17		0.15	6.0	0.1	0.0	10.0	28	0.1	0.0	0.2	114.0	248.0	8.7	0.1	0.001	

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Loss for sweet cherries is 49 percent and tart cherries is 5 percent. ⁴Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁵Number of daily servings multiplied by calories per serving. ⁶Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Canned peaches: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	6.8	16.7	5.6	6.0	5.3	0.0	10.0	30	4.8	0.2	5.9	59.0	244.0	8.6	1.4	0.024
1971	6.8	16.7	5.7	6.0	5.4	0.0	10.0	30	4.8	0.2	6.0	59.0	244.0	8.6	1.4	0.025
1972	6.1	16.7	5.1	6.0	4.8	0.0	10.0	30	4.3	0.2	5.4	59.0	244.0	8.6	1.3	0.022
1973	5.8	16.7	4.8	6.0	4.6	0.0	10.0	30	4.1	0.2	5.1	59.0	244.0	8.6	1.2	0.021
1974	6.7	16.7	5.6	6.0	5.3	0.0	10.0	30	4.7	0.2	5.9	59.0	244.0	8.6	1.4	0.024
1975	5.9	16.7	4.9	6.0	4.6	0.0	10.0	30	4.2	0.2	5.2	59.0	244.0	8.6	1.3	0.021
1976	5.9	16.7	4.9	6.0	4.7	0.0	10.0	30	4.2	0.2	5.2	59.0	244.0	8.6	1.3	0.021
1977	6.1	16.7	5.1	6.0	4.8	0.0	10.0	30	4.3	0.2	5.4	59.0	244.0	8.6	1.3	0.022
1978	5.5	16.7	4.6	6.0	4.3	0.0	10.0	30	3.9	0.2	4.9	59.0	244.0	8.6	1.2	0.020
1979	5.7	16.7	4.7	6.0	4.4	0.0	10.0	30	4.0	0.2	5.0	59.0	244.0	8.6	1.2	0.020
1980	5.7	16.7	4.8	6.0	4.5	0.0	10.0	30	4.0	0.2	5.0	59.0	244.0	8.6	1.2	0.021
1981	4.7	16.7	3.9	6.0	3.7	0.0	10.0	30	3.3	0.1	4.1	59.0	244.0	8.6	1.0	0.017
1982	4.4	16.7	3.7	6.0	3.4	0.0	10.0	30	3.1	0.1	3.9	59.0	244.0	8.6	0.9	0.016
1983	3.6	16.7	3.0	6.0	2.9	0.0	10.0	30	2.6	0.1	3.2	59.0	244.0	8.6	0.8	0.013
1984	4.0	16.7	3.3	6.0	3.1	0.0	10.0	30	2.8	0.1	3.5	59.0	244.0	8.6	0.8	0.014
1985	4.0	16.7	3.3	6.0	3.1	0.0	10.0	30	2.8	0.1	3.5	59.0	244.0	8.6	0.8	0.014
1986	4.2	16.7	3.5	6.0	3.3	0.0	10.0	30	3.0	0.1	3.7	59.0	244.0	8.6	0.9	0.015
1987	4.0	16.7	3.3	6.0	3.1	0.0	10.0	30	2.8	0.1	3.5	59.0	244.0	8.6	0.8	0.014
1988	4.1	16.7	3.4	6.0	3.2	0.0	10.0	30	2.9	0.1	3.6	59.0	244.0	8.6	0.9	0.015
1989	4.3	16.7	3.5	6.0	3.3	0.0	10.0	30	3.0	0.1	3.7	59.0	244.0	8.6	0.9	0.015
1990	3.8	16.7	3.2	6.0	3.0	0.0	10.0	30	2.7	0.1	3.4	59.0	244.0	8.6	0.8	0.014
1991	4.0	16.7	3.4	6.0	3.2	0.0	10.0	30	2.8	0.1	3.5	59.0	244.0	8.6	0.9	0.014
1992	4.3	16.7	3.6	6.0	3.4	0.0	10.0	30	3.0	0.1	3.8	59.0	244.0	8.6	0.9	0.015
1993	4.1	16.7	3.4	6.0	3.2	0.0	10.0	30	2.9	0.1	3.5	59.0	244.0	8.6	0.9	0.015
1994	4.0	16.7	3.3	6.0	3.1	0.0	10.0	30	2.8	0.1	3.5	59.0	244.0	8.6	0.8	0.014
1995	3.0	16.7	2.5	6.0	2.4	0.0	10.0	30	2.1	0.1	2.6	59.0	244.0	8.6	0.6	0.011
1996	3.8	16.7	3.2	6.0	3.0	0.0	10.0	30	2.7	0.1	3.3	59.0	244.0	8.6	0.8	0.014
1997	4.1	16.7	3.4	6.0	3.2	0.0	10.0	30	2.9	0.1	3.6	59.0	244.0	8.6	0.9	0.015
1998	3.5	16.7	2.9	6.0	2.7	0.0	10.0	30	2.5	0.1	3.1	59.0	244.0	8.6	0.7	0.013
1999	3.6	16.7	3.0	6.0	2.8	0.0	10.0	30	2.6	0.1	3.2	59.0	244.0	8.6	0.8	0.013
2000	3.9	16.7	3.2	6.0	3.0	0.0	10.0	30	2.7	0.1	3.4	59.0	244.0	8.6	0.8	0.014
2001	3.5	16.7	3.0	6.0	2.8	0.0	10.0	30	2.5	0.1	3.1	59.0	244.0	8.6	0.8	0.013
2002	3.9	16.7	3.2	6.0	3.0	0.0	10.0	30	2.7	0.1	3.4	59.0	244.0	8.6	0.8	0.014
2003	3.4	16.7	2.8	6.0	2.7	0.0	10.0	30	2.4	0.1	3.0	59.0	244.0	8.6	0.7	0.012
2004	3.6	16.7	3.0	6.0	2.8	0.0	10.0	30	2.5	0.1	3.1	59.0	244.0	8.6	0.8	0.013

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Canned pears: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	3.3	0.0	3.3	6.0	3.1	0.0	10.0	15	2.8	0.1	3.5	71.0	244.0	8.6	1.0	0.014
1971	4.0	0.0	4.0	6.0	3.8	0.0	10.0	15	3.4	0.1	4.2	71.0	244.0	8.6	1.2	0.017
1972	3.7	0.0	3.7	6.0	3.4	0.0	10.0	15	3.1	0.1	3.9	71.0	244.0	8.6	1.1	0.016
1973	4.0	0.0	4.0	6.0	3.8	0.0	10.0	15	3.4	0.2	4.3	71.0	244.0	8.6	1.2	0.017
1974	3.8	0.0	3.8	6.0	3.5	0.0	10.0	15	3.2	0.1	3.9	71.0	244.0	8.6	1.1	0.016
1975	3.9	0.0	3.9	6.0	3.7	0.0	10.0	15	3.3	0.1	4.1	71.0	244.0	8.6	1.2	0.017
1976	4.4	0.0	4.4	6.0	4.1	0.0	10.0	15	3.7	0.2	4.6	71.0	244.0	8.6	1.3	0.019
1977	4.5	0.0	4.5	6.0	4.2	0.0	10.0	15	3.8	0.2	4.7	71.0	244.0	8.6	1.4	0.019
1978	3.8	0.0	3.8	6.0	3.6	0.0	10.0	15	3.2	0.1	4.0	71.0	244.0	8.6	1.2	0.017
1979	4.7	0.0	4.7	6.0	4.4	0.0	10.0	15	4.0	0.2	4.9	71.0	244.0	8.6	1.4	0.020
1980	4.6	0.0	4.6	6.0	4.4	0.0	10.0	15	3.9	0.2	4.9	71.0	244.0	8.6	1.4	0.020
1981	4.4	0.0	4.4	6.0	4.1	0.0	10.0	15	3.7	0.2	4.6	71.0	244.0	8.6	1.4	0.019
1982	4.1	0.0	4.1	6.0	3.8	0.0	10.0	15	3.5	0.2	4.3	71.0	244.0	8.6	1.3	0.018
1983	3.7	0.0	3.7	6.0	3.5	0.0	10.0	15	3.1	0.1	3.9	71.0	244.0	8.6	1.1	0.016
1984	3.2	0.0	3.2	6.0	3.0	0.0	10.0	15	2.7	0.1	3.4	71.0	244.0	8.6	1.0	0.014
1985	3.2	0.0	3.2	6.0	3.0	0.0	10.0	15	2.7	0.1	3.4	71.0	244.0	8.6	1.0	0.014
1986	3.5	0.0	3.5	6.0	3.3	0.0	10.0	15	2.9	0.1	3.6	71.0	244.0	8.6	1.1	0.015
1987	3.9	0.0	3.9	6.0	3.7	0.0	10.0	15	3.3	0.1	4.1	71.0	244.0	8.6	1.2	0.017
1988	3.6	0.0	3.6	6.0	3.3	0.0	10.0	15	3.0	0.1	3.7	71.0	244.0	8.6	1.1	0.015
1989	3.8	0.0	3.8	6.0	3.5	0.0	10.0	15	3.2	0.1	3.9	71.0	244.0	8.6	1.1	0.016
1990	4.0	0.0	4.0	6.0	3.7	0.0	10.0	15	3.4	0.1	4.2	71.0	244.0	8.6	1.2	0.017
1991	3.4	0.0	3.4	6.0	3.2	0.0	10.0	15	2.9	0.1	3.6	71.0	244.0	8.6	1.1	0.015
1992	3.7	0.0	3.7	6.0	3.5	0.0	10.0	15	3.1	0.1	3.9	71.0	244.0	8.6	1.1	0.016
1993	3.4	0.0	3.4	6.0	3.2	0.0	10.0	15	2.9	0.1	3.6	71.0	244.0	8.6	1.0	0.015
1994	3.7	0.0	3.7	6.0	3.5	0.0	10.0	15	3.2	0.1	3.9	71.0	244.0	8.6	1.1	0.016
1995	3.0	0.0	3.0	6.0	2.8	0.0	10.0	15	2.5	0.1	3.1	71.0	244.0	8.6	0.9	0.013
1996	2.8	0.0	2.8	6.0	2.6	0.0	10.0	15	2.4	0.1	2.9	71.0	244.0	8.6	0.9	0.012
1997	3.5	0.0	3.5	6.0	3.3	0.0	10.0	15	3.0	0.1	3.7	71.0	244.0	8.6	1.1	0.015
1998	3.3	0.0	3.3	6.0	3.1	0.0	10.0	15	2.8	0.1	3.5	71.0	244.0	8.6	1.0	0.014
1999	3.4	0.0	3.4	6.0	3.2	0.0	10.0	15	2.9	0.1	3.6	71.0	244.0	8.6	1.0	0.015
2000	2.8	0.0	2.8	6.0	2.7	0.0	10.0	15	2.4	0.1	3.0	71.0	244.0	8.6	0.9	0.012
2001	3.0	0.0	3.0	6.0	2.8	0.0	10.0	15	2.5	0.1	3.2	71.0	244.0	8.6	0.9	0.013
2002	2.6	0.0	2.6	6.0	2.5	0.0	10.0	15	2.2	0.1	2.8	71.0	244.0	8.6	0.8	0.011
2003	2.7	0.0	2.7	6.0	2.5	0.0	10.0	15	2.3	0.1	2.8	71.0	244.0	8.6	0.8	0.012
2004	2.5	0.0	2.5	6.0	2.4	0.0	10.0	15	2.1	0.1	2.7	71.0	244.0	8.6	0.8	0.011

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Canned pineapple: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	G/day		Grams	Ounces		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	7.2	41.5	4.2	6.0	3.9	0.0	10.0	50	3.5	0.2	4.4	79.0	246.0	8.7	1.4	0.018
1971	7.2	41.5	4.2	6.0	4.0	0.0	10.0	50	3.6	0.2	4.4	79.0	246.0	8.7	1.4	0.018
1972	6.9	41.5	4.1	6.0	3.8	0.0	10.0	50	3.4	0.2	4.3	79.0	246.0	8.7	1.4	0.017
1973	5.6	41.5	3.3	6.0	3.1	0.0	10.0	50	2.8	0.1	3.5	79.0	246.0	8.7	1.1	0.014
1974	5.2	41.5	3.0	6.0	2.8	0.0	10.0	50	2.6	0.1	3.2	79.0	246.0	8.7	1.0	0.013
1975	6.0	41.5	3.5	6.0	3.3	0.0	10.0	50	3.0	0.1	3.7	79.0	246.0	8.7	1.2	0.015
1976	6.1	41.5	3.5	6.0	3.3	0.0	10.0	50	3.0	0.1	3.7	79.0	246.0	8.7	1.2	0.015
1977	6.0	41.5	3.5	6.0	3.3	0.0	10.0	50	3.0	0.1	3.7	79.0	246.0	8.7	1.2	0.015
1978	5.7	41.5	3.4	6.0	3.2	0.0	10.0	50	2.8	0.1	3.5	79.0	246.0	8.7	1.1	0.014
1979	6.3	41.5	3.7	6.0	3.5	0.0	10.0	50	3.1	0.1	3.9	79.0	246.0	8.7	1.2	0.016
1980	6.0	41.5	3.5	6.0	3.3	0.0	10.0	50	3.0	0.1	3.7	79.0	246.0	8.7	1.2	0.015
1981	5.5	41.5	3.2	6.0	3.0	0.0	10.0	50	2.7	0.1	3.4	79.0	246.0	8.7	1.1	0.014
1982	5.5	41.5	3.2	6.0	3.0	0.0	10.0	50	2.7	0.1	3.4	79.0	246.0	8.7	1.1	0.014
1983	5.6	41.5	3.3	6.0	3.1	0.0	10.0	50	2.8	0.1	3.4	79.0	246.0	8.7	1.1	0.014
1984	5.0	41.5	2.9	6.0	2.8	0.0	10.0	50	2.5	0.1	3.1	79.0	246.0	8.7	1.0	0.013
1985	5.7	41.5	3.3	6.0	3.1	0.0	10.0	50	2.8	0.1	3.5	79.0	246.0	8.7	1.1	0.014
1986	6.1	41.5	3.6	6.0	3.4	0.0	10.0	50	3.0	0.1	3.8	79.0	246.0	8.7	1.2	0.015
1987	5.2	41.5	3.0	6.0	2.9	0.0	10.0	50	2.6	0.1	3.2	79.0	246.0	8.7	1.0	0.013
1988	5.1	41.5	3.0	6.0	2.8	0.0	10.0	50	2.5	0.1	3.1	79.0	246.0	8.7	1.0	0.013
1989	5.6	41.5	3.3	6.0	3.1	0.0	10.0	50	2.8	0.1	3.4	79.0	246.0	8.7	1.1	0.014
1990	5.2	41.5	3.1	6.0	2.9	0.0	10.0	50	2.6	0.1	3.2	79.0	246.0	8.7	1.0	0.013
1991	5.3	41.5	3.1	6.0	2.9	0.0	10.0	50	2.6	0.1	3.3	79.0	246.0	8.7	1.1	0.013
1992	6.1	41.5	3.6	6.0	3.4	0.0	10.0	50	3.0	0.1	3.8	79.0	246.0	8.7	1.2	0.015
1993	5.6	41.5	3.3	6.0	3.1	0.0	10.0	50	2.8	0.1	3.4	79.0	246.0	8.7	1.1	0.014
1994	5.4	41.5	3.2	6.0	3.0	0.0	10.0	50	2.7	0.1	3.3	79.0	246.0	8.7	1.1	0.013
1995	4.7	41.5	2.8	6.0	2.6	0.0	10.0	50	2.3	0.1	2.9	79.0	246.0	8.7	0.9	0.012
1996	4.7	41.5	2.8	6.0	2.6	0.0	10.0	50	2.3	0.1	2.9	79.0	246.0	8.7	0.9	0.012
1997	4.7	41.5	2.7	6.0	2.6	0.0	10.0	50	2.3	0.1	2.9	79.0	246.0	8.7	0.9	0.012
1998	3.9	41.5	2.3	6.0	2.1	0.0	10.0	50	1.9	0.1	2.4	79.0	246.0	8.7	0.8	0.010
1999	5.2	41.5	3.0	6.0	2.9	0.0	10.0	50	2.6	0.1	3.2	79.0	246.0	8.7	1.0	0.013
2000	4.8	41.5	2.8	6.0	2.6	0.0	10.0	50	2.4	0.1	3.0	79.0	246.0	8.7	1.0	0.012
2001	4.4	41.5	2.6	6.0	2.4	0.0	10.0	50	2.2	0.1	2.7	79.0	246.0	8.7	0.9	0.011
2002	4.5	41.5	2.7	6.0	2.5	0.0	10.0	50	2.2	0.1	2.8	79.0	246.0	8.7	0.9	0.011
2003	4.8	41.5	2.8	6.0	2.6	0.0	10.0	50	2.4	0.1	2.9	79.0	246.0	8.7	0.9	0.012
2004	4.5	41.5	2.6	6.0	2.5	0.0	10.0	50	2.2	0.1	2.8	79.0	246.0	8.7	0.9	0.011

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Canned plums: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Oz/day		G/day	Number		
1970	0.5	33.8	0.3	6.0	0.3	0.0	10.0	44	0.3	0.011	0.3	102.0	249.0	8.8	0.1	0.001
1971	0.5	33.8	0.4	6.0	0.3	0.0	10.0	44	0.3	0.013	0.4	102.0	249.0	8.8	0.2	0.001
1972	0.3	33.8	0.2	6.0	0.2	0.0	10.0	44	0.2	0.007	0.2	102.0	249.0	8.8	0.1	0.001
1973	0.4	33.8	0.3	6.0	0.3	0.0	10.0	44	0.2	0.010	0.3	102.0	249.0	8.8	0.1	0.001
1974	0.4	33.8	0.3	6.0	0.3	0.0	10.0	44	0.2	0.010	0.3	102.0	249.0	8.8	0.1	0.001
1975	0.4	33.8	0.2	6.0	0.2	0.0	10.0	44	0.2	0.009	0.3	102.0	249.0	8.8	0.1	0.001
1976	0.5	33.8	0.3	6.0	0.3	0.0	10.0	44	0.3	0.012	0.4	102.0	249.0	8.8	0.1	0.001
1977	0.4	33.8	0.2	6.0	0.2	0.0	10.0	44	0.2	0.009	0.2	102.0	249.0	8.8	0.1	0.001
1978	0.4	33.8	0.3	6.0	0.2	0.0	10.0	44	0.2	0.010	0.3	102.0	249.0	8.8	0.1	0.001
1979	0.3	33.8	0.2	6.0	0.2	0.0	10.0	44	0.2	0.007	0.2	102.0	249.0	8.8	0.1	0.001
1980	0.3	33.8	0.2	6.0	0.2	0.0	10.0	44	0.2	0.007	0.2	102.0	249.0	8.8	0.1	0.001
1981	0.3	33.8	0.2	6.0	0.2	0.0	10.0	44	0.2	0.008	0.2	102.0	249.0	8.8	0.1	0.001
1982	0.3	33.8	0.2	6.0	0.2	0.0	10.0	44	0.2	0.007	0.2	102.0	249.0	8.8	0.1	0.001
1983	0.2	33.8	0.2	6.0	0.1	0.0	10.0	44	0.1	0.006	0.2	102.0	249.0	8.8	0.1	0.001
1984	0.2	33.8	0.1	6.0	0.1	0.0	10.0	44	0.1	0.005	0.1	102.0	249.0	8.8	0.1	0.001
1985	0.3	33.8	0.2	6.0	0.2	0.0	10.0	44	0.1	0.006	0.2	102.0	249.0	8.8	0.1	0.001
1986	0.2	33.8	0.2	6.0	0.2	0.0	10.0	44	0.1	0.006	0.2	102.0	249.0	8.8	0.1	0.001
1987	0.3	33.8	0.2	6.0	0.2	0.0	10.0	44	0.1	0.006	0.2	102.0	249.0	8.8	0.1	0.001
1988	0.3	33.8	0.2	6.0	0.2	0.0	10.0	44	0.1	0.006	0.2	102.0	249.0	8.8	0.1	0.001
1989	0.2	33.8	0.2	6.0	0.2	0.0	10.0	44	0.1	0.006	0.2	102.0	249.0	8.8	0.1	0.001
1990	0.2	33.8	0.1	6.0	0.1	0.0	10.0	44	0.1	0.005	0.1	102.0	249.0	8.8	0.1	0.001
1991	0.1	33.8	0.1	6.0	0.1	0.0	10.0	44	0.1	0.003	0.1	102.0	249.0	8.8	0.0	0.000
1992	0.2	33.8	0.2	6.0	0.2	0.0	10.0	44	0.1	0.006	0.2	102.0	249.0	8.8	0.1	0.001
1993	0.2	33.8	0.1	6.0	0.1	0.0	10.0	44	0.1	0.004	0.1	102.0	249.0	8.8	0.0	0.000
1994	0.2	33.8	0.1	6.0	0.1	0.0	10.0	44	0.1	0.005	0.1	102.0	249.0	8.8	0.1	0.001
1995	0.1	33.8	0.1	6.0	0.1	0.0	10.0	44	0.1	0.003	0.1	102.0	249.0	8.8	0.0	0.000
1996	0.1	33.8	0.1	6.0	0.1	0.0	10.0	44	0.1	0.003	0.1	102.0	249.0	8.8	0.0	0.000
1997	0.2	33.8	0.1	6.0	0.1	0.0	10.0	44	0.1	0.004	0.1	102.0	249.0	8.8	0.0	0.000
1998	0.1	33.8	0.1	6.0	0.1	0.0	10.0	44	0.1	0.003	0.1	102.0	249.0	8.8	0.0	0.000
1999	0.1	33.8	0.1	6.0	0.1	0.0	10.0	44	0.1	0.002	0.1	102.0	249.0	8.8	0.0	0.000
2000	0.1	33.8	0.1	6.0	0.1	0.0	10.0	44	0.1	0.002	0.1	102.0	249.0	8.8	0.0	0.000
2001	0.1	33.8	0.1	6.0	0.1	0.0	10.0	44	0.0	0.002	0.1	102.0	249.0	8.8	0.0	0.000
2002	0.1	33.8	0.0	6.0	0.0	0.0	10.0	44	0.0	0.002	0.0	102.0	249.0	8.8	0.0	0.000
2003	0.1	33.8	0.0	6.0	0.0	0.0	10.0	44	0.0	0.001	0.0	102.0	249.0	8.8	0.0	0.000
2004	0.1	33.8	0.0	6.0	0.0	0.0	10.0	44	0.0	0.001	0.0	102.0	249.0	8.8	0.0	0.000

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Canned olives: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	1.0	5.7	0.9	6.0	0.9	0.0	10.0	20	0.8	0.03	1.0	40.0	35.2	1.2	1.1	0.027
1971	1.0	5.7	1.0	6.0	0.9	0.0	10.0	20	0.8	0.04	1.0	40.0	35.2	1.2	1.1	0.028
1972	0.8	5.7	0.8	6.0	0.7	0.0	10.0	20	0.7	0.03	0.8	40.0	35.2	1.2	0.9	0.023
1973	0.9	5.7	0.9	6.0	0.8	0.0	10.0	20	0.7	0.03	0.9	40.0	35.2	1.2	1.0	0.026
1974	0.8	5.7	0.7	6.0	0.7	0.0	10.0	20	0.6	0.03	0.8	40.0	35.2	1.2	0.9	0.022
1975	1.0	5.7	0.9	6.0	0.9	0.0	10.0	20	0.8	0.03	1.0	40.0	35.2	1.2	1.1	0.027
1976	1.0	5.7	1.0	6.0	0.9	0.0	10.0	20	0.8	0.04	1.0	40.0	35.2	1.2	1.2	0.029
1977	1.1	5.7	1.1	6.0	1.0	0.0	10.0	20	0.9	0.04	1.1	40.0	35.2	1.2	1.3	0.032
1978	1.8	5.7	1.7	6.0	1.6	0.0	10.0	20	1.4	0.06	1.8	40.0	35.2	1.2	2.0	0.050
1979	0.9	5.7	0.8	6.0	0.8	0.0	10.0	20	0.7	0.03	0.9	40.0	35.2	1.2	1.0	0.025
1980	1.3	5.7	1.2	6.0	1.1	0.0	10.0	20	1.0	0.04	1.3	40.0	35.2	1.2	1.4	0.036
1981	0.8	5.7	0.8	6.0	0.7	0.0	10.0	20	0.7	0.03	0.8	40.0	35.2	1.2	0.9	0.023
1982	1.4	5.7	1.3	6.0	1.2	0.0	10.0	20	1.1	0.05	1.4	40.0	35.2	1.2	1.6	0.039
1983	1.0	5.7	1.0	6.0	0.9	0.0	10.0	20	0.8	0.04	1.0	40.0	35.2	1.2	1.2	0.029
1984	1.2	5.7	1.1	6.0	1.1	0.0	10.0	20	0.9	0.04	1.2	40.0	35.2	1.2	1.3	0.033
1985	1.3	5.7	1.3	6.0	1.2	0.0	10.0	20	1.1	0.05	1.3	40.0	35.2	1.2	1.5	0.037
1986	1.4	5.7	1.3	6.0	1.2	0.0	10.0	20	1.1	0.05	1.4	40.0	35.2	1.2	1.6	0.040
1987	1.3	5.7	1.2	6.0	1.1	0.0	10.0	20	1.0	0.04	1.3	40.0	35.2	1.2	1.4	0.036
1988	1.2	5.7	1.1	6.0	1.0	0.0	10.0	20	0.9	0.04	1.2	40.0	35.2	1.2	1.3	0.033
1989	1.4	5.7	1.3	6.0	1.2	0.0	10.0	20	1.1	0.05	1.3	40.0	35.2	1.2	1.5	0.038
1990	1.3	5.7	1.2	6.0	1.1	0.0	10.0	20	1.0	0.05	1.3	40.0	35.2	1.2	1.5	0.036
1991	0.8	5.7	0.8	6.0	0.7	0.0	10.0	20	0.7	0.03	0.8	40.0	35.2	1.2	1.0	0.024
1992	1.6	5.7	1.5	6.0	1.4	0.0	10.0	20	1.3	0.06	1.6	40.0	35.2	1.2	1.8	0.045
1993	1.3	5.7	1.2	6.0	1.2	0.0	10.0	20	1.0	0.05	1.3	40.0	35.2	1.2	1.5	0.037
1994	1.0	5.7	0.9	6.0	0.8	0.0	10.0	20	0.8	0.03	1.0	40.0	35.2	1.2	1.1	0.027
1995	0.9	5.7	0.8	6.0	0.8	0.0	10.0	20	0.7	0.03	0.9	40.0	35.2	1.2	1.0	0.025
1996	1.6	5.7	1.5	6.0	1.4	0.0	10.0	20	1.2	0.05	1.6	40.0	35.2	1.2	1.8	0.044
1997	1.2	5.7	1.1	6.0	1.0	0.0	10.0	20	0.9	0.04	1.2	40.0	35.2	1.2	1.3	0.033
1998	1.1	5.7	1.0	6.0	0.9	0.0	10.0	20	0.8	0.04	1.0	40.0	35.2	1.2	1.2	0.030
1999	1.4	5.7	1.3	6.0	1.2	0.0	10.0	20	1.1	0.05	1.4	40.0	35.2	1.2	1.6	0.039
2000	0.9	5.7	0.9	6.0	0.8	0.0	10.0	20	0.7	0.03	0.9	40.0	35.2	1.2	1.0	0.025
2001	1.4	5.7	1.4	6.0	1.3	0.0	10.0	20	1.1	0.05	1.4	40.0	35.2	1.2	1.6	0.041
2002	1.3	5.7	1.2	6.0	1.1	0.0	10.0	20	1.0	0.04	1.3	40.0	35.2	1.2	1.4	0.036
2003	1.3	5.7	1.3	6.0	1.2	0.0	10.0	20	1.1	0.05	1.3	40.0	35.2	1.2	1.5	0.038
2004	1.2	5.7	1.2	6.0	1.1	0.0	10.0	20	1.0	0.04	1.2	40.0	35.2	1.2	1.4	0.035

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Canned fruit: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Retail weight	Consumer weight	Total loss, all levels	Per capita consumption adjusted for loss			Calories consumed daily ³	Servings consumed daily ⁴
	Lbs/year	Lbs/year	Lbs/year	Percent	Lbs/year	Oz/day	G/day	Number	Number
1970	26.0	20.1	18.9	34.5	17.0	0.7	21.2	7.5	0.110
1971	26.4	20.6	19.3	34.1	17.4	0.8	21.6	7.7	0.113
1972	23.9	18.6	17.5	34.2	15.7	0.7	19.5	6.8	0.100
1973	24.3	19.1	18.0	33.3	16.2	0.7	20.1	7.2	0.104
1974	23.8	18.9	17.7	32.8	16.0	0.7	19.8	7.0	0.100
1975	23.3	18.3	17.2	33.5	15.5	0.7	19.3	6.9	0.102
1976	23.3	18.4	17.3	33.3	15.5	0.7	19.3	6.9	0.104
1977	24.2	19.2	18.0	32.9	16.2	0.7	20.2	7.3	0.110
1978	23.8	18.9	17.8	32.9	16.0	0.7	19.9	7.8	0.125
1979	24.7	19.6	18.4	33.0	16.6	0.7	20.6	7.3	0.106
1980	24.3	19.3	18.2	32.6	16.4	0.7	20.3	7.5	0.114
1981	20.8	16.6	15.6	32.8	14.0	0.6	17.4	6.2	0.091
1982	22.0	17.5	16.4	32.7	14.8	0.6	18.4	7.1	0.109
1983	20.0	15.7	14.8	33.4	13.3	0.6	16.5	6.3	0.093
1984	19.6	15.5	14.6	33.2	13.1	0.6	16.3	6.3	0.095
1985	20.7	16.2	15.2	33.7	13.7	0.6	17.1	6.7	0.102
1986	21.0	16.4	15.5	33.6	13.9	0.6	17.3	6.8	0.105
1987	20.8	16.6	15.6	32.6	14.0	0.6	17.4	6.7	0.102
1988	20.6	16.4	15.4	32.9	13.8	0.6	17.2	6.6	0.098
1989	21.4	16.9	15.9	33.1	14.3	0.6	17.8	6.9	0.105
1990	20.9	16.6	15.6	32.6	14.1	0.6	17.5	6.8	0.103
1991	19.6	15.4	14.5	33.3	13.1	0.6	16.2	6.0	0.087
1992	22.7	17.9	16.8	33.3	15.1	0.7	18.8	7.5	0.116
1993	20.4	16.1	15.1	33.3	13.6	0.6	16.9	6.6	0.101
1994	20.6	16.3	15.3	33.1	13.8	0.6	17.2	6.4	0.093
1995	17.2	13.6	12.7	33.3	11.5	0.5	14.2	5.5	0.080
1996	18.4	14.6	13.7	32.9	12.3	0.5	15.3	6.3	0.100
1997	19.9	15.9	15.0	32.5	13.5	0.6	16.7	6.5	0.097
1998	16.9	13.6	12.8	32.0	11.5	0.5	14.3	5.5	0.084
1999	19.2	15.2	14.3	32.9	12.9	0.6	16.0	6.4	0.099
2000	17.5	13.8	12.9	33.3	11.6	0.5	14.5	5.4	0.081
2001	17.6	14.0	13.2	32.4	11.9	0.5	14.8	6.0	0.095
2002	16.7	13.2	12.4	33.2	11.1	0.5	13.8	5.5	0.087
2003	17.2	13.6	12.8	33.3	11.5	0.5	14.3	5.8	0.091
2004	16.8	13.3	12.5	33.3	11.2	0.5	14.0	5.6	0.087

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and *My Pyramid Plan* servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Frozen blackberries: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.11	4.8	0.10	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.07	0.001
1971	0.17	4.8	0.16	6.0	0.2	0.0	10.0	19	0.1	0.006	0.2	97.0	151.0	5.3	0.11	0.001
1972	0.11	4.8	0.11	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.07	0.001
1973	0.08	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
1974	0.06	4.8	0.06	6.0	0.1	0.0	10.0	19	0.0	0.002	0.1	97.0	151.0	5.3	0.04	0.000
1975	0.09	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.06	0.001
1976	0.13	4.8	0.12	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.08	0.001
1977	0.13	4.8	0.12	6.0	0.1	0.0	10.0	19	0.1	0.005	0.1	97.0	151.0	5.3	0.08	0.001
1978	0.10	4.8	0.10	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.07	0.001
1979	0.06	4.8	0.06	6.0	0.1	0.0	10.0	19	0.1	0.002	0.1	97.0	151.0	5.3	0.04	0.000
1980	0.02	4.8	0.02	6.0	0.0	0.0	10.0	19	0.0	0.001	0.0	97.0	151.0	5.3	0.02	0.000
1981	0.04	4.8	0.04	6.0	0.0	0.0	10.0	19	0.0	0.001	0.0	97.0	151.0	5.3	0.03	0.000
1982	0.10	4.8	0.09	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.06	0.001
1983	0.08	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
1984	0.05	4.8	0.04	6.0	0.0	0.0	10.0	19	0.0	0.002	0.0	97.0	151.0	5.3	0.03	0.000
1985	0.06	4.8	0.06	6.0	0.1	0.0	10.0	19	0.1	0.002	0.1	97.0	151.0	5.3	0.04	0.000
1986	0.04	4.8	0.04	6.0	0.0	0.0	10.0	19	0.0	0.002	0.0	97.0	151.0	5.3	0.03	0.000
1987	0.06	4.8	0.05	6.0	0.1	0.0	10.0	19	0.0	0.002	0.1	97.0	151.0	5.3	0.04	0.000
1988	0.08	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
1989	0.11	4.8	0.11	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.07	0.001
1990	0.07	4.8	0.07	6.0	0.1	0.0	10.0	19	0.1	0.002	0.1	97.0	151.0	5.3	0.04	0.000
1991	0.08	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
1992	0.07	4.8	0.07	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.000
1993	0.12	4.8	0.11	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.07	0.001
1994	0.08	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
1995	0.13	4.8	0.12	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.08	0.001
1996	0.06	4.8	0.06	6.0	0.1	0.0	10.0	19	0.1	0.002	0.1	97.0	151.0	5.3	0.04	0.000
1997	0.08	4.8	0.07	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
1998	0.11	4.8	0.10	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.07	0.001
1999	0.09	4.8	0.09	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.06	0.001
2000	0.09	4.8	0.09	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.06	0.001
2001	0.09	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.06	0.001
2002	0.09	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.06	0.001
2003	0.08	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
2004	0.08	4.8	0.07	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.000

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Frozen blueberries: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.22	2.9	0.21	6.0	0.2	0.0	10.0	18	0.2	0.008	0.2	79.0	155.0	5.5	0.11	0.001
1971	0.18	2.9	0.18	6.0	0.2	0.0	10.0	18	0.1	0.007	0.2	79.0	155.0	5.5	0.09	0.001
1972	0.19	2.9	0.18	6.0	0.2	0.0	10.0	18	0.2	0.007	0.2	79.0	155.0	5.5	0.10	0.001
1973	0.17	2.9	0.16	6.0	0.2	0.0	10.0	18	0.1	0.006	0.2	79.0	155.0	5.5	0.09	0.001
1974	0.15	2.9	0.14	6.0	0.1	0.0	10.0	18	0.1	0.005	0.2	79.0	155.0	5.5	0.08	0.001
1975	0.20	2.9	0.19	6.0	0.2	0.0	10.0	18	0.2	0.007	0.2	79.0	155.0	5.5	0.10	0.001
1976	0.14	2.9	0.13	6.0	0.1	0.0	10.0	18	0.1	0.005	0.1	79.0	155.0	5.5	0.07	0.001
1977	0.14	2.9	0.13	6.0	0.1	0.0	10.0	18	0.1	0.005	0.1	79.0	155.0	5.5	0.07	0.001
1978	0.12	2.9	0.11	6.0	0.1	0.0	10.0	18	0.1	0.004	0.1	79.0	155.0	5.5	0.06	0.001
1979	0.14	2.9	0.13	6.0	0.1	0.0	10.0	18	0.1	0.005	0.1	79.0	155.0	5.5	0.07	0.001
1980	0.19	2.9	0.18	6.0	0.2	0.0	10.0	18	0.2	0.007	0.2	79.0	155.0	5.5	0.10	0.001
1981	0.18	2.9	0.17	6.0	0.2	0.0	10.0	18	0.1	0.006	0.2	79.0	155.0	5.5	0.09	0.001
1982	0.12	2.9	0.11	6.0	0.1	0.0	10.0	18	0.1	0.004	0.1	79.0	155.0	5.5	0.06	0.001
1983	0.05	2.9	0.04	6.0	0.0	0.0	10.0	18	0.0	0.002	0.0	79.0	155.0	5.5	0.02	0.000
1984	0.26	2.9	0.25	6.0	0.2	0.0	10.0	18	0.2	0.009	0.3	79.0	155.0	5.5	0.14	0.002
1985	0.23	2.9	0.22	6.0	0.2	0.0	10.0	18	0.2	0.008	0.2	79.0	155.0	5.5	0.12	0.002
1986	0.39	2.9	0.38	6.0	0.4	0.0	10.0	18	0.3	0.014	0.4	79.0	155.0	5.5	0.20	0.003
1987	0.27	2.9	0.26	6.0	0.2	0.0	10.0	18	0.2	0.010	0.3	79.0	155.0	5.5	0.14	0.002
1988	0.22	2.9	0.21	6.0	0.2	0.0	10.0	18	0.2	0.008	0.2	79.0	155.0	5.5	0.11	0.001
1989	0.31	2.9	0.30	6.0	0.3	0.0	10.0	18	0.3	0.011	0.3	79.0	155.0	5.5	0.16	0.002
1990	0.34	2.9	0.33	6.0	0.3	0.0	10.0	18	0.3	0.012	0.3	79.0	155.0	5.5	0.17	0.002
1991	0.35	2.9	0.34	6.0	0.3	0.0	10.0	18	0.3	0.013	0.4	79.0	155.0	5.5	0.18	0.002
1992	0.42	2.9	0.41	6.0	0.4	0.0	10.0	18	0.3	0.015	0.4	79.0	155.0	5.5	0.22	0.003
1993	0.49	2.9	0.47	6.0	0.4	0.0	10.0	18	0.4	0.018	0.5	79.0	155.0	5.5	0.25	0.003
1994	0.50	2.9	0.49	6.0	0.5	0.0	10.0	18	0.4	0.018	0.5	79.0	155.0	5.5	0.26	0.003
1995	0.47	2.9	0.46	6.0	0.4	0.0	10.0	18	0.4	0.017	0.5	79.0	155.0	5.5	0.25	0.003
1996	0.38	2.9	0.37	6.0	0.3	0.0	10.0	18	0.3	0.014	0.4	79.0	155.0	5.5	0.20	0.003
1997	0.33	2.9	0.32	6.0	0.3	0.0	10.0	18	0.3	0.012	0.3	79.0	155.0	5.5	0.17	0.002
1998	0.36	2.9	0.35	6.0	0.3	0.0	10.0	18	0.3	0.013	0.4	79.0	155.0	5.5	0.19	0.002
1999	0.41	2.9	0.40	6.0	0.4	0.0	10.0	18	0.3	0.015	0.4	79.0	155.0	5.5	0.22	0.003
2000	0.34	2.9	0.33	6.0	0.3	0.0	10.0	18	0.3	0.012	0.3	79.0	155.0	5.5	0.17	0.002
2001	0.40	2.9	0.39	6.0	0.4	0.0	10.0	18	0.3	0.014	0.4	79.0	155.0	5.5	0.21	0.003
2002	0.26	2.9	0.25	6.0	0.2	0.0	10.0	18	0.2	0.009	0.3	79.0	155.0	5.5	0.13	0.002
2003	0.37	2.9	0.36	6.0	0.3	0.0	10.0	18	0.3	0.013	0.4	79.0	155.0	5.5	0.19	0.002
2004	0.28	2.9	0.28	6.0	0.3	0.0	10.0	18	0.2	0.010	0.3	79.0	155.0	5.5	0.15	0.002

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Frozen cherries: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight ³	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ⁴	Serving weight ⁵		Calories consumed daily ⁵	Servings consumed daily ⁶
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Oz/day		G/day	Number		
1970	0.68		0.61	6.0	0.6	0.0	10.0	24	0.5	0.023	0.6	71.0	155.0	5.5	0.29	0.004
1971	0.75		0.68	6.0	0.6	0.0	10.0	24	0.6	0.025	0.7	71.0	155.0	5.5	0.33	0.005
1972	0.70		0.63	6.0	0.6	0.0	10.0	24	0.5	0.023	0.7	71.0	155.0	5.5	0.30	0.004
1973	0.91		0.82	6.0	0.8	0.0	10.0	24	0.7	0.030	0.9	71.0	155.0	5.5	0.39	0.006
1974	0.54		0.49	6.0	0.5	0.0	10.0	24	0.4	0.018	0.5	71.0	155.0	5.5	0.23	0.003
1975	0.50		0.44	6.0	0.4	0.0	10.0	24	0.4	0.016	0.5	71.0	155.0	5.5	0.21	0.003
1976	0.74		0.67	6.0	0.6	0.0	10.0	24	0.6	0.025	0.7	71.0	155.0	5.5	0.32	0.005
1977	0.69		0.62	6.0	0.6	0.0	10.0	24	0.5	0.023	0.7	71.0	155.0	5.5	0.30	0.004
1978	0.71		0.64	6.0	0.6	0.0	10.0	24	0.5	0.024	0.7	71.0	155.0	5.5	0.31	0.004
1979	0.58		0.52	6.0	0.5	0.0	10.0	24	0.4	0.019	0.5	71.0	155.0	5.5	0.25	0.004
1980	0.54		0.48	6.0	0.5	0.0	10.0	24	0.4	0.018	0.5	71.0	155.0	5.5	0.23	0.003
1981	0.55		0.49	6.0	0.5	0.0	10.0	24	0.4	0.018	0.5	71.0	155.0	5.5	0.24	0.003
1982	0.68		0.61	6.0	0.6	0.0	10.0	24	0.5	0.023	0.6	71.0	155.0	5.5	0.29	0.004
1983	0.70		0.63	6.0	0.6	0.0	10.0	24	0.5	0.023	0.7	71.0	155.0	5.5	0.30	0.004
1984	0.65		0.58	6.0	0.5	0.0	10.0	24	0.5	0.022	0.6	71.0	155.0	5.5	0.28	0.004
1985	0.65		0.59	6.0	0.6	0.0	10.0	24	0.5	0.022	0.6	71.0	155.0	5.5	0.28	0.004
1986	0.74		0.67	6.0	0.6	0.0	10.0	24	0.6	0.025	0.7	71.0	155.0	5.5	0.32	0.005
1987	1.12		1.00	6.0	0.9	0.0	10.0	24	0.8	0.037	1.1	71.0	155.0	5.5	0.48	0.007
1988	0.81		0.73	6.0	0.7	0.0	10.0	24	0.6	0.027	0.8	71.0	155.0	5.5	0.35	0.005
1989	0.82		0.74	6.0	0.7	0.0	10.0	24	0.6	0.027	0.8	71.0	155.0	5.5	0.36	0.005
1990	0.89		0.80	6.0	0.8	0.0	10.0	24	0.7	0.030	0.8	71.0	155.0	5.5	0.38	0.005
1991	0.64		0.58	6.0	0.5	0.0	10.0	24	0.5	0.021	0.6	71.0	155.0	5.5	0.28	0.004
1992	0.61		0.55	6.0	0.5	0.0	10.0	24	0.5	0.020	0.6	71.0	155.0	5.5	0.26	0.004
1993	0.76		0.68	6.0	0.6	0.0	10.0	24	0.6	0.025	0.7	71.0	155.0	5.5	0.33	0.005
1994	0.72		0.64	6.0	0.6	0.0	10.0	24	0.5	0.024	0.7	71.0	155.0	5.5	0.31	0.004
1995	0.71		0.63	6.0	0.6	0.0	10.0	24	0.5	0.024	0.7	71.0	155.0	5.5	0.31	0.004
1996	0.65		0.58	6.0	0.5	0.0	10.0	24	0.5	0.022	0.6	71.0	155.0	5.5	0.28	0.004
1997	0.62		0.55	6.0	0.5	0.0	10.0	24	0.5	0.020	0.6	71.0	155.0	5.5	0.27	0.004
1998	0.85		0.76	6.0	0.7	0.0	10.0	24	0.6	0.028	0.8	71.0	155.0	5.5	0.37	0.005
1999	0.56		0.50	6.0	0.5	0.0	10.0	24	0.4	0.018	0.5	71.0	155.0	5.5	0.24	0.003
2000	0.65		0.58	6.0	0.5	0.0	10.0	24	0.5	0.022	0.6	71.0	155.0	5.5	0.28	0.004
2001	0.63		0.57	6.0	0.5	0.0	10.0	24	0.5	0.021	0.6	71.0	155.0	5.5	0.27	0.004
2002	0.50		0.44	6.0	0.4	0.0	10.0	24	0.4	0.016	0.5	71.0	155.0	5.5	0.21	0.003
2003	0.65		0.58	6.0	0.5	0.0	10.0	25	0.5	0.021	0.6	71.0	155.0	5.5	0.28	0.004
2004	0.76		0.67	6.0	0.6	0.0	10.0	25	0.6	0.025	0.7	71.0	155.0	5.5	0.32	0.005

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Loss for sweet cherries is 15.3 percent and tart cherries is 9.9 percent. ⁴Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁵Number of daily servings multiplied by calories per serving. ⁶Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Frozen raspberries: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.17	4.8	0.16	6.0	0.2	0.0	10.0	19	0.1	0.006	0.2	97.0	151.0	5.3	0.11	0.001
1971	0.17	4.8	0.16	6.0	0.2	0.0	10.0	19	0.1	0.006	0.2	97.0	151.0	5.3	0.11	0.001
1972	0.13	4.8	0.12	6.0	0.1	0.0	10.0	19	0.1	0.005	0.1	97.0	151.0	5.3	0.08	0.001
1973	0.11	4.8	0.10	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.07	0.001
1974	0.10	4.8	0.09	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.06	0.001
1975	0.10	4.8	0.09	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.06	0.001
1976	0.13	4.8	0.13	6.0	0.1	0.0	10.0	19	0.1	0.005	0.1	97.0	151.0	5.3	0.09	0.001
1977	0.14	4.8	0.13	6.0	0.1	0.0	10.0	19	0.1	0.005	0.1	97.0	151.0	5.3	0.09	0.001
1978	0.11	4.8	0.10	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.07	0.001
1979	0.08	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
1980	0.08	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
1981	0.08	4.8	0.08	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
1982	0.07	4.8	0.07	6.0	0.1	0.0	10.0	19	0.1	0.002	0.1	97.0	151.0	5.3	0.04	0.000
1983	0.08	4.8	0.07	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
1984	0.06	4.8	0.06	6.0	0.1	0.0	10.0	19	0.0	0.002	0.1	97.0	151.0	5.3	0.04	0.000
1985	0.10	4.8	0.10	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.07	0.001
1986	0.10	4.8	0.09	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.06	0.001
1987	0.08	4.8	0.07	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.05	0.001
1988	0.09	4.8	0.09	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.06	0.001
1989	0.18	4.8	0.17	6.0	0.2	0.0	10.0	19	0.1	0.006	0.2	97.0	151.0	5.3	0.11	0.001
1990	0.17	4.8	0.16	6.0	0.1	0.0	10.0	19	0.1	0.006	0.2	97.0	151.0	5.3	0.11	0.001
1991	0.13	4.8	0.12	6.0	0.1	0.0	10.0	19	0.1	0.005	0.1	97.0	151.0	5.3	0.08	0.001
1992	0.12	4.8	0.12	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.08	0.001
1993	0.13	4.8	0.12	6.0	0.1	0.0	10.0	19	0.1	0.005	0.1	97.0	151.0	5.3	0.08	0.001
1994	0.12	4.8	0.11	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.08	0.001
1995	0.17	4.8	0.16	6.0	0.1	0.0	10.0	19	0.1	0.006	0.2	97.0	151.0	5.3	0.11	0.001
1996	0.20	4.8	0.19	6.0	0.2	0.0	10.0	19	0.2	0.007	0.2	97.0	151.0	5.3	0.13	0.001
1997	0.13	4.8	0.12	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.08	0.001
1998	0.19	4.8	0.19	6.0	0.2	0.0	10.0	19	0.2	0.007	0.2	97.0	151.0	5.3	0.13	0.001
1999	0.11	4.8	0.11	6.0	0.1	0.0	10.0	19	0.1	0.004	0.1	97.0	151.0	5.3	0.07	0.001
2000	0.17	4.8	0.16	6.0	0.2	0.0	10.0	19	0.1	0.006	0.2	97.0	151.0	5.3	0.11	0.001
2001	0.19	4.8	0.18	6.0	0.2	0.0	10.0	19	0.2	0.007	0.2	97.0	151.0	5.3	0.12	0.001
2002	0.10	4.8	0.09	6.0	0.1	0.0	10.0	19	0.1	0.003	0.1	97.0	151.0	5.3	0.06	0.001
2003	0.26	4.8	0.25	6.0	0.2	0.0	10.0	19	0.2	0.009	0.3	97.0	151.0	5.3	0.17	0.002
2004	0.22	4.8	0.21	6.0	0.2	0.0	10.0	19	0.2	0.008	0.2	97.0	151.0	5.3	0.14	0.001

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Frozen strawberries: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Lbs/year		Ounces			
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	1.18	-12.4	1.32	6.0	1.2	0.0	10.0	5	1.1	0.049	1.4	52.0	149.0	5.3	0.49	0.009
1971	1.27	-12.4	1.43	6.0	1.3	0.0	10.0	5	1.2	0.053	1.5	52.0	149.0	5.3	0.52	0.010
1972	1.18	-12.4	1.32	6.0	1.2	0.0	10.0	5	1.1	0.049	1.4	52.0	149.0	5.3	0.48	0.009
1973	1.10	-12.4	1.23	6.0	1.2	0.0	10.0	5	1.0	0.046	1.3	52.0	149.0	5.3	0.45	0.009
1974	1.06	-12.4	1.19	6.0	1.1	0.0	10.0	5	1.0	0.044	1.3	52.0	149.0	5.3	0.44	0.008
1975	1.23	-12.4	1.38	6.0	1.3	0.0	10.0	5	1.2	0.051	1.4	52.0	149.0	5.3	0.51	0.010
1976	1.10	-12.4	1.24	6.0	1.2	0.0	10.0	5	1.0	0.046	1.3	52.0	149.0	5.3	0.45	0.009
1977	1.05	-12.4	1.18	6.0	1.1	0.0	10.0	5	1.0	0.044	1.2	52.0	149.0	5.3	0.43	0.008
1978	1.17	-12.4	1.31	6.0	1.2	0.0	10.0	5	1.1	0.049	1.4	52.0	149.0	5.3	0.48	0.009
1979	1.08	-12.4	1.22	6.0	1.1	0.0	10.0	5	1.0	0.045	1.3	52.0	149.0	5.3	0.45	0.009
1980	1.22	-12.4	1.37	6.0	1.3	0.0	10.0	5	1.2	0.051	1.4	52.0	149.0	5.3	0.50	0.010
1981	1.16	-12.4	1.31	6.0	1.2	0.0	10.0	5	1.1	0.049	1.4	52.0	149.0	5.3	0.48	0.009
1982	1.06	-12.4	1.19	6.0	1.1	0.0	10.0	5	1.0	0.044	1.2	52.0	149.0	5.3	0.44	0.008
1983	1.11	-12.4	1.25	6.0	1.2	0.0	10.0	5	1.1	0.046	1.3	52.0	149.0	5.3	0.46	0.009
1984	1.07	-12.4	1.21	6.0	1.1	0.0	10.0	5	1.0	0.045	1.3	52.0	149.0	5.3	0.44	0.009
1985	1.05	-12.4	1.18	6.0	1.1	0.0	10.0	5	1.0	0.044	1.2	52.0	149.0	5.3	0.43	0.008
1986	1.12	-12.4	1.26	6.0	1.2	0.0	10.0	5	1.1	0.047	1.3	52.0	149.0	5.3	0.46	0.009
1987	1.13	-12.4	1.27	6.0	1.2	0.0	10.0	5	1.1	0.047	1.3	52.0	149.0	5.3	0.47	0.009
1988	1.17	-12.4	1.31	6.0	1.2	0.0	10.0	5	1.1	0.049	1.4	52.0	149.0	5.3	0.48	0.009
1989	1.23	-12.4	1.38	6.0	1.3	0.0	10.0	5	1.2	0.051	1.4	52.0	149.0	5.3	0.51	0.010
1990	1.12	-12.4	1.26	6.0	1.2	0.0	10.0	5	1.1	0.047	1.3	52.0	149.0	5.3	0.46	0.009
1991	1.24	-12.4	1.39	6.0	1.3	0.0	10.0	5	1.2	0.052	1.5	52.0	149.0	5.3	0.51	0.010
1992	1.19	-12.4	1.33	6.0	1.3	0.0	10.0	5	1.1	0.049	1.4	52.0	149.0	5.3	0.49	0.009
1993	1.16	-12.4	1.30	6.0	1.2	0.0	10.0	5	1.1	0.048	1.4	52.0	149.0	5.3	0.48	0.009
1994	1.12	-12.4	1.25	6.0	1.2	0.0	10.0	5	1.1	0.047	1.3	52.0	149.0	5.3	0.46	0.009
1995	1.27	-12.4	1.43	6.0	1.3	0.0	10.0	5	1.2	0.053	1.5	52.0	149.0	5.3	0.52	0.010
1996	1.26	-12.4	1.42	6.0	1.3	0.0	10.0	5	1.2	0.053	1.5	52.0	149.0	5.3	0.52	0.010
1997	1.09	-12.4	1.22	6.0	1.1	0.0	10.0	5	1.0	0.045	1.3	52.0	149.0	5.3	0.45	0.009
1998	1.25	-12.4	1.40	6.0	1.3	0.0	10.0	5	1.2	0.052	1.5	52.0	149.0	5.3	0.52	0.010
1999	1.20	-12.4	1.35	6.0	1.3	0.0	10.0	5	1.1	0.050	1.4	52.0	149.0	5.3	0.50	0.010
2000	1.40	-12.4	1.58	6.0	1.5	0.0	10.0	5	1.3	0.058	1.7	52.0	149.0	5.3	0.58	0.011
2001	1.63	-12.4	1.83	6.0	1.7	0.0	10.0	5	1.5	0.068	1.9	52.0	149.0	5.3	0.67	0.013
2002	1.43	-12.4	1.61	6.0	1.5	0.0	10.0	5	1.4	0.060	1.7	52.0	149.0	5.3	0.59	0.011
2003	1.72	-12.4	1.94	6.0	1.8	0.0	10.0	5	1.6	0.072	2.0	52.0	149.0	5.3	0.71	0.014
2004	1.54	-12.4	1.73	6.0	1.6	0.0	10.0	5	1.5	0.064	1.8	52.0	149.0	5.3	0.63	0.012

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Other frozen berries: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
		Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.07	12.3	0.063	6.0	0.059	0.0	10.0	26	0.053	0.002	0.066	73.5	139.5	4.9	0.035	0.0005
1971	0.08	12.3	0.072	6.0	0.067	0.0	10.0	26	0.061	0.003	0.075	73.5	139.5	4.9	0.040	0.0005
1972	0.07	12.3	0.062	6.0	0.058	0.0	10.0	26	0.052	0.002	0.065	73.5	139.5	4.9	0.034	0.0005
1973	0.05	12.3	0.047	6.0	0.044	0.0	10.0	26	0.040	0.002	0.049	73.5	139.5	4.9	0.026	0.0004
1974	0.05	12.3	0.044	6.0	0.042	0.0	10.0	26	0.038	0.002	0.047	73.5	139.5	4.9	0.025	0.0003
1975	0.04	12.3	0.038	6.0	0.036	0.0	10.0	26	0.033	0.001	0.040	73.5	139.5	4.9	0.021	0.0003
1976	0.06	12.3	0.049	6.0	0.046	0.0	10.0	26	0.041	0.002	0.051	73.5	139.5	4.9	0.027	0.0004
1977	0.04	12.3	0.036	6.0	0.034	0.0	10.0	26	0.031	0.001	0.038	73.5	139.5	4.9	0.020	0.0003
1978	0.05	12.3	0.045	6.0	0.043	0.0	10.0	26	0.038	0.002	0.048	73.5	139.5	4.9	0.025	0.0003
1979	0.03	12.3	0.030	6.0	0.028	0.0	10.0	26	0.025	0.001	0.031	73.5	139.5	4.9	0.016	0.0002
1980	0.03	12.3	0.028	6.0	0.026	0.0	10.0	26	0.024	0.001	0.030	73.5	139.5	4.9	0.016	0.0002
1981	0.03	12.3	0.023	6.0	0.022	0.0	10.0	26	0.019	0.001	0.024	73.5	139.5	4.9	0.013	0.0002
1982	0.03	12.3	0.024	6.0	0.022	0.0	10.0	26	0.020	0.001	0.025	73.5	139.5	4.9	0.013	0.0002
1983	0.04	12.3	0.039	6.0	0.037	0.0	10.0	26	0.033	0.001	0.041	73.5	139.5	4.9	0.022	0.0003
1984	0.02	12.3	0.020	6.0	0.019	0.0	10.0	26	0.017	0.001	0.021	73.5	139.5	4.9	0.011	0.0002
1985	0.02	12.3	0.017	6.0	0.016	0.0	10.0	26	0.014	0.001	0.018	73.5	139.5	4.9	0.009	0.0001
1986	0.03	12.3	0.027	6.0	0.026	0.0	10.0	26	0.023	0.001	0.029	73.5	139.5	4.9	0.015	0.0002
1987	0.02	12.3	0.017	6.0	0.016	0.0	10.0	26	0.015	0.001	0.018	73.5	139.5	4.9	0.010	0.0001
1988	0.04	12.3	0.036	6.0	0.033	0.0	10.0	26	0.030	0.001	0.037	73.5	139.5	4.9	0.020	0.0003
1989	0.04	12.3	0.032	6.0	0.030	0.0	10.0	26	0.027	0.001	0.034	73.5	139.5	4.9	0.018	0.0002
1990	0.04	12.3	0.034	6.0	0.032	0.0	10.0	26	0.029	0.001	0.036	73.5	139.5	4.9	0.019	0.0003
1991	0.05	12.3	0.040	6.0	0.037	0.0	10.0	26	0.034	0.001	0.042	73.5	139.5	4.9	0.022	0.0003
1992	0.03	12.3	0.023	6.0	0.021	0.0	10.0	26	0.019	0.001	0.024	73.5	139.5	4.9	0.013	0.0002
1993	0.01	12.3	0.010	6.0	0.009	0.0	10.0	26	0.008	0.000	0.011	73.5	139.5	4.9	0.006	0.0001
1994	0.01	12.3	0.013	6.0	0.012	0.0	10.0	26	0.011	0.000	0.014	73.5	139.5	4.9	0.007	0.0001
1995	0.02	12.3	0.014	6.0	0.013	0.0	10.0	26	0.012	0.001	0.015	73.5	139.5	4.9	0.008	0.0001
1996	0.04	12.3	0.038	6.0	0.036	0.0	10.0	26	0.032	0.001	0.040	73.5	139.5	4.9	0.021	0.0003
1997	0.03	12.3	0.025	6.0	0.024	0.0	10.0	26	0.021	0.001	0.027	73.5	139.5	4.9	0.014	0.0002
1998	0.00	12.3	0.002	6.0	0.002	0.0	10.0	26	0.002	0.000	0.002	73.5	139.5	4.9	0.001	0.0000
1999	0.01	12.3	0.010	6.0	0.010	0.0	10.0	26	0.009	0.000	0.011	73.5	139.5	4.9	0.006	0.0001
2000	0.03	12.3	0.028	6.0	0.027	0.0	10.0	26	0.024	0.001	0.030	73.5	139.5	4.9	0.016	0.0002
2001	0.01	12.3	0.005	6.0	0.004	0.0	10.0	26	0.004	0.000	0.005	73.5	139.5	4.9	0.003	0.0000
2002	0.01	12.3	0.005	6.0	0.004	0.0	10.0	26	0.004	0.000	0.005	73.5	139.5	4.9	0.003	0.0000
2003	0.03	12.3	0.028	6.0	0.027	0.0	10.0	26	0.024	0.001	0.030	73.5	139.5	4.9	0.016	0.0002
2004	0.03	12.3	0.029	6.0	0.028	0.0	10.0	26	0.025	0.001	0.031	73.5	139.5	4.9	0.016	0.0002

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Frozen berries: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Retail weight	Consumer weight	Total loss, all levels	Per capita consumption adjusted for loss			Calories consumed daily ³	Servings consumed daily ⁴
	Lbs/year	Lbs/year	Lbs/year	Percent	Lbs/year	Oz/day	G/day	Number	Number
1970	2.4	2.5	2.3	13.7	2.1	0.09	2.60	1.11	0.017
1971	2.6	2.7	2.5	13.8	2.3	0.10	2.82	1.21	0.019
1972	2.4	2.4	2.3	13.7	2.1	0.09	2.55	1.08	0.017
1973	2.4	2.4	2.3	14.6	2.1	0.09	2.57	1.08	0.017
1974	2.0	2.0	1.9	13.0	1.7	0.07	2.12	0.87	0.014
1975	2.1	2.2	2.1	12.2	1.9	0.08	2.34	0.96	0.016
1976	2.3	2.3	2.2	14.1	2.0	0.09	2.46	1.04	0.016
1977	2.2	2.2	2.1	14.0	1.9	0.08	2.34	0.99	0.015
1978	2.3	2.3	2.2	13.5	2.0	0.09	2.43	1.01	0.016
1979	2.0	2.0	1.9	12.9	1.7	0.08	2.14	0.88	0.014
1980	2.1	2.2	2.0	12.1	1.8	0.08	2.28	0.92	0.015
1981	2.0	2.1	2.0	12.3	1.8	0.08	2.22	0.90	0.015
1982	2.0	2.1	2.0	13.6	1.8	0.08	2.20	0.91	0.015
1983	2.1	2.1	2.0	13.3	1.8	0.08	2.22	0.91	0.015
1984	2.1	2.2	2.0	13.4	1.8	0.08	2.27	0.94	0.015
1985	2.1	2.2	2.0	13.6	1.8	0.08	2.27	0.95	0.015
1986	2.4	2.5	2.3	14.0	2.1	0.09	2.59	1.09	0.017
1987	2.7	2.7	2.5	15.2	2.3	0.10	2.82	1.19	0.019
1988	2.4	2.5	2.3	13.9	2.1	0.09	2.58	1.08	0.017
1989	2.7	2.7	2.6	14.1	2.3	0.10	2.86	1.22	0.019
1990	2.6	2.6	2.5	14.8	2.2	0.10	2.78	1.19	0.018
1991	2.5	2.6	2.4	13.4	2.2	0.09	2.68	1.13	0.018
1992	2.4	2.5	2.3	13.4	2.1	0.09	2.62	1.11	0.017
1993	2.7	2.7	2.5	14.2	2.3	0.10	2.84	1.22	0.019
1994	2.5	2.6	2.4	14.2	2.2	0.10	2.72	1.17	0.018
1995	2.8	2.8	2.6	13.8	2.4	0.10	2.96	1.27	0.020
1996	2.6	2.7	2.5	13.5	2.3	0.10	2.80	1.19	0.019
1997	2.3	2.3	2.2	13.6	2.0	0.09	2.44	1.03	0.016
1998	2.8	2.8	2.6	14.1	2.4	0.10	2.95	1.26	0.019
1999	2.4	2.5	2.3	13.0	2.1	0.09	2.58	1.09	0.017
2000	2.7	2.8	2.6	12.9	2.3	0.10	2.91	1.22	0.019
2001	2.9	3.1	2.9	12.2	2.6	0.11	3.21	1.33	0.021
2002	2.4	2.5	2.3	11.6	2.1	0.09	2.61	1.06	0.017
2003	3.1	3.2	3.0	12.5	2.7	0.12	3.40	1.42	0.023
2004	2.9	3.0	2.8	13.3	2.5	0.11	3.14	1.31	0.021

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and *My Pyramid Plan* servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Frozen apples: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.99	40.1	0.59	6.0	0.6	0.0	10.0	49	0.5	0.022	0.6	83.0	173.0	6.1	0.30	0.004
1971	0.92	40.1	0.55	6.0	0.5	0.0	10.0	49	0.5	0.020	0.6	83.0	173.0	6.1	0.28	0.003
1972	1.12	40.1	0.67	6.0	0.6	0.0	10.0	49	0.6	0.025	0.7	83.0	173.0	6.1	0.34	0.004
1973	1.23	40.1	0.73	6.0	0.7	0.0	10.0	49	0.6	0.027	0.8	83.0	173.0	6.1	0.37	0.004
1974	0.85	40.1	0.51	6.0	0.5	0.0	10.0	49	0.4	0.019	0.5	83.0	173.0	6.1	0.26	0.003
1975	0.96	40.1	0.57	6.0	0.5	0.0	10.0	49	0.5	0.021	0.6	83.0	173.0	6.1	0.29	0.003
1976	0.82	40.1	0.49	6.0	0.5	0.0	10.0	49	0.4	0.018	0.5	83.0	173.0	6.1	0.25	0.003
1977	0.69	40.1	0.41	6.0	0.4	0.0	10.0	49	0.3	0.015	0.4	83.0	173.0	6.1	0.21	0.003
1978	1.05	40.1	0.63	6.0	0.6	0.0	10.0	49	0.5	0.023	0.7	83.0	173.0	6.1	0.32	0.004
1979	0.74	40.1	0.44	6.0	0.4	0.0	10.0	49	0.4	0.016	0.5	83.0	173.0	6.1	0.22	0.003
1980	0.79	40.1	0.47	6.0	0.4	0.0	10.0	49	0.4	0.018	0.5	83.0	173.0	6.1	0.24	0.003
1981	0.68	40.1	0.41	6.0	0.4	0.0	10.0	49	0.3	0.015	0.4	83.0	173.0	6.1	0.20	0.002
1982	0.84	40.1	0.51	6.0	0.5	0.0	10.0	49	0.4	0.019	0.5	83.0	173.0	6.1	0.25	0.003
1983	0.74	40.1	0.44	6.0	0.4	0.0	10.0	49	0.4	0.016	0.5	83.0	173.0	6.1	0.22	0.003
1984	0.88	40.1	0.53	6.0	0.5	0.0	10.0	49	0.4	0.020	0.6	83.0	173.0	6.1	0.27	0.003
1985	0.80	40.1	0.48	6.0	0.4	0.0	10.0	49	0.4	0.018	0.5	83.0	173.0	6.1	0.24	0.003
1986	1.02	40.1	0.61	6.0	0.6	0.0	10.0	49	0.5	0.023	0.6	83.0	173.0	6.1	0.31	0.004
1987	1.03	40.1	0.62	6.0	0.6	0.0	10.0	49	0.5	0.023	0.6	83.0	173.0	6.1	0.31	0.004
1988	1.13	40.1	0.68	6.0	0.6	0.0	10.0	49	0.6	0.025	0.7	83.0	173.0	6.1	0.34	0.004
1989	1.29	40.1	0.77	6.0	0.7	0.0	10.0	49	0.7	0.029	0.8	83.0	173.0	6.1	0.39	0.005
1990	1.12	40.1	0.67	6.0	0.6	0.0	10.0	49	0.6	0.025	0.7	83.0	173.0	6.1	0.34	0.004
1991	1.03	40.1	0.62	6.0	0.6	0.0	10.0	49	0.5	0.023	0.6	83.0	173.0	6.1	0.31	0.004
1992	1.04	40.1	0.63	6.0	0.6	0.0	10.0	49	0.5	0.023	0.7	83.0	173.0	6.1	0.32	0.004
1993	1.08	40.1	0.65	6.0	0.6	0.0	10.0	49	0.5	0.024	0.7	83.0	173.0	6.1	0.33	0.004
1994	1.08	40.1	0.65	6.0	0.6	0.0	10.0	49	0.5	0.024	0.7	83.0	173.0	6.1	0.33	0.004
1995	1.20	40.1	0.72	6.0	0.7	0.0	10.0	49	0.6	0.027	0.8	83.0	173.0	6.1	0.36	0.004
1996	1.05	40.1	0.63	6.0	0.6	0.0	10.0	49	0.5	0.023	0.7	83.0	173.0	6.1	0.32	0.004
1997	1.36	40.1	0.81	6.0	0.8	0.0	10.0	49	0.7	0.030	0.9	83.0	173.0	6.1	0.41	0.005
1998	0.95	40.1	0.57	6.0	0.5	0.0	10.0	49	0.5	0.021	0.6	83.0	173.0	6.1	0.29	0.003
1999	0.94	40.1	0.56	6.0	0.5	0.0	10.0	49	0.5	0.021	0.6	83.0	173.0	6.1	0.28	0.003
2000	0.78	40.1	0.47	6.0	0.4	0.0	10.0	49	0.4	0.017	0.5	83.0	173.0	6.1	0.23	0.003
2001	0.92	40.1	0.55	6.0	0.5	0.0	10.0	49	0.5	0.020	0.6	83.0	173.0	6.1	0.28	0.003
2002	0.69	40.1	0.42	6.0	0.4	0.0	10.0	49	0.4	0.015	0.4	83.0	173.0	6.1	0.21	0.003
2003	1.03	40.1	0.62	6.0	0.6	0.0	10.0	49	0.5	0.023	0.6	83.0	173.0	6.1	0.31	0.004
2004	0.86	40.1	0.52	6.0	0.5	0.0	10.0	49	0.4	0.019	0.5	83.0	173.0	6.1	0.26	0.003

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Frozen apricots: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³			Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams	Ounces		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number	
1970	0.06	9.1	0.06	6.0	0.05	0.0	10.0	23	0.05	0.00	0.06	83.0	173.0	6.1	0.03	0.000	
1971	0.08	9.1	0.07	6.0	0.07	0.0	10.0	23	0.06	0.00	0.07	83.0	173.0	6.1	0.04	0.000	
1972	0.05	9.1	0.05	6.0	0.04	0.0	10.0	23	0.04	0.00	0.05	83.0	173.0	6.1	0.02	0.000	
1973	0.09	9.1	0.08	6.0	0.07	0.0	10.0	23	0.07	0.00	0.08	83.0	173.0	6.1	0.04	0.000	
1974	0.07	9.1	0.06	6.0	0.06	0.0	10.0	23	0.05	0.00	0.06	83.0	173.0	6.1	0.03	0.000	
1975	0.07	9.1	0.07	6.0	0.06	0.0	10.0	23	0.06	0.00	0.07	83.0	173.0	6.1	0.03	0.000	
1976	0.07	9.1	0.06	6.0	0.06	0.0	10.0	23	0.05	0.00	0.06	83.0	173.0	6.1	0.03	0.000	
1977	0.08	9.1	0.07	6.0	0.07	0.0	10.0	23	0.06	0.00	0.08	83.0	173.0	6.1	0.04	0.000	
1978	0.07	9.1	0.07	6.0	0.06	0.0	10.0	23	0.06	0.00	0.07	83.0	173.0	6.1	0.03	0.000	
1979	0.06	9.1	0.06	6.0	0.05	0.0	10.0	23	0.05	0.00	0.06	83.0	173.0	6.1	0.03	0.000	
1980	0.07	9.1	0.07	6.0	0.06	0.0	10.0	23	0.06	0.00	0.07	83.0	173.0	6.1	0.03	0.000	
1981	0.06	9.1	0.05	6.0	0.05	0.0	10.0	23	0.04	0.00	0.05	83.0	173.0	6.1	0.03	0.000	
1982	0.07	9.1	0.06	6.0	0.06	0.0	10.0	23	0.05	0.00	0.07	83.0	173.0	6.1	0.03	0.000	
1983	0.08	9.1	0.07	6.0	0.07	0.0	10.0	23	0.06	0.00	0.07	83.0	173.0	6.1	0.04	0.000	
1984	0.07	9.1	0.06	6.0	0.06	0.0	10.0	23	0.05	0.00	0.06	83.0	173.0	6.1	0.03	0.000	
1985	0.08	9.1	0.07	6.0	0.06	0.0	10.0	23	0.06	0.00	0.07	83.0	173.0	6.1	0.03	0.000	
1986	0.07	9.1	0.07	6.0	0.06	0.0	10.0	23	0.06	0.00	0.07	83.0	173.0	6.1	0.03	0.000	
1987	0.09	9.1	0.08	6.0	0.07	0.0	10.0	23	0.07	0.00	0.08	83.0	173.0	6.1	0.04	0.000	
1988	0.06	9.1	0.06	6.0	0.05	0.0	10.0	23	0.05	0.00	0.06	83.0	173.0	6.1	0.03	0.000	
1989	0.07	9.1	0.07	6.0	0.06	0.0	10.0	23	0.06	0.00	0.07	83.0	173.0	6.1	0.03	0.000	
1990	0.07	9.1	0.07	6.0	0.06	0.0	10.0	23	0.06	0.00	0.07	83.0	173.0	6.1	0.03	0.000	
1991	0.06	9.1	0.06	6.0	0.05	0.0	10.0	23	0.05	0.00	0.06	83.0	173.0	6.1	0.03	0.000	
1992	0.08	9.1	0.07	6.0	0.07	0.0	10.0	23	0.06	0.00	0.08	83.0	173.0	6.1	0.04	0.000	
1993	0.07	9.1	0.06	6.0	0.06	0.0	10.0	23	0.05	0.00	0.06	83.0	173.0	6.1	0.03	0.000	
1994	0.07	9.1	0.07	6.0	0.06	0.0	10.0	23	0.06	0.00	0.07	83.0	173.0	6.1	0.03	0.000	
1995	0.07	9.1	0.06	6.0	0.06	0.0	10.0	23	0.05	0.00	0.07	83.0	173.0	6.1	0.03	0.000	
1996	0.06	9.1	0.06	6.0	0.05	0.0	10.0	23	0.05	0.00	0.06	83.0	173.0	6.1	0.03	0.000	
1997	0.08	9.1	0.07	6.0	0.07	0.0	10.0	23	0.06	0.00	0.08	83.0	173.0	6.1	0.04	0.000	
1998	0.09	9.1	0.08	6.0	0.07	0.0	10.0	23	0.07	0.00	0.08	83.0	173.0	6.1	0.04	0.000	
1999	0.08	9.1	0.08	6.0	0.07	0.0	10.0	23	0.06	0.00	0.08	83.0	173.0	6.1	0.04	0.000	
2000	0.09	9.1	0.08	6.0	0.08	0.0	10.0	23	0.07	0.00	0.08	83.0	173.0	6.1	0.04	0.000	
2001	0.12	9.1	0.11	6.0	0.11	0.0	10.0	23	0.09	0.00	0.12	83.0	173.0	6.1	0.06	0.001	
2002	0.09	9.1	0.08	6.0	0.08	0.0	10.0	23	0.07	0.00	0.09	83.0	173.0	6.1	0.04	0.000	
2003	0.05	9.1	0.04	6.0	0.04	0.0	10.0	23	0.04	0.00	0.05	83.0	173.0	6.1	0.02	0.000	
2004	0.05	9.1	0.05	6.0	0.04	0.0	10.0	23	0.04	0.00	0.05	83.0	173.0	6.1	0.02	0.000	

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Frozen peaches: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³			Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams	Ounces		
		Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number	
1970	0.35	20.0	0.28	6.0	0.3	0.0	10.0	32	0.2	0.010	0.3	83.0	173.0	6.1	0.14	0.002	
1971	0.33	20.0	0.26	6.0	0.2	0.0	10.0	32	0.2	0.010	0.3	83.0	173.0	6.1	0.13	0.002	
1972	0.38	20.0	0.31	6.0	0.3	0.0	10.0	32	0.3	0.011	0.3	83.0	173.0	6.1	0.15	0.002	
1973	0.29	20.0	0.23	6.0	0.2	0.0	10.0	32	0.2	0.009	0.2	83.0	173.0	6.1	0.12	0.001	
1974	0.35	20.0	0.28	6.0	0.3	0.0	10.0	32	0.2	0.010	0.3	83.0	173.0	6.1	0.14	0.002	
1975	0.36	20.0	0.28	6.0	0.3	0.0	10.0	32	0.2	0.011	0.3	83.0	173.0	6.1	0.14	0.002	
1976	0.17	20.0	0.13	6.0	0.1	0.0	10.0	32	0.1	0.005	0.1	83.0	173.0	6.1	0.07	0.001	
1977	0.35	20.0	0.28	6.0	0.3	0.0	10.0	32	0.2	0.010	0.3	83.0	173.0	6.1	0.14	0.002	
1978	0.33	20.0	0.27	6.0	0.3	0.0	10.0	32	0.2	0.010	0.3	83.0	173.0	6.1	0.13	0.002	
1979	0.27	20.0	0.21	6.0	0.2	0.0	10.0	32	0.2	0.008	0.2	83.0	173.0	6.1	0.11	0.001	
1980	0.33	20.0	0.27	6.0	0.3	0.0	10.0	32	0.2	0.010	0.3	83.0	173.0	6.1	0.13	0.002	
1981	0.24	20.0	0.19	6.0	0.2	0.0	10.0	32	0.2	0.007	0.2	83.0	173.0	6.1	0.10	0.001	
1982	0.29	20.0	0.23	6.0	0.2	0.0	10.0	32	0.2	0.009	0.2	83.0	173.0	6.1	0.12	0.001	
1983	0.38	20.0	0.31	6.0	0.3	0.0	10.0	32	0.3	0.011	0.3	83.0	173.0	6.1	0.16	0.002	
1984	0.35	20.0	0.28	6.0	0.3	0.0	10.0	32	0.2	0.010	0.3	83.0	173.0	6.1	0.14	0.002	
1985	0.51	20.0	0.41	6.0	0.4	0.0	10.0	32	0.3	0.015	0.4	83.0	173.0	6.1	0.20	0.002	
1986	0.52	20.0	0.41	6.0	0.4	0.0	10.0	32	0.3	0.015	0.4	83.0	173.0	6.1	0.21	0.003	
1987	0.34	20.0	0.27	6.0	0.3	0.0	10.0	32	0.2	0.010	0.3	83.0	173.0	6.1	0.14	0.002	
1988	0.41	20.0	0.33	6.0	0.3	0.0	10.0	32	0.3	0.012	0.3	83.0	173.0	6.1	0.17	0.002	
1989	0.55	20.0	0.44	6.0	0.4	0.0	10.0	32	0.4	0.016	0.5	83.0	173.0	6.1	0.22	0.003	
1990	0.44	20.0	0.35	6.0	0.3	0.0	10.0	32	0.3	0.013	0.4	83.0	173.0	6.1	0.18	0.002	
1991	0.63	20.0	0.50	6.0	0.5	0.0	10.0	32	0.4	0.019	0.5	83.0	173.0	6.1	0.25	0.003	
1992	0.53	20.0	0.42	6.0	0.4	0.0	10.0	32	0.4	0.016	0.4	83.0	173.0	6.1	0.21	0.003	
1993	0.35	20.0	0.28	6.0	0.3	0.0	10.0	32	0.2	0.010	0.3	83.0	173.0	6.1	0.14	0.002	
1994	0.60	20.0	0.48	6.0	0.4	0.0	10.0	32	0.4	0.018	0.5	83.0	173.0	6.1	0.24	0.003	
1995	0.55	20.0	0.44	6.0	0.4	0.0	10.0	32	0.4	0.016	0.5	83.0	173.0	6.1	0.22	0.003	
1996	0.50	20.0	0.40	6.0	0.4	0.0	10.0	32	0.3	0.015	0.4	83.0	173.0	6.1	0.20	0.002	
1997	0.47	20.0	0.38	6.0	0.4	0.0	10.0	32	0.3	0.014	0.4	83.0	173.0	6.1	0.19	0.002	
1998	0.50	20.0	0.40	6.0	0.4	0.0	10.0	32	0.3	0.015	0.4	83.0	173.0	6.1	0.20	0.002	
1999	0.56	20.0	0.45	6.0	0.4	0.0	10.0	32	0.4	0.017	0.5	83.0	173.0	6.1	0.23	0.003	
2000	0.64	20.0	0.51	6.0	0.5	0.0	10.0	32	0.4	0.019	0.5	83.0	173.0	6.1	0.26	0.003	
2001	0.62	20.0	0.49	6.0	0.5	0.0	10.0	32	0.4	0.018	0.5	83.0	173.0	6.1	0.25	0.003	
2002	0.56	20.0	0.45	6.0	0.4	0.0	10.0	32	0.4	0.017	0.5	83.0	173.0	6.1	0.23	0.003	
2003	0.60	20.0	0.48	6.0	0.4	0.0	10.0	32	0.4	0.018	0.5	83.0	173.0	6.1	0.24	0.003	
2004	0.55	20.0	0.44	6.0	0.4	0.0	10.0	32	0.4	0.016	0.5	83.0	173.0	6.1	0.22	0.003	

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Other frozen fruit: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Retail weight ²	Consumer weight	Total loss, all levels	Per capita consumption adjusted for loss			Calories consumed daily ³	Servings consumed daily ⁴
	Lbs/year	Lbs/year	Lbs/year	Percent	Lbs/year	Oz/day	G/day	Number	Number
1970	1.4	0.9	0.9	43.9	0.8	0.03	1.0	0.5	0.006
1971	1.3	0.9	0.8	43.6	0.7	0.03	0.9	0.4	0.005
1972	1.6	1.0	1.0	44.3	0.9	0.04	1.1	0.5	0.006
1973	1.6	1.0	1.0	44.8	0.9	0.04	1.1	0.5	0.006
1974	1.3	0.8	0.8	43.3	0.7	0.03	0.9	0.4	0.005
1975	1.4	0.9	0.9	43.6	0.8	0.03	1.0	0.5	0.006
1976	1.1	0.7	0.6	45.0	0.6	0.03	0.7	0.3	0.004
1977	1.1	0.8	0.7	42.2	0.6	0.03	0.8	0.4	0.005
1978	1.5	1.0	0.9	44.1	0.8	0.04	1.0	0.5	0.006
1979	1.1	0.7	0.7	43.6	0.6	0.03	0.7	0.4	0.004
1980	1.2	0.8	0.8	43.0	0.7	0.03	0.8	0.4	0.005
1981	1.0	0.6	0.6	43.6	0.5	0.02	0.7	0.3	0.004
1982	1.2	0.8	0.8	43.7	0.7	0.03	0.8	0.4	0.005
1983	1.2	0.8	0.8	42.2	0.7	0.03	0.9	0.4	0.005
1984	1.3	0.9	0.8	43.4	0.7	0.03	0.9	0.4	0.005
1985	1.4	1.0	0.9	41.7	0.8	0.04	1.0	0.5	0.006
1986	1.6	1.1	1.0	42.7	0.9	0.04	1.1	0.6	0.007
1987	1.5	1.0	0.9	43.8	0.8	0.04	1.0	0.5	0.006
1988	1.6	1.1	1.0	43.9	0.9	0.04	1.1	0.5	0.006
1989	1.9	1.3	1.2	43.4	1.1	0.05	1.3	0.6	0.008
1990	1.6	1.1	1.0	43.6	0.9	0.04	1.1	0.5	0.007
1991	1.7	1.2	1.1	42.2	1.0	0.04	1.2	0.6	0.007
1992	1.7	1.1	1.1	42.6	0.9	0.04	1.2	0.6	0.007
1993	1.5	1.0	0.9	44.2	0.8	0.04	1.0	0.5	0.006
1994	1.7	1.2	1.1	42.5	1.0	0.04	1.3	0.6	0.007
1995	1.8	1.2	1.1	43.2	1.0	0.05	1.3	0.6	0.007
1996	1.6	1.1	1.0	43.1	0.9	0.04	1.1	0.5	0.007
1997	1.9	1.3	1.2	44.0	1.1	0.05	1.3	0.6	0.008
1998	1.5	1.0	1.0	42.3	0.9	0.04	1.1	0.5	0.006
1999	1.6	1.1	1.0	41.9	0.9	0.04	1.1	0.5	0.007
2000	1.5	1.1	1.0	40.6	0.9	0.04	1.1	0.5	0.006
2001	1.7	1.2	1.1	41.0	1.0	0.04	1.2	0.6	0.007
2002	1.3	0.9	0.9	40.5	0.8	0.03	1.0	0.5	0.006
2003	1.7	1.1	1.1	42.5	1.0	0.04	1.2	0.6	0.007
2004	1.5	1.0	0.9	42.1	0.8	0.04	1.1	0.5	0.006

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh- weight equivalent. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Frozen fruit: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Retail weight	Consumer weight	Total loss, all levels	Per capita consumption adjusted for loss			Calories consumed daily ³	Servings consumed daily ⁴
	Lbs/year	Lbs/year	Lbs/year	Percent	Lbs/year	Oz/day	G/day	Number	Number
1970	3.8	3.4	3.2	24.8	2.9	0.13	3.6	1.6	0.023
1971	4.0	3.6	3.4	23.8	3.0	0.13	3.8	1.7	0.024
1972	3.9	3.5	3.2	25.8	2.9	0.13	3.6	1.6	0.023
1973	4.0	3.5	3.3	26.6	2.9	0.13	3.7	1.6	0.023
1974	3.2	2.9	2.7	24.9	2.4	0.11	3.0	1.3	0.019
1975	3.5	3.2	3.0	24.5	2.7	0.12	3.3	1.4	0.021
1976	3.4	3.0	2.8	23.8	2.6	0.11	3.2	1.4	0.020
1977	3.3	3.0	2.8	23.5	2.5	0.11	3.1	1.4	0.020
1978	3.7	3.3	3.1	25.5	2.8	0.12	3.4	1.5	0.022
1979	3.0	2.7	2.6	23.6	2.3	0.10	2.9	1.2	0.018
1980	3.3	3.0	2.8	23.4	2.5	0.11	3.1	1.3	0.020
1981	3.0	2.8	2.6	22.4	2.3	0.10	2.9	1.2	0.019
1982	3.3	2.9	2.7	24.7	2.4	0.11	3.0	1.3	0.019
1983	3.3	2.9	2.8	24.0	2.5	0.11	3.1	1.3	0.020
1984	3.4	3.0	2.8	24.8	2.6	0.11	3.2	1.4	0.020
1985	3.5	3.1	2.9	24.6	2.6	0.12	3.3	1.4	0.021
1986	4.0	3.6	3.3	25.5	3.0	0.13	3.7	1.6	0.024
1987	4.1	3.7	3.4	25.3	3.1	0.14	3.8	1.7	0.024
1988	4.0	3.5	3.3	25.9	3.0	0.13	3.7	1.6	0.024
1989	4.6	4.0	3.8	26.3	3.4	0.15	4.2	1.9	0.027
1990	4.2	3.7	3.5	25.8	3.2	0.14	3.9	1.7	0.025
1991	4.2	3.7	3.5	25.1	3.2	0.14	3.9	1.7	0.025
1992	4.1	3.6	3.4	25.2	3.1	0.13	3.8	1.7	0.024
1993	4.2	3.7	3.5	25.0	3.1	0.14	3.9	1.7	0.025
1994	4.3	3.8	3.5	25.7	3.2	0.14	4.0	1.8	0.025
1995	4.6	4.0	3.8	25.5	3.4	0.15	4.2	1.9	0.027
1996	4.2	3.7	3.5	24.7	3.2	0.14	3.9	1.7	0.025
1997	4.2	3.6	3.4	27.5	3.0	0.13	3.8	1.7	0.024
1998	4.3	3.8	3.6	24.2	3.3	0.14	4.0	1.8	0.026
1999	4.0	3.5	3.3	24.5	3.0	0.13	3.7	1.6	0.024
2000	4.2	3.8	3.6	22.8	3.2	0.14	4.0	1.8	0.026
2001	4.6	4.2	4.0	22.6	3.6	0.16	4.4	1.9	0.028
2002	3.7	3.4	3.2	22.0	2.9	0.13	3.6	1.5	0.023
2003	4.8	4.4	4.1	23.0	3.7	0.16	4.6	2.0	0.029
2004	4.4	4.0	3.7	22.9	3.4	0.15	4.2	1.8	0.027

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and *My Pyramid Plan* servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Dried apples: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.91	87.5	0.11	6.0	0.11	0.0	10.0	89	0.10	0.004	0.12	104.0	43.0	1.5	0.29	0.003
1971	0.49	87.5	0.06	6.0	0.06	0.0	10.0	89	0.05	0.002	0.06	104.0	43.0	1.5	0.16	0.001
1972	0.64	87.5	0.08	6.0	0.08	0.0	10.0	89	0.07	0.003	0.08	104.0	43.0	1.5	0.20	0.002
1973	1.13	87.5	0.14	6.0	0.13	0.0	10.0	89	0.12	0.005	0.15	104.0	43.0	1.5	0.36	0.003
1974	0.91	87.5	0.11	6.0	0.11	0.0	10.0	89	0.10	0.004	0.12	104.0	43.0	1.5	0.29	0.003
1975	1.05	87.5	0.13	6.0	0.12	0.0	10.0	89	0.11	0.005	0.14	104.0	43.0	1.5	0.33	0.003
1976	1.08	87.5	0.14	6.0	0.13	0.0	10.0	89	0.11	0.005	0.14	104.0	43.0	1.5	0.34	0.003
1977	1.00	87.5	0.13	6.0	0.12	0.0	10.0	89	0.11	0.005	0.13	104.0	43.0	1.5	0.32	0.003
1978	1.00	87.5	0.12	6.0	0.12	0.0	10.0	89	0.11	0.005	0.13	104.0	43.0	1.5	0.32	0.003
1979	1.12	87.5	0.14	6.0	0.13	0.0	10.0	89	0.12	0.005	0.15	104.0	43.0	1.5	0.36	0.003
1980	0.83	87.5	0.10	6.0	0.10	0.0	10.0	89	0.09	0.004	0.11	104.0	43.0	1.5	0.26	0.003
1981	0.83	87.5	0.10	6.0	0.10	0.0	10.0	89	0.09	0.004	0.11	104.0	43.0	1.5	0.26	0.003
1982	0.86	87.5	0.11	6.0	0.10	0.0	10.0	89	0.09	0.004	0.11	104.0	43.0	1.5	0.27	0.003
1983	1.22	87.5	0.15	6.0	0.14	0.0	10.0	89	0.13	0.006	0.16	104.0	43.0	1.5	0.39	0.004
1984	1.27	87.5	0.16	6.0	0.15	0.0	10.0	89	0.13	0.006	0.17	104.0	43.0	1.5	0.40	0.004
1985	1.16	87.5	0.15	6.0	0.14	0.0	10.0	89	0.12	0.005	0.15	104.0	43.0	1.5	0.37	0.004
1986	0.84	87.5	0.10	6.0	0.10	0.0	10.0	89	0.09	0.004	0.11	104.0	43.0	1.5	0.27	0.003
1987	1.22	87.5	0.15	6.0	0.14	0.0	10.0	89	0.13	0.006	0.16	104.0	43.0	1.5	0.39	0.004
1988	1.22	87.5	0.15	6.0	0.14	0.0	10.0	89	0.13	0.006	0.16	104.0	43.0	1.5	0.39	0.004
1989	1.12	87.5	0.14	6.0	0.13	0.0	10.0	89	0.12	0.005	0.15	104.0	43.0	1.5	0.35	0.003
1990	0.77	87.5	0.10	6.0	0.09	0.0	10.0	89	0.08	0.004	0.10	104.0	43.0	1.5	0.24	0.002
1991	0.80	87.5	0.10	6.0	0.09	0.0	10.0	89	0.08	0.004	0.11	104.0	43.0	1.5	0.25	0.002
1992	1.21	87.5	0.15	6.0	0.14	0.0	10.0	89	0.13	0.006	0.16	104.0	43.0	1.5	0.39	0.004
1993	1.46	87.5	0.18	6.0	0.17	0.0	10.0	89	0.15	0.007	0.19	104.0	43.0	1.5	0.46	0.004
1994	1.55	87.5	0.19	6.0	0.18	0.0	10.0	89	0.16	0.007	0.20	104.0	43.0	1.5	0.49	0.005
1995	1.22	87.5	0.15	6.0	0.14	0.0	10.0	89	0.13	0.006	0.16	104.0	43.0	1.5	0.39	0.004
1996	1.25	87.5	0.16	6.0	0.15	0.0	10.0	89	0.13	0.006	0.16	104.0	43.0	1.5	0.40	0.004
1997	0.96	87.5	0.12	6.0	0.11	0.0	10.0	89	0.10	0.004	0.13	104.0	43.0	1.5	0.30	0.003
1998	1.19	87.5	0.15	6.0	0.14	0.0	10.0	89	0.13	0.006	0.16	104.0	43.0	1.5	0.38	0.004
1999	1.00	87.5	0.12	6.0	0.12	0.0	10.0	89	0.11	0.005	0.13	104.0	43.0	1.5	0.32	0.003
2000	0.78	87.5	0.10	6.0	0.09	0.0	10.0	89	0.08	0.004	0.10	104.0	43.0	1.5	0.25	0.002
2001	0.84	87.5	0.11	6.0	0.10	0.0	10.0	89	0.09	0.004	0.11	104.0	43.0	1.5	0.27	0.003
2002	0.81	87.5	0.10	6.0	0.10	0.0	10.0	89	0.09	0.004	0.11	104.0	43.0	1.5	0.26	0.002
2003	0.65	87.5	0.08	6.0	0.08	0.0	10.0	89	0.07	0.003	0.08	104.0	43.0	1.5	0.21	0.002
2004	0.71	87.5	0.09	6.0	0.08	0.0	10.0	89	0.07	0.003	0.09	104.0	43.0	1.5	0.23	0.002

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Dried apricots: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³			Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams	Ounces		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number	
1970	0.33	82.0	0.06	6.0	0.06	0.0	10.0	85	0.05	0.002	0.06	157.0	65.0	2.3	0.15	0.001	
1971	0.22	82.0	0.04	6.0	0.04	0.0	10.0	85	0.03	0.001	0.04	157.0	65.0	2.3	0.10	0.001	
1972	0.22	82.0	0.04	6.0	0.04	0.0	10.0	85	0.03	0.001	0.04	157.0	65.0	2.3	0.10	0.001	
1973	0.28	82.0	0.05	6.0	0.05	0.0	10.0	85	0.04	0.002	0.05	157.0	65.0	2.3	0.13	0.001	
1974	0.17	82.0	0.03	6.0	0.03	0.0	10.0	85	0.03	0.001	0.03	157.0	65.0	2.3	0.08	0.000	
1975	0.28	82.0	0.05	6.0	0.05	0.0	10.0	85	0.04	0.002	0.05	157.0	65.0	2.3	0.13	0.001	
1976	0.33	82.0	0.06	6.0	0.06	0.0	10.0	85	0.05	0.002	0.06	157.0	65.0	2.3	0.15	0.001	
1977	0.33	82.0	0.06	6.0	0.06	0.0	10.0	85	0.05	0.002	0.06	157.0	65.0	2.3	0.15	0.001	
1978	0.22	82.0	0.04	6.0	0.04	0.0	10.0	85	0.03	0.001	0.04	157.0	65.0	2.3	0.10	0.001	
1979	0.33	82.0	0.06	6.0	0.06	0.0	10.0	85	0.05	0.002	0.06	157.0	65.0	2.3	0.15	0.001	
1980	0.17	82.0	0.03	6.0	0.03	0.0	10.0	85	0.03	0.001	0.03	157.0	65.0	2.3	0.08	0.000	
1981	0.28	82.0	0.05	6.0	0.05	0.0	10.0	85	0.04	0.002	0.05	157.0	65.0	2.3	0.13	0.001	
1982	0.44	82.0	0.08	6.0	0.08	0.0	10.0	85	0.07	0.003	0.08	157.0	65.0	2.3	0.20	0.001	
1983	0.50	82.0	0.09	6.0	0.08	0.0	10.0	85	0.08	0.003	0.09	157.0	65.0	2.3	0.23	0.001	
1984	0.50	82.0	0.09	6.0	0.08	0.0	10.0	85	0.08	0.003	0.09	157.0	65.0	2.3	0.23	0.001	
1985	0.17	82.0	0.03	6.0	0.03	0.0	10.0	85	0.03	0.001	0.03	157.0	65.0	2.3	0.08	0.000	
1986	0.44	82.0	0.08	6.0	0.08	0.0	10.0	85	0.07	0.003	0.08	157.0	65.0	2.3	0.20	0.001	
1987	0.28	82.0	0.05	6.0	0.05	0.0	10.0	85	0.04	0.002	0.05	157.0	65.0	2.3	0.13	0.001	
1988	0.44	82.0	0.08	6.0	0.08	0.0	10.0	85	0.07	0.003	0.08	157.0	65.0	2.3	0.20	0.001	
1989	0.56	82.0	0.10	6.0	0.09	0.0	10.0	85	0.08	0.004	0.11	157.0	65.0	2.3	0.25	0.002	
1990	0.39	82.0	0.07	6.0	0.07	0.0	10.0	85	0.06	0.003	0.07	157.0	65.0	2.3	0.18	0.001	
1991	0.46	82.0	0.08	6.0	0.08	0.0	10.0	85	0.07	0.003	0.09	157.0	65.0	2.3	0.21	0.001	
1992	0.55	82.0	0.10	6.0	0.09	0.0	10.0	85	0.08	0.004	0.10	157.0	65.0	2.3	0.25	0.002	
1993	0.51	82.0	0.09	6.0	0.09	0.0	10.0	85	0.08	0.003	0.10	157.0	65.0	2.3	0.23	0.001	
1994	0.82	82.0	0.15	6.0	0.14	0.0	10.0	85	0.12	0.005	0.16	157.0	65.0	2.3	0.37	0.002	
1995	0.68	82.0	0.12	6.0	0.11	0.0	10.0	85	0.10	0.005	0.13	157.0	65.0	2.3	0.31	0.002	
1996	0.54	82.0	0.10	6.0	0.09	0.0	10.0	85	0.08	0.004	0.10	157.0	65.0	2.3	0.25	0.002	
1997	0.62	82.0	0.11	6.0	0.10	0.0	10.0	85	0.09	0.004	0.12	157.0	65.0	2.3	0.28	0.002	
1998	0.67	82.0	0.12	6.0	0.11	0.0	10.0	85	0.10	0.004	0.13	157.0	65.0	2.3	0.30	0.002	
1999	0.53	82.0	0.10	6.0	0.09	0.0	10.0	85	0.08	0.004	0.10	157.0	65.0	2.3	0.24	0.002	
2000	0.79	82.0	0.14	6.0	0.13	0.0	10.0	85	0.12	0.005	0.15	157.0	65.0	2.3	0.36	0.002	
2001	0.73	82.0	0.13	6.0	0.12	0.0	10.0	85	0.11	0.005	0.14	157.0	65.0	2.3	0.33	0.002	
2002	0.48	82.0	0.09	6.0	0.08	0.0	10.0	85	0.07	0.003	0.09	157.0	65.0	2.3	0.22	0.001	
2003	0.74	82.0	0.13	6.0	0.13	0.0	10.0	85	0.11	0.005	0.14	157.0	65.0	2.3	0.34	0.002	
2004	0.54	82.0	0.10	6.0	0.09	0.0	10.0	85	0.08	0.004	0.10	157.0	65.0	2.3	0.25	0.002	

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Dried dates: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Grams	Ounces		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.26	0.0	0.26	6.0	0.24	10.0	10.0	25	0.20	0.009	0.24	251.0	89.0	3.1	0.69	0.003
1971	0.26	0.0	0.26	6.0	0.24	10.0	10.0	25	0.20	0.009	0.24	251.0	89.0	3.1	0.69	0.003
1972	0.25	0.0	0.25	6.0	0.24	10.0	10.0	25	0.19	0.008	0.23	251.0	89.0	3.1	0.66	0.003
1973	0.33	0.0	0.33	6.0	0.31	10.0	10.0	25	0.25	0.011	0.31	251.0	89.0	3.1	0.87	0.003
1974	0.26	0.0	0.26	6.0	0.24	10.0	10.0	25	0.20	0.009	0.24	251.0	89.0	3.1	0.69	0.003
1975	0.34	0.0	0.34	6.0	0.32	10.0	10.0	25	0.26	0.011	0.32	251.0	89.0	3.1	0.90	0.004
1976	0.33	0.0	0.33	6.0	0.31	10.0	10.0	25	0.25	0.011	0.31	251.0	89.0	3.1	0.87	0.003
1977	0.36	0.0	0.36	6.0	0.34	10.0	10.0	25	0.27	0.012	0.34	251.0	89.0	3.1	0.95	0.004
1978	0.34	0.0	0.34	6.0	0.32	10.0	10.0	25	0.26	0.011	0.32	251.0	89.0	3.1	0.90	0.004
1979	0.26	0.0	0.26	6.0	0.24	10.0	10.0	25	0.20	0.009	0.24	251.0	89.0	3.1	0.69	0.003
1980	0.14	0.0	0.14	6.0	0.13	10.0	10.0	25	0.11	0.005	0.13	251.0	89.0	3.1	0.37	0.001
1981	0.18	0.0	0.18	6.0	0.17	10.0	10.0	25	0.14	0.006	0.17	251.0	89.0	3.1	0.47	0.002
1982	0.26	0.0	0.26	6.0	0.24	10.0	10.0	25	0.20	0.009	0.24	251.0	89.0	3.1	0.69	0.003
1983	0.25	0.0	0.25	6.0	0.24	10.0	10.0	25	0.19	0.008	0.23	251.0	89.0	3.1	0.66	0.003
1984	0.32	0.0	0.32	6.0	0.30	10.0	10.0	25	0.24	0.011	0.30	251.0	89.0	3.1	0.84	0.003
1985	0.24	0.0	0.24	6.0	0.23	10.0	10.0	25	0.18	0.008	0.22	251.0	89.0	3.1	0.63	0.003
1986	0.15	0.0	0.15	6.0	0.14	10.0	10.0	25	0.11	0.005	0.14	251.0	89.0	3.1	0.40	0.002
1987	0.17	0.0	0.17	6.0	0.16	10.0	10.0	25	0.13	0.006	0.16	251.0	89.0	3.1	0.45	0.002
1988	0.23	0.0	0.23	6.0	0.22	10.0	10.0	25	0.17	0.008	0.21	251.0	89.0	3.1	0.61	0.002
1989	0.23	0.0	0.23	6.0	0.22	10.0	10.0	25	0.17	0.008	0.21	251.0	89.0	3.1	0.61	0.002
1990	0.23	0.0	0.23	6.0	0.22	10.0	10.0	25	0.17	0.008	0.21	251.0	89.0	3.1	0.61	0.002
1991	0.22	0.0	0.22	6.0	0.21	10.0	10.0	25	0.17	0.007	0.21	251.0	89.0	3.1	0.59	0.002
1992	0.16	0.0	0.16	6.0	0.15	10.0	10.0	25	0.12	0.005	0.15	251.0	89.0	3.1	0.43	0.002
1993	0.21	0.0	0.21	6.0	0.20	10.0	10.0	25	0.16	0.007	0.20	251.0	89.0	3.1	0.56	0.002
1994	0.15	0.0	0.15	6.0	0.14	10.0	10.0	25	0.11	0.005	0.14	251.0	89.0	3.1	0.39	0.002
1995	0.17	0.0	0.17	6.0	0.16	10.0	10.0	25	0.13	0.006	0.16	251.0	89.0	3.1	0.45	0.002
1996	0.16	0.0	0.16	6.0	0.15	10.0	10.0	25	0.12	0.005	0.15	251.0	89.0	3.1	0.42	0.002
1997	0.15	0.0	0.15	6.0	0.14	10.0	10.0	25	0.11	0.005	0.14	251.0	89.0	3.1	0.39	0.002
1998	0.20	0.0	0.20	6.0	0.18	10.0	10.0	25	0.15	0.006	0.18	251.0	89.0	3.1	0.52	0.002
1999	0.17	0.0	0.17	6.0	0.16	10.0	10.0	25	0.13	0.006	0.16	251.0	89.0	3.1	0.46	0.002
2000	0.12	0.0	0.12	6.0	0.12	10.0	10.0	25	0.09	0.004	0.11	251.0	89.0	3.1	0.32	0.001
2001	0.14	0.0	0.14	6.0	0.14	10.0	10.0	25	0.11	0.005	0.13	251.0	89.0	3.1	0.38	0.002
2002	0.18	0.0	0.18	6.0	0.17	10.0	10.0	25	0.14	0.006	0.17	251.0	89.0	3.1	0.48	0.002
2003	0.14	0.0	0.14	6.0	0.13	10.0	10.0	25	0.10	0.004	0.13	251.0	89.0	3.1	0.36	0.001
2004	0.12	0.0	0.12	6.0	0.11	10.0	10.0	25	0.09	0.004	0.11	251.0	89.0	3.1	0.32	0.001

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Dried figs: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Ounces		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.65	66.0	0.22	6.0	0.21	0.0	10.0	71	0.19	0.008	0.23	186.0	74.5	2.6	0.58	0.003
1971	0.59	66.0	0.20	6.0	0.19	0.0	10.0	71	0.17	0.007	0.21	186.0	74.5	2.6	0.52	0.003
1972	0.38	66.0	0.13	6.0	0.12	0.0	10.0	71	0.11	0.005	0.14	186.0	74.5	2.6	0.34	0.002
1973	0.53	66.0	0.18	6.0	0.17	0.0	10.0	71	0.15	0.007	0.19	186.0	74.5	2.6	0.47	0.003
1974	0.47	66.0	0.16	6.0	0.15	0.0	10.0	71	0.14	0.006	0.17	186.0	74.5	2.6	0.42	0.002
1975	0.47	66.0	0.16	6.0	0.15	0.0	10.0	71	0.14	0.006	0.17	186.0	74.5	2.6	0.42	0.002
1976	0.50	66.0	0.17	6.0	0.16	0.0	10.0	71	0.14	0.006	0.18	186.0	74.5	2.6	0.45	0.002
1977	0.47	66.0	0.16	6.0	0.15	0.0	10.0	71	0.14	0.006	0.17	186.0	74.5	2.6	0.42	0.002
1978	0.50	66.0	0.17	6.0	0.16	0.0	10.0	71	0.14	0.006	0.18	186.0	74.5	2.6	0.45	0.002
1979	0.50	66.0	0.17	6.0	0.16	0.0	10.0	71	0.14	0.006	0.18	186.0	74.5	2.6	0.45	0.002
1980	0.38	66.0	0.13	6.0	0.12	0.0	10.0	71	0.11	0.005	0.14	186.0	74.5	2.6	0.34	0.002
1981	0.41	66.0	0.14	6.0	0.13	0.0	10.0	71	0.12	0.005	0.15	186.0	74.5	2.6	0.37	0.002
1982	0.41	66.0	0.14	6.0	0.13	0.0	10.0	71	0.12	0.005	0.15	186.0	74.5	2.6	0.37	0.002
1983	0.41	66.0	0.14	6.0	0.13	0.0	10.0	71	0.12	0.005	0.15	186.0	74.5	2.6	0.37	0.002
1984	0.38	66.0	0.13	6.0	0.12	0.0	10.0	71	0.11	0.005	0.14	186.0	74.5	2.6	0.34	0.002
1985	0.38	66.0	0.13	6.0	0.12	0.0	10.0	71	0.11	0.005	0.14	186.0	74.5	2.6	0.34	0.002
1986	0.41	66.0	0.14	6.0	0.13	0.0	10.0	71	0.12	0.005	0.15	186.0	74.5	2.6	0.37	0.002
1987	0.53	66.0	0.18	6.0	0.17	0.0	10.0	71	0.15	0.007	0.19	186.0	74.5	2.6	0.47	0.003
1988	0.44	66.0	0.15	6.0	0.14	0.0	10.0	71	0.13	0.006	0.16	186.0	74.5	2.6	0.39	0.002
1989	0.47	66.0	0.16	6.0	0.15	0.0	10.0	71	0.14	0.006	0.17	186.0	74.5	2.6	0.42	0.002
1990	0.59	66.0	0.20	6.0	0.19	0.0	10.0	71	0.17	0.007	0.21	186.0	74.5	2.6	0.52	0.003
1991	0.46	66.0	0.16	6.0	0.15	0.0	10.0	71	0.13	0.006	0.16	186.0	74.5	2.6	0.41	0.002
1992	0.46	66.0	0.16	6.0	0.15	0.0	10.0	71	0.13	0.006	0.17	186.0	74.5	2.6	0.41	0.002
1993	0.61	66.0	0.21	6.0	0.20	0.0	10.0	71	0.18	0.008	0.22	186.0	74.5	2.6	0.55	0.003
1994	0.61	66.0	0.21	6.0	0.19	0.0	10.0	71	0.18	0.008	0.22	186.0	74.5	2.6	0.54	0.003
1995	0.36	66.0	0.12	6.0	0.11	0.0	10.0	71	0.10	0.005	0.13	186.0	74.5	2.6	0.32	0.002
1996	0.34	66.0	0.12	6.0	0.11	0.0	10.0	71	0.10	0.004	0.12	186.0	74.5	2.6	0.30	0.002
1997	0.48	66.0	0.16	6.0	0.15	0.0	10.0	71	0.14	0.006	0.17	186.0	74.5	2.6	0.43	0.002
1998	0.39	66.0	0.13	6.0	0.12	0.0	10.0	71	0.11	0.005	0.14	186.0	74.5	2.6	0.34	0.002
1999	0.34	66.0	0.12	6.0	0.11	0.0	10.0	71	0.10	0.004	0.12	186.0	74.5	2.6	0.31	0.002
2000	0.38	66.0	0.13	6.0	0.12	0.0	10.0	71	0.11	0.005	0.13	186.0	74.5	2.6	0.34	0.002
2001	0.38	66.0	0.13	6.0	0.12	0.0	10.0	71	0.11	0.005	0.14	186.0	74.5	2.6	0.34	0.002
2002	0.45	66.0	0.15	6.0	0.14	0.0	10.0	71	0.13	0.006	0.16	186.0	74.5	2.6	0.40	0.002
2003	0.36	66.0	0.12	6.0	0.12	0.0	10.0	71	0.10	0.005	0.13	186.0	74.5	2.6	0.32	0.002
2004	0.37	66.0	0.12	6.0	0.12	0.0	10.0	71	0.11	0.005	0.13	186.0	74.5	2.6	0.33	0.002

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Dried peaches: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³			Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams	Ounces		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number	
1970	0.11	82.0	0.02	6.0	0.02	0.0	10.0	85	0.02	0.001	0.02	191.0	80.0	2.8	0.05	0.0003	
1971	0.11	82.0	0.02	6.0	0.02	0.0	10.0	85	0.02	0.001	0.02	191.0	80.0	2.8	0.05	0.0003	
1972	0.11	82.0	0.02	6.0	0.02	0.0	10.0	85	0.02	0.001	0.02	191.0	80.0	2.8	0.05	0.0003	
1973	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
1974	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
1975	0.11	82.0	0.02	6.0	0.02	0.0	10.0	85	0.02	0.001	0.02	191.0	80.0	2.8	0.05	0.0003	
1976	0.11	82.0	0.02	6.0	0.02	0.0	10.0	85	0.02	0.001	0.02	191.0	80.0	2.8	0.05	0.0003	
1977	0.11	82.0	0.02	6.0	0.02	0.0	10.0	85	0.02	0.001	0.02	191.0	80.0	2.8	0.05	0.0003	
1978	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
1979	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
1980	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
1981	0.11	82.0	0.02	6.0	0.02	0.0	10.0	85	0.02	0.001	0.02	191.0	80.0	2.8	0.05	0.0003	
1982	0.11	82.0	0.02	6.0	0.02	0.0	10.0	85	0.02	0.001	0.02	191.0	80.0	2.8	0.05	0.0003	
1983	0.22	82.0	0.04	6.0	0.04	0.0	10.0	85	0.03	0.001	0.04	191.0	80.0	2.8	0.10	0.0005	
1984	0.22	82.0	0.04	6.0	0.04	0.0	10.0	85	0.03	0.001	0.04	191.0	80.0	2.8	0.10	0.0005	
1985	0.11	82.0	0.02	6.0	0.02	0.0	10.0	85	0.02	0.001	0.02	191.0	80.0	2.8	0.05	0.0003	
1986	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
1987	0.11	82.0	0.02	6.0	0.02	0.0	10.0	85	0.02	0.001	0.02	191.0	80.0	2.8	0.05	0.0003	
1988	0.11	82.0	0.02	6.0	0.02	0.0	10.0	85	0.02	0.001	0.02	191.0	80.0	2.8	0.05	0.0003	
1989	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
1990	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
1991	0.10	82.0	0.02	6.0	0.02	0.0	10.0	85	0.01	0.001	0.02	191.0	80.0	2.8	0.04	0.0002	
1992	0.09	82.0	0.02	6.0	0.02	0.0	10.0	85	0.01	0.001	0.02	191.0	80.0	2.8	0.04	0.0002	
1993	0.08	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.001	0.02	191.0	80.0	2.8	0.04	0.0002	
1994	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
1995	0.07	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0002	
1996	0.07	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0002	
1997	0.08	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.001	0.01	191.0	80.0	2.8	0.04	0.0002	
1998	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
1999	0.08	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.001	0.02	191.0	80.0	2.8	0.04	0.0002	
2000	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
2001	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
2002	0.06	82.0	0.01	6.0	0.01	0.0	10.0	85	0.01	0.000	0.01	191.0	80.0	2.8	0.03	0.0001	
2003	0.24	82.0	0.04	6.0	0.04	0.0	10.0	85	0.04	0.002	0.04	191.0	80.0	2.8	0.11	0.0006	
2004	0.21	82.0	0.04	6.0	0.04	0.0	10.0	85	0.03	0.001	0.04	191.0	80.0	2.8	0.10	0.0005	

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Dried pears: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Grams	Ounces		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.063	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1971	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1972	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1973	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1974	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1975	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1976	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1977	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1978	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1979	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1980	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1981	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1982	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1983	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1984	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1985	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1986	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1987	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1988	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1989	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1990	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.011	236.0	90.0	3.2	0.03	0.0001
1991	0.07	84.2	0.01	6.0	0.011	0.0	10.0	87	0.010	0.0004	0.012	236.0	90.0	3.2	0.03	0.0001
1992	0.07	84.2	0.01	6.0	0.011	0.0	10.0	87	0.010	0.0004	0.012	236.0	90.0	3.2	0.03	0.0001
1993	0.07	84.2	0.01	6.0	0.011	0.0	10.0	87	0.010	0.0004	0.012	236.0	90.0	3.2	0.03	0.0001
1994	0.06	84.2	0.01	6.0	0.009	0.0	10.0	87	0.008	0.0004	0.010	236.0	90.0	3.2	0.03	0.0001
1995	0.04	84.2	0.01	6.0	0.006	0.0	10.0	87	0.005	0.0002	0.006	236.0	90.0	3.2	0.02	0.0001
1996	0.03	84.2	0.01	6.0	0.005	0.0	10.0	87	0.004	0.0002	0.005	236.0	90.0	3.2	0.01	0.0001
1997	0.04	84.2	0.01	6.0	0.006	0.0	10.0	87	0.005	0.0002	0.006	236.0	90.0	3.2	0.02	0.0001
1998	0.05	84.2	0.01	6.0	0.008	0.0	10.0	87	0.007	0.0003	0.008	236.0	90.0	3.2	0.02	0.0001
1999	0.05	84.2	0.01	6.0	0.007	0.0	10.0	87	0.006	0.0003	0.008	236.0	90.0	3.2	0.02	0.0001
2000	0.03	84.2	0.00	6.0	0.004	0.0	10.0	87	0.004	0.0002	0.004	236.0	90.0	3.2	0.01	0.0000
2001	0.02	84.2	0.00	6.0	0.003	0.0	10.0	87	0.003	0.0001	0.004	236.0	90.0	3.2	0.01	0.0000
2002	0.02	84.2	0.00	6.0	0.003	0.0	10.0	87	0.003	0.0001	0.003	236.0	90.0	3.2	0.01	0.0000
2003	0.03	84.2	0.00	6.0	0.004	0.0	10.0	87	0.004	0.0002	0.004	236.0	90.0	3.2	0.01	0.0000
2004	0.03	84.2	0.00	6.0	0.004	0.0	10.0	87	0.004	0.0002	0.004	236.0	90.0	3.2	0.01	0.0000

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Dried plums (prunes): Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³			Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Percent	Oz/day		G/day	Number	Grams		
1970	1.79	61.5	0.69	6.0	0.65	0.0	10.0	67	0.58	0.026	0.73	204.0	85.0	3.0	1.74	0.009	
1971	1.51	61.5	0.58	6.0	0.55	0.0	10.0	67	0.49	0.022	0.61	204.0	85.0	3.0	1.46	0.007	
1972	1.27	61.5	0.49	6.0	0.46	0.0	10.0	67	0.41	0.018	0.52	204.0	85.0	3.0	1.24	0.006	
1973	1.43	61.5	0.55	6.0	0.52	0.0	10.0	67	0.47	0.020	0.58	204.0	85.0	3.0	1.39	0.007	
1974	1.33	61.5	0.51	6.0	0.48	0.0	10.0	67	0.43	0.019	0.54	204.0	85.0	3.0	1.29	0.006	
1975	1.56	61.5	0.60	6.0	0.56	0.0	10.0	67	0.51	0.022	0.63	204.0	85.0	3.0	1.51	0.007	
1976	1.38	61.5	0.53	6.0	0.50	0.0	10.0	67	0.45	0.020	0.56	204.0	85.0	3.0	1.34	0.007	
1977	1.27	61.5	0.49	6.0	0.46	0.0	10.0	67	0.41	0.018	0.52	204.0	85.0	3.0	1.24	0.006	
1978	1.12	61.5	0.43	6.0	0.40	0.0	10.0	67	0.36	0.016	0.45	204.0	85.0	3.0	1.08	0.005	
1979	0.99	61.5	0.38	6.0	0.36	0.0	10.0	67	0.32	0.014	0.40	204.0	85.0	3.0	0.96	0.005	
1980	1.12	61.5	0.43	6.0	0.40	0.0	10.0	67	0.36	0.016	0.45	204.0	85.0	3.0	1.08	0.005	
1981	1.20	61.5	0.46	6.0	0.43	0.0	10.0	67	0.39	0.017	0.48	204.0	85.0	3.0	1.16	0.006	
1982	1.09	61.5	0.42	6.0	0.39	0.0	10.0	67	0.36	0.016	0.44	204.0	85.0	3.0	1.06	0.005	
1983	1.22	61.5	0.47	6.0	0.44	0.0	10.0	67	0.40	0.017	0.49	204.0	85.0	3.0	1.19	0.006	
1984	1.25	61.5	0.48	6.0	0.45	0.0	10.0	67	0.41	0.018	0.50	204.0	85.0	3.0	1.21	0.006	
1985	1.27	61.5	0.49	6.0	0.46	0.0	10.0	67	0.41	0.018	0.52	204.0	85.0	3.0	1.24	0.006	
1986	1.20	61.5	0.46	6.0	0.43	0.0	10.0	67	0.39	0.017	0.48	204.0	85.0	3.0	1.16	0.006	
1987	1.66	61.5	0.64	6.0	0.60	0.0	10.0	67	0.54	0.024	0.67	204.0	85.0	3.0	1.61	0.008	
1988	1.56	61.5	0.60	6.0	0.56	0.0	10.0	67	0.51	0.022	0.63	204.0	85.0	3.0	1.51	0.007	
1989	1.92	61.5	0.74	6.0	0.70	0.0	10.0	67	0.63	0.027	0.78	204.0	85.0	3.0	1.87	0.009	
1990	1.64	61.5	0.63	6.0	0.59	0.0	10.0	67	0.53	0.023	0.66	204.0	85.0	3.0	1.59	0.008	
1991	1.67	61.5	0.64	6.0	0.60	0.0	10.0	67	0.54	0.024	0.68	204.0	85.0	3.0	1.62	0.008	
1992	1.39	61.5	0.53	6.0	0.50	0.0	10.0	67	0.45	0.020	0.56	204.0	85.0	3.0	1.35	0.007	
1993	1.14	61.5	0.44	6.0	0.41	0.0	10.0	67	0.37	0.016	0.46	204.0	85.0	3.0	1.11	0.005	
1994	1.34	61.5	0.52	6.0	0.49	0.0	10.0	67	0.44	0.019	0.54	204.0	85.0	3.0	1.30	0.006	
1995	1.32	61.5	0.51	6.0	0.48	0.0	10.0	67	0.43	0.019	0.53	204.0	85.0	3.0	1.28	0.006	
1996	1.74	61.5	0.67	6.0	0.63	0.0	10.0	67	0.57	0.025	0.70	204.0	85.0	3.0	1.69	0.008	
1997	1.37	61.5	0.53	6.0	0.50	0.0	10.0	67	0.45	0.020	0.55	204.0	85.0	3.0	1.33	0.007	
1998	1.42	61.5	0.55	6.0	0.52	0.0	10.0	67	0.46	0.020	0.58	204.0	85.0	3.0	1.38	0.007	
1999	1.04	61.5	0.40	6.0	0.37	0.0	10.0	67	0.34	0.015	0.42	204.0	85.0	3.0	1.01	0.005	
2000	1.21	61.5	0.47	6.0	0.44	0.0	10.0	67	0.39	0.017	0.49	204.0	85.0	3.0	1.17	0.006	
2001	1.18	61.5	0.45	6.0	0.43	0.0	10.0	67	0.38	0.017	0.48	204.0	85.0	3.0	1.15	0.006	
2002	1.47	61.5	0.56	6.0	0.53	0.0	10.0	67	0.48	0.021	0.59	204.0	85.0	3.0	1.42	0.007	
2003	1.15	61.5	0.44	6.0	0.42	0.0	10.0	67	0.37	0.016	0.47	204.0	85.0	3.0	1.12	0.005	
2004	0.94	61.5	0.36	6.0	0.34	0.0	10.0	67	0.31	0.013	0.38	204.0	85.0	3.0	0.91	0.004	

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Raisins: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Lbs/year	Oz/day	G/day		Number	Grams		
	Lbs/year	Percent	Lbs/year	Percent	Lbs/year	Percent	Percent	Percent	Lbs/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	5.81	78.2	1.26	6.0	1.2	0.0	10.0	82	1.07	0.047	1.33	232.0	77.5	2.7	3.98	0.017
1971	6.69	79.7	1.36	6.0	1.3	0.0	10.0	83	1.15	0.050	1.43	232.0	77.5	2.7	4.27	0.018
1972	4.26	77.4	0.97	6.0	0.9	0.0	10.0	81	0.82	0.036	1.02	232.0	77.5	2.7	3.04	0.013
1973	6.36	79.2	1.32	6.0	1.2	0.0	10.0	82	1.12	0.049	1.39	232.0	77.5	2.7	4.16	0.018
1974	6.42	78.2	1.40	6.0	1.3	0.0	10.0	82	1.18	0.052	1.47	232.0	77.5	2.7	4.40	0.019
1975	6.38	79.5	1.31	6.0	1.2	0.0	10.0	83	1.10	0.048	1.37	232.0	77.5	2.7	4.11	0.018
1976	9.72	86.7	1.29	6.0	1.2	0.0	10.0	89	1.09	0.048	1.35	232.0	77.5	2.7	4.05	0.017
1977	6.29	79.9	1.27	6.0	1.2	0.0	10.0	83	1.07	0.047	1.33	232.0	77.5	2.7	3.98	0.017
1978	5.31	79.1	1.11	6.0	1.0	0.0	10.0	82	0.94	0.041	1.17	232.0	77.5	2.7	3.50	0.015
1979	6.77	80.4	1.33	6.0	1.2	0.0	10.0	83	1.12	0.049	1.40	232.0	77.5	2.7	4.18	0.018
1980	8.54	82.7	1.48	6.0	1.4	0.0	10.0	85	1.25	0.055	1.56	232.0	77.5	2.7	4.66	0.020
1981	6.60	76.7	1.53	6.0	1.4	0.0	10.0	80	1.30	0.057	1.61	232.0	77.5	2.7	4.83	0.021
1982	8.81	82.6	1.53	6.0	1.4	0.0	10.0	85	1.30	0.057	1.61	232.0	77.5	2.7	4.82	0.021
1983	7.86	79.7	1.60	6.0	1.5	0.0	10.0	83	1.35	0.059	1.68	232.0	77.5	2.7	5.02	0.022
1984	8.75	78.1	1.92	6.0	1.8	0.0	10.0	81	1.62	0.071	2.02	232.0	77.5	2.7	6.04	0.026
1985	9.46	79.5	1.94	6.0	1.8	0.0	10.0	83	1.64	0.072	2.04	232.0	77.5	2.7	6.10	0.026
1986	8.40	78.0	1.84	6.0	1.7	0.0	10.0	81	1.56	0.068	1.94	232.0	77.5	2.7	5.80	0.025
1987	8.10	76.6	1.90	6.0	1.8	0.0	10.0	80	1.61	0.070	1.99	232.0	77.5	2.7	5.97	0.026
1988	10.95	80.9	2.09	6.0	2.0	0.0	10.0	84	1.77	0.078	2.20	232.0	77.5	2.7	6.59	0.028
1989	8.91	78.2	1.94	6.0	1.8	0.0	10.0	82	1.64	0.072	2.04	232.0	77.5	2.7	6.11	0.026
1990	8.45	78.5	1.82	6.0	1.7	0.0	10.0	82	1.54	0.067	1.91	232.0	77.5	2.7	5.72	0.025
1991	8.59	79.1	1.79	6.0	1.7	0.0	10.0	82	1.52	0.066	1.88	232.0	77.5	2.7	5.64	0.024
1992	6.93	76.5	1.63	6.0	1.5	0.0	10.0	80	1.38	0.060	1.71	232.0	77.5	2.7	5.13	0.022
1993	8.57	78.2	1.87	6.0	1.8	0.0	10.0	82	1.58	0.069	1.96	232.0	77.5	2.7	5.88	0.025
1994	8.23	79.0	1.73	6.0	1.6	0.0	10.0	82	1.47	0.064	1.82	232.0	77.5	2.7	5.45	0.023
1995	8.94	81.3	1.67	6.0	1.6	0.0	10.0	84	1.42	0.062	1.76	232.0	77.5	2.7	5.27	0.023
1996	7.09	77.6	1.59	6.0	1.5	0.0	10.0	81	1.34	0.059	1.67	232.0	77.5	2.7	5.00	0.022
1997	7.01	77.2	1.60	6.0	1.5	0.0	10.0	81	1.35	0.059	1.68	232.0	77.5	2.7	5.03	0.022
1998	8.22	80.0	1.64	6.0	1.5	0.0	10.0	83	1.39	0.061	1.73	232.0	77.5	2.7	5.17	0.022
1999	7.04	77.3	1.59	6.0	1.5	0.0	10.0	81	1.35	0.059	1.68	232.0	77.5	2.7	5.02	0.022
2000	7.18	78.8	1.52	6.0	1.4	0.0	10.0	82	1.29	0.057	1.60	232.0	77.5	2.7	4.80	0.021
2001	6.99	78.8	1.48	6.0	1.4	0.0	10.0	82	1.25	0.055	1.56	232.0	77.5	2.7	4.67	0.020
2002	7.07	78.8	1.50	6.0	1.4	0.0	10.0	82	1.27	0.056	1.58	232.0	77.5	2.7	4.73	0.020
2003	6.94	78.8	1.47	6.0	1.4	0.0	10.0	82	1.25	0.055	1.55	232.0	77.5	2.7	4.64	0.020
2004	6.86	78.8	1.46	6.0	1.4	0.0	10.0	82	1.23	0.054	1.53	232.0	77.5	2.7	4.59	0.020

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Dried fruit: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Retail weight ²	Consumer weight	Total loss, all levels	Per capita consumption adjusted for loss			Calories consumed daily ³	Servings consumed daily ⁴
	Lbs/year	Lbs/year	Lbs/year	Percent	Lbs/year	Oz/day	G/day	Number	Number
1970	9.9	2.6	2.5	77.8	2.2	0.10	2.7	7.5	0.036
1971	9.9	2.5	2.4	78.7	2.1	0.09	2.6	7.3	0.034
1972	7.2	2.0	1.9	77.0	1.7	0.07	2.1	5.7	0.027
1973	10.2	2.6	2.4	78.8	2.2	0.09	2.7	7.4	0.035
1974	9.7	2.5	2.3	78.5	2.1	0.09	2.6	7.2	0.034
1975	10.3	2.6	2.5	78.7	2.2	0.10	2.7	7.5	0.035
1976	13.5	2.5	2.4	84.3	2.1	0.09	2.6	7.3	0.035
1977	9.9	2.5	2.3	79.1	2.1	0.09	2.6	7.1	0.034
1978	8.6	2.2	2.1	78.4	1.9	0.08	2.3	6.4	0.030
1979	10.1	2.4	2.2	80.5	2.0	0.09	2.4	6.8	0.032
1980	11.3	2.3	2.2	82.6	2.0	0.09	2.4	6.8	0.032
1981	9.7	2.5	2.3	78.3	2.1	0.09	2.6	7.3	0.034
1982	12.1	2.6	2.4	82.2	2.2	0.09	2.7	7.5	0.035
1983	11.8	2.7	2.6	80.4	2.3	0.10	2.9	8.0	0.038
1984	12.8	3.1	3.0	79.4	2.6	0.12	3.3	9.2	0.043
1985	12.9	3.0	2.8	80.4	2.5	0.11	3.1	8.8	0.041
1986	11.6	2.8	2.6	79.6	2.4	0.10	2.9	8.3	0.038
1987	12.1	3.1	2.9	78.4	2.6	0.11	3.3	9.1	0.043
1988	15.0	3.3	3.1	81.4	2.8	0.12	3.5	9.8	0.046
1989	13.3	3.3	3.1	79.0	2.8	0.12	3.5	9.7	0.045
1990	12.2	3.1	2.9	78.9	2.6	0.11	3.2	8.9	0.041
1991	12.4	3.0	2.8	79.5	2.5	0.11	3.2	8.8	0.041
1992	10.9	2.8	2.6	78.6	2.3	0.10	2.9	8.0	0.038
1993	12.7	3.0	2.8	79.9	2.5	0.11	3.2	8.9	0.042
1994	12.8	3.0	2.8	80.5	2.5	0.11	3.1	8.6	0.042
1995	12.8	2.8	2.6	81.8	2.3	0.10	2.9	8.1	0.038
1996	11.2	2.8	2.6	79.0	2.4	0.10	2.9	8.1	0.039
1997	10.7	2.7	2.5	78.9	2.3	0.10	2.8	7.8	0.037
1998	12.2	2.8	2.6	80.7	2.4	0.10	2.9	8.1	0.039
1999	10.3	2.5	2.4	79.3	2.1	0.09	2.6	7.4	0.035
2000	10.5	2.5	2.3	80.1	2.1	0.09	2.6	7.3	0.034
2001	10.3	2.5	2.3	80.0	2.1	0.09	2.6	7.2	0.034
2002	10.5	2.6	2.4	79.3	2.2	0.10	2.7	7.5	0.035
2003	10.2	2.4	2.3	80.0	2.0	0.09	2.5	7.1	0.033
2004	9.8	2.3	2.2	80.3	1.9	0.08	2.4	6.7	0.032

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and *My Pyramid Plan* servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Orange juice: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Gals/year	Oz/day	G/day		Grams	Ounces		
	Gals/year	Percent	Gals/year	Percent	Gals/year	Percent	Percent	Percent	Gals/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	8.04	52.6	3.81	6.0	3.6	0.0	10.0	60	3.2	1.1	32.0	105.0	249.0	8.8	13.5	0.129
1971	8.43	52.6	3.99	6.0	3.8	0.0	10.0	60	3.4	1.2	33.6	105.0	249.0	8.8	14.2	0.135
1972	8.17	52.6	3.87	6.0	3.6	0.0	10.0	60	3.3	1.1	32.6	105.0	249.0	8.8	13.7	0.131
1973	8.49	52.6	4.02	6.0	3.8	0.0	10.0	60	3.4	1.2	33.8	105.0	249.0	8.8	14.3	0.136
1974	9.18	52.6	4.35	6.0	4.1	0.0	10.0	60	3.7	1.3	36.6	105.0	249.0	8.8	15.4	0.147
1975	10.28	52.6	4.87	6.0	4.6	0.0	10.0	60	4.1	1.4	40.9	105.0	249.0	8.8	17.3	0.164
1976	11.36	52.6	5.38	6.0	5.1	0.0	10.0	60	4.6	1.6	45.3	105.0	249.0	8.8	19.1	0.182
1977	9.23	52.6	4.37	6.0	4.1	0.0	10.0	60	3.7	1.3	36.8	105.0	249.0	8.8	15.5	0.148
1978	8.79	52.6	4.16	6.0	3.9	0.0	10.0	60	3.5	1.2	35.0	105.0	249.0	8.8	14.8	0.141
1979	9.64	52.6	4.56	6.0	4.3	0.0	10.0	60	3.9	1.4	38.4	105.0	249.0	8.8	16.2	0.154
1980	9.75	52.6	4.62	6.0	4.3	0.0	10.0	60	3.9	1.4	38.9	105.0	249.0	8.8	16.4	0.156
1981	8.90	52.6	4.22	6.0	4.0	0.0	10.0	60	3.6	1.3	35.5	105.0	249.0	8.8	15.0	0.142
1982	10.66	52.6	5.05	6.0	4.7	0.0	10.0	60	4.3	1.5	42.5	105.0	249.0	8.8	17.9	0.171
1983	9.41	52.6	4.46	6.0	4.2	0.0	10.0	60	3.8	1.3	37.5	105.0	249.0	8.8	15.8	0.151
1984	9.17	52.6	4.34	6.0	4.1	0.0	10.0	60	3.7	1.3	36.5	105.0	249.0	8.8	15.4	0.147
1985	9.61	52.6	4.55	6.0	4.3	0.0	10.0	60	3.9	1.4	38.3	105.0	249.0	8.8	16.1	0.154
1986	9.15	52.6	4.33	6.0	4.1	0.0	10.0	60	3.7	1.3	36.4	105.0	249.0	8.8	15.4	0.146
1987	8.50	52.6	4.03	6.0	3.8	0.0	10.0	60	3.4	1.2	33.9	105.0	249.0	8.8	14.3	0.136
1988	8.67	52.6	4.11	6.0	3.9	0.0	10.0	60	3.5	1.2	34.6	105.0	249.0	8.8	14.6	0.139
1989	6.41	52.6	3.04	6.0	2.9	0.0	10.0	60	2.6	0.9	25.5	105.0	249.0	8.8	10.8	0.103
1990	8.56	52.6	4.05	6.0	3.8	0.0	10.0	60	3.4	1.2	34.1	105.0	249.0	8.8	14.4	0.137
1991	7.37	52.6	3.49	6.0	3.3	0.0	10.0	60	3.0	1.0	29.4	105.0	249.0	8.8	12.4	0.118
1992	8.64	52.6	4.09	6.0	3.8	0.0	10.0	60	3.5	1.2	34.4	105.0	249.0	8.8	14.5	0.138
1993	8.42	52.6	3.99	6.0	3.7	0.0	10.0	60	3.4	1.2	33.5	105.0	249.0	8.8	14.1	0.135
1994	8.13	52.6	3.85	6.0	3.6	0.0	10.0	60	3.3	1.1	32.4	105.0	249.0	8.8	13.7	0.130
1995	9.05	52.6	4.29	6.0	4.0	0.0	10.0	60	3.6	1.3	36.1	105.0	249.0	8.8	15.2	0.145
1996	8.75	52.6	4.14	6.0	3.9	0.0	10.0	60	3.5	1.2	34.9	105.0	249.0	8.8	14.7	0.140
1997	9.58	52.6	4.54	6.0	4.3	0.0	10.0	60	3.8	1.3	38.2	105.0	249.0	8.8	16.1	0.153
1998	8.95	52.6	4.24	6.0	4.0	0.0	10.0	60	3.6	1.3	35.6	105.0	249.0	8.8	15.0	0.143
1999	9.24	52.6	4.38	6.0	4.1	0.0	10.0	60	3.7	1.3	36.8	105.0	249.0	8.8	15.5	0.148
2000	9.48	52.6	4.49	6.0	4.2	0.0	10.0	60	3.8	1.3	37.8	105.0	249.0	8.8	15.9	0.152
2001	7.71	52.6	3.65	6.0	3.4	0.0	10.0	60	3.1	1.1	30.7	105.0	249.0	8.8	12.9	0.123
2002	8.31	52.6	3.94	6.0	3.7	0.0	10.0	60	3.3	1.2	33.1	105.0	249.0	8.8	14.0	0.133
2003	8.46	52.6	4.01	6.0	3.8	0.0	10.0	60	3.4	1.2	33.7	105.0	249.0	8.8	14.2	0.135
2004	7.94	52.6	3.76	6.0	3.5	0.0	10.0	60	3.2	1.1	31.6	105.0	249.0	8.8	13.3	0.127

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh weight, single-strength equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Grapefruit juice: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Gals/year	Oz/day	G/day		Grams	Ounces		
	Gals/year	Percent	Gals/year	Percent	Gals/year	Percent	Percent	Percent	Gals/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	1.45	53.5	0.68	6.0	0.6	0.0	10.0	61	0.6	0.2	5.7	94.0	247.0	8.7	2.2	0.023
1971	1.43	53.5	0.67	6.0	0.6	0.0	10.0	61	0.6	0.2	5.6	94.0	247.0	8.7	2.1	0.023
1972	1.50	53.5	0.70	6.0	0.7	0.0	10.0	61	0.6	0.2	5.9	94.0	247.0	8.7	2.2	0.024
1973	1.41	53.5	0.66	6.0	0.6	0.0	10.0	61	0.6	0.2	5.5	94.0	247.0	8.7	2.1	0.022
1974	1.52	53.5	0.70	6.0	0.7	0.0	10.0	61	0.6	0.2	5.9	94.0	247.0	8.7	2.3	0.024
1975	1.20	53.5	0.56	6.0	0.5	0.0	10.0	61	0.5	0.2	4.7	94.0	247.0	8.7	1.8	0.019
1976	1.65	53.5	0.77	6.0	0.7	0.0	10.0	61	0.6	0.2	6.5	94.0	247.0	8.7	2.5	0.026
1977	1.84	53.5	0.85	6.0	0.8	0.0	10.0	61	0.7	0.3	7.2	94.0	247.0	8.7	2.7	0.029
1978	1.62	53.5	0.75	6.0	0.7	0.0	10.0	61	0.6	0.2	6.3	94.0	247.0	8.7	2.4	0.026
1979	1.17	53.5	0.54	6.0	0.5	0.0	10.0	61	0.5	0.2	4.6	94.0	247.0	8.7	1.7	0.019
1980	1.50	53.5	0.70	6.0	0.7	0.0	10.0	61	0.6	0.2	5.9	94.0	247.0	8.7	2.2	0.024
1981	1.40	53.5	0.65	6.0	0.6	0.0	10.0	61	0.6	0.2	5.5	94.0	247.0	8.7	2.1	0.022
1982	1.33	53.5	0.62	6.0	0.6	0.0	10.0	61	0.5	0.2	5.2	94.0	247.0	8.7	2.0	0.021
1983	0.72	53.5	0.33	6.0	0.3	0.0	10.0	61	0.3	0.1	2.8	94.0	247.0	8.7	1.1	0.011
1984	1.28	53.5	0.59	6.0	0.6	0.0	10.0	61	0.5	0.2	5.0	94.0	247.0	8.7	1.9	0.020
1985	0.98	53.5	0.45	6.0	0.4	0.0	10.0	61	0.4	0.1	3.8	94.0	247.0	8.7	1.5	0.015
1986	1.33	53.5	0.62	6.0	0.6	0.0	10.0	61	0.5	0.2	5.2	94.0	247.0	8.7	2.0	0.021
1987	0.70	53.5	0.32	6.0	0.3	0.0	10.0	61	0.3	0.1	2.7	94.0	247.0	8.7	1.0	0.011
1988	1.12	53.5	0.52	6.0	0.5	0.0	10.0	61	0.4	0.2	4.4	94.0	247.0	8.7	1.7	0.018
1989	1.13	53.5	0.53	6.0	0.5	0.0	10.0	61	0.4	0.2	4.4	94.0	247.0	8.7	1.7	0.018
1990	0.85	53.5	0.39	6.0	0.4	0.0	10.0	61	0.3	0.1	3.3	94.0	247.0	8.7	1.3	0.013
1991	0.72	53.5	0.33	6.0	0.3	0.0	10.0	61	0.3	0.1	2.8	94.0	247.0	8.7	1.1	0.011
1992	1.09	53.5	0.51	6.0	0.5	0.0	10.0	61	0.4	0.2	4.3	94.0	247.0	8.7	1.6	0.017
1993	1.00	53.5	0.47	6.0	0.4	0.0	10.0	61	0.4	0.1	3.9	94.0	247.0	8.7	1.5	0.016
1994	1.19	53.5	0.55	6.0	0.5	0.0	10.0	61	0.5	0.2	4.6	94.0	247.0	8.7	1.8	0.019
1995	1.32	53.5	0.61	6.0	0.6	0.0	10.0	61	0.5	0.2	5.1	94.0	247.0	8.7	2.0	0.021
1996	1.44	53.5	0.67	6.0	0.6	0.0	10.0	61	0.6	0.2	5.6	94.0	247.0	8.7	2.1	0.023
1997	1.12	53.5	0.52	6.0	0.5	0.0	10.0	61	0.4	0.2	4.4	94.0	247.0	8.7	1.7	0.018
1998	1.01	53.5	0.47	6.0	0.4	0.0	10.0	61	0.4	0.1	4.0	94.0	247.0	8.7	1.5	0.016
1999	0.94	53.5	0.43	6.0	0.4	0.0	10.0	61	0.4	0.1	3.7	94.0	247.0	8.7	1.4	0.015
2000	0.96	53.5	0.44	6.0	0.4	0.0	10.0	61	0.4	0.1	3.7	94.0	247.0	8.7	1.4	0.015
2001	0.81	53.5	0.37	6.0	0.4	0.0	10.0	61	0.3	0.1	3.2	94.0	247.0	8.7	1.2	0.013
2002	0.69	53.5	0.32	6.0	0.3	0.0	10.0	61	0.3	0.1	2.7	94.0	247.0	8.7	1.0	0.011
2003	0.68	53.5	0.32	6.0	0.3	0.0	10.0	61	0.3	0.1	2.7	94.0	247.0	8.7	1.0	0.011
2004	0.43	53.5	0.20	6.0	0.2	0.0	10.0	61	0.2	0.1	1.7	94.0	247.0	8.7	0.6	0.007

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh weight, single-strength equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Lemon juice: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵	
						Nonedible share	Other (cooking loss and uneaten food)		Gals/year	Oz/day	G/day		Number	Grams			Ounces
		Gals/year	Percent	Gals/year	Percent	Gals/year	Percent	Percent	Percent	Gals/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.25	66.3	0.08	6.0	0.1	0.0	10.0	72	0.07	0.02	0.7	51.0	244.0	8.6	0.1	0.003	
1971	0.28	66.3	0.09	6.0	0.1	0.0	10.0	72	0.08	0.03	0.8	51.0	244.0	8.6	0.2	0.003	
1972	0.29	66.3	0.10	6.0	0.1	0.0	10.0	72	0.08	0.03	0.8	51.0	244.0	8.6	0.2	0.003	
1973	0.46	66.3	0.15	6.0	0.1	0.0	10.0	72	0.13	0.05	1.3	51.0	244.0	8.6	0.3	0.005	
1974	0.27	66.3	0.09	6.0	0.1	0.0	10.0	72	0.08	0.03	0.8	51.0	244.0	8.6	0.2	0.003	
1975	0.71	66.3	0.24	6.0	0.2	0.0	10.0	72	0.20	0.07	2.0	51.0	244.0	8.6	0.4	0.008	
1976	0.26	66.3	0.09	6.0	0.1	0.0	10.0	72	0.08	0.03	0.7	51.0	244.0	8.6	0.2	0.003	
1977	0.51	66.3	0.17	6.0	0.2	0.0	10.0	72	0.14	0.05	1.4	51.0	244.0	8.6	0.3	0.006	
1978	0.54	66.3	0.18	6.0	0.2	0.0	10.0	72	0.15	0.05	1.5	51.0	244.0	8.6	0.3	0.006	
1979	0.29	66.3	0.10	6.0	0.1	0.0	10.0	72	0.08	0.03	0.8	51.0	244.0	8.6	0.2	0.003	
1980	0.38	66.3	0.13	6.0	0.1	0.0	10.0	72	0.11	0.04	1.1	51.0	244.0	8.6	0.2	0.004	
1981	0.75	66.3	0.25	6.0	0.2	0.0	10.0	72	0.21	0.07	2.1	51.0	244.0	8.6	0.4	0.009	
1982	0.53	66.3	0.18	6.0	0.2	0.0	10.0	72	0.15	0.05	1.5	51.0	244.0	8.6	0.3	0.006	
1983	0.50	66.3	0.17	6.0	0.2	0.0	10.0	72	0.14	0.05	1.4	51.0	244.0	8.6	0.3	0.006	
1984	0.35	66.3	0.12	6.0	0.1	0.0	10.0	72	0.10	0.03	1.0	51.0	244.0	8.6	0.2	0.004	
1985	0.44	66.3	0.15	6.0	0.1	0.0	10.0	72	0.12	0.04	1.2	51.0	244.0	8.6	0.3	0.005	
1986	0.32	66.3	0.11	6.0	0.1	0.0	10.0	72	0.09	0.03	0.9	51.0	244.0	8.6	0.2	0.004	
1987	0.61	66.3	0.21	6.0	0.2	0.0	10.0	72	0.18	0.06	1.7	51.0	244.0	8.6	0.4	0.007	
1988	0.31	66.3	0.10	6.0	0.1	0.0	10.0	72	0.09	0.03	0.9	51.0	244.0	8.6	0.2	0.004	
1989	0.31	66.3	0.11	6.0	0.1	0.0	10.0	72	0.09	0.03	0.9	51.0	244.0	8.6	0.2	0.004	
1990	0.41	66.3	0.14	6.0	0.1	0.0	10.0	72	0.12	0.04	1.2	51.0	244.0	8.6	0.2	0.005	
1991	0.40	66.3	0.13	6.0	0.1	0.0	10.0	72	0.11	0.04	1.1	51.0	244.0	8.6	0.2	0.005	
1992	0.37	66.3	0.12	6.0	0.1	0.0	10.0	72	0.10	0.04	1.0	51.0	244.0	8.6	0.2	0.004	
1993	0.50	66.3	0.17	6.0	0.2	0.0	10.0	72	0.14	0.05	1.4	51.0	244.0	8.6	0.3	0.006	
1994	0.54	66.3	0.18	6.0	0.2	0.0	10.0	72	0.15	0.05	1.5	51.0	244.0	8.6	0.3	0.006	
1995	0.37	66.3	0.12	6.0	0.1	0.0	10.0	72	0.10	0.04	1.0	51.0	244.0	8.6	0.2	0.004	
1996	0.46	66.3	0.15	6.0	0.1	0.0	10.0	72	0.13	0.05	1.3	51.0	244.0	8.6	0.3	0.005	
1997	0.48	66.3	0.16	6.0	0.2	0.0	10.0	72	0.14	0.05	1.4	51.0	244.0	8.6	0.3	0.006	
1998	0.38	66.3	0.13	6.0	0.1	0.0	10.0	72	0.11	0.04	1.1	51.0	244.0	8.6	0.2	0.004	
1999	0.35	66.3	0.12	6.0	0.1	0.0	10.0	72	0.10	0.03	1.0	51.0	244.0	8.6	0.2	0.004	
2000	0.45	66.3	0.15	6.0	0.1	0.0	10.0	72	0.13	0.04	1.3	51.0	244.0	8.6	0.3	0.005	
2001	0.60	66.3	0.20	6.0	0.2	0.0	10.0	72	0.17	0.06	1.7	51.0	244.0	8.6	0.4	0.007	
2002	0.40	66.3	0.13	6.0	0.1	0.0	10.0	72	0.11	0.04	1.1	51.0	244.0	8.6	0.2	0.005	
2003	0.61	66.3	0.20	6.0	0.2	0.0	10.0	72	0.17	0.06	1.7	51.0	244.0	8.6	0.4	0.007	
2004	0.41	66.3	0.14	6.0	0.1	0.0	10.0	72	0.12	0.04	1.2	51.0	244.0	8.6	0.2	0.005	

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh weight, single-strength equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Lime juice: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵	
						Nonedible share	Other (cooking loss and uneaten food)		Gals/year	Oz/day	G/day		Number	Grams			Ounces
		Gals/year	Percent	Gals/year	Percent	Gals/year	Percent	Percent	Percent	Gals/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.02	66.8	0.01	6.0	0.005	0.0	10.0	72	0.005	0.002	0.047	52.0	246.0	8.7	0.01	0.0002	
1971	0.02	66.8	0.01	6.0	0.007	0.0	10.0	72	0.007	0.002	0.065	52.0	246.0	8.7	0.01	0.0003	
1972	0.03	66.8	0.01	6.0	0.010	0.0	10.0	72	0.009	0.003	0.086	52.0	246.0	8.7	0.02	0.0003	
1973	0.03	66.8	0.01	6.0	0.009	0.0	10.0	72	0.008	0.003	0.079	52.0	246.0	8.7	0.02	0.0003	
1974	0.03	66.8	0.01	6.0	0.008	0.0	10.0	72	0.008	0.003	0.075	52.0	246.0	8.7	0.02	0.0003	
1975	0.03	66.8	0.01	6.0	0.009	0.0	10.0	72	0.008	0.003	0.080	52.0	246.0	8.7	0.02	0.0003	
1976	0.02	66.8	0.01	6.0	0.007	0.0	10.0	72	0.007	0.002	0.065	52.0	246.0	8.7	0.01	0.0003	
1977	0.02	66.8	0.01	6.0	0.007	0.0	10.0	72	0.006	0.002	0.061	52.0	246.0	8.7	0.01	0.0002	
1978	0.01	66.8	0.00	6.0	0.002	0.0	10.0	72	0.001	0.001	0.014	52.0	246.0	8.7	0.00	0.0001	
1979	0.01	66.8	0.00	6.0	0.004	0.0	10.0	72	0.003	0.001	0.031	52.0	246.0	8.7	0.01	0.0001	
1980	0.02	66.8	0.01	6.0	0.007	0.0	10.0	72	0.006	0.002	0.059	52.0	246.0	8.7	0.01	0.0002	
1981	0.02	66.8	0.01	6.0	0.007	0.0	10.0	72	0.006	0.002	0.061	52.0	246.0	8.7	0.01	0.0002	
1982	0.03	66.8	0.01	6.0	0.009	0.0	10.0	72	0.008	0.003	0.083	52.0	246.0	8.7	0.02	0.0003	
1983	0.03	66.8	0.01	6.0	0.010	0.0	10.0	72	0.009	0.003	0.088	52.0	246.0	8.7	0.02	0.0004	
1984	0.03	66.8	0.01	6.0	0.008	0.0	10.0	72	0.007	0.003	0.073	52.0	246.0	8.7	0.02	0.0003	
1985	0.03	66.8	0.01	6.0	0.010	0.0	10.0	72	0.009	0.003	0.092	52.0	246.0	8.7	0.02	0.0004	
1986	0.04	66.8	0.01	6.0	0.014	0.0	10.0	72	0.013	0.004	0.125	52.0	246.0	8.7	0.03	0.0005	
1987	0.04	66.8	0.01	6.0	0.014	0.0	10.0	72	0.012	0.004	0.122	52.0	246.0	8.7	0.03	0.0005	
1988	0.02	66.8	0.01	6.0	0.007	0.0	10.0	72	0.006	0.002	0.061	52.0	246.0	8.7	0.01	0.0002	
1989	0.03	66.8	0.01	6.0	0.009	0.0	10.0	72	0.008	0.003	0.079	52.0	246.0	8.7	0.02	0.0003	
1990	0.07	66.8	0.02	6.0	0.020	0.0	10.0	72	0.018	0.006	0.183	52.0	246.0	8.7	0.04	0.0007	
1991	0.05	66.8	0.02	6.0	0.017	0.0	10.0	72	0.015	0.005	0.151	52.0	246.0	8.7	0.03	0.0006	
1992	0.04	66.8	0.01	6.0	0.014	0.0	10.0	72	0.012	0.004	0.124	52.0	246.0	8.7	0.03	0.0005	
1993	0.02	66.8	0.01	6.0	0.007	0.0	10.0	72	0.006	0.002	0.062	52.0	246.0	8.7	0.01	0.0003	
1994	0.03	66.8	0.01	6.0	0.008	0.0	10.0	72	0.007	0.003	0.074	52.0	246.0	8.7	0.02	0.0003	
1995	0.06	66.8	0.02	6.0	0.018	0.0	10.0	72	0.016	0.006	0.163	52.0	246.0	8.7	0.03	0.0007	
1996	0.03	66.8	0.01	6.0	0.010	0.0	10.0	72	0.009	0.003	0.090	52.0	246.0	8.7	0.02	0.0004	
1997	0.06	66.8	0.02	6.0	0.017	0.0	10.0	72	0.016	0.005	0.156	52.0	246.0	8.7	0.03	0.0006	
1998	0.03	66.8	0.01	6.0	0.008	0.0	10.0	72	0.007	0.003	0.073	52.0	246.0	8.7	0.02	0.0003	
1999	0.02	66.8	0.01	6.0	0.008	0.0	10.0	72	0.007	0.002	0.069	52.0	246.0	8.7	0.01	0.0003	
2000	0.06	66.8	0.02	6.0	0.018	0.0	10.0	72	0.016	0.006	0.160	52.0	246.0	8.7	0.03	0.0006	
2001	0.06	66.8	0.02	6.0	0.020	0.0	10.0	72	0.018	0.006	0.176	52.0	246.0	8.7	0.04	0.0007	
2002	0.04	66.8	0.01	6.0	0.013	0.0	10.0	72	0.012	0.004	0.116	52.0	246.0	8.7	0.02	0.0005	
2003	0.05	66.8	0.02	6.0	0.017	0.0	10.0	72	0.015	0.005	0.150	52.0	246.0	8.7	0.03	0.0006	
2004	0.08	66.8	0.03	6.0	0.026	0.0	10.0	72	0.024	0.008	0.236	52.0	246.0	8.7	0.05	0.0010	

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh weight, single-strength equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Citrus juice: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Retail weight ²	Consumer weight	Total loss, all levels	Per capita consumption adjusted for loss			Calories consumed daily ³	Servings consumed daily ⁴
	Gals/year	Gals/year	Gals/year	Percent	Gals/year	Oz/day	G/day	Number	Number
1970	9.8	4.6	4.3	60.4	3.9	1.4	38.5	15.8	0.15
1971	10.2	4.8	4.5	60.4	4.0	1.4	40.0	16.5	0.16
1972	10.0	4.7	4.4	60.4	4.0	1.4	39.3	16.1	0.16
1973	10.4	4.8	4.6	60.6	4.1	1.4	40.7	16.7	0.16
1974	11.0	5.2	4.8	60.3	4.4	1.5	43.3	17.9	0.17
1975	12.2	5.7	5.3	60.7	4.8	1.7	47.7	19.5	0.19
1976	13.3	6.2	5.9	60.3	5.3	1.9	52.5	21.7	0.21
1977	11.6	5.4	5.1	60.6	4.6	1.6	45.5	18.6	0.18
1978	11.0	5.1	4.8	60.6	4.3	1.5	42.9	17.5	0.17
1979	11.1	5.2	4.9	60.3	4.4	1.5	43.8	18.1	0.18
1980	11.7	5.5	5.1	60.4	4.6	1.6	45.8	18.8	0.18
1981	11.1	5.1	4.8	60.8	4.3	1.5	43.1	17.5	0.17
1982	12.5	5.9	5.5	60.5	5.0	1.7	49.2	20.2	0.20
1983	10.7	5.0	4.7	60.6	4.2	1.5	41.8	17.2	0.17
1984	10.8	5.1	4.8	60.4	4.3	1.5	42.6	17.5	0.17
1985	11.1	5.2	4.9	60.5	4.4	1.5	43.4	17.9	0.17
1986	10.8	5.1	4.8	60.4	4.3	1.5	42.7	17.6	0.17
1987	9.9	4.6	4.3	60.8	3.9	1.4	38.5	15.7	0.15
1988	10.1	4.7	4.5	60.4	4.0	1.4	39.8	16.4	0.16
1989	7.9	3.7	3.5	60.5	3.1	1.1	30.9	12.7	0.12
1990	9.9	4.6	4.3	60.6	3.9	1.4	38.8	15.9	0.16
1991	8.5	4.0	3.7	60.6	3.4	1.2	33.5	13.7	0.13
1992	10.1	4.7	4.5	60.5	4.0	1.4	39.8	16.4	0.16
1993	9.9	4.6	4.4	60.6	3.9	1.4	38.9	15.9	0.16
1994	9.9	4.6	4.3	60.7	3.9	1.4	38.6	15.8	0.16
1995	10.8	5.0	4.7	60.5	4.3	1.5	42.4	17.4	0.17
1996	10.7	5.0	4.7	60.6	4.2	1.5	41.9	17.1	0.17
1997	11.2	5.2	4.9	60.6	4.4	1.6	44.1	18.1	0.18
1998	10.4	4.8	4.6	60.5	4.1	1.4	40.8	16.8	0.16
1999	10.5	4.9	4.6	60.4	4.2	1.5	41.5	17.1	0.17
2000	10.9	5.1	4.8	60.5	4.3	1.5	42.9	17.6	0.17
2001	9.2	4.2	4.0	60.8	3.6	1.3	35.7	14.5	0.14
2002	9.4	4.4	4.1	60.5	3.7	1.3	37.1	15.3	0.15
2003	9.8	4.5	4.3	60.8	3.8	1.3	38.2	15.6	0.15
2004	8.9	4.1	3.9	60.6	3.5	1.2	34.7	14.3	0.14

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and *My Pyramid Plan* servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh weight, single-strength equivalent. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Apple juice: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Gals/year	Oz/day	G/day		Grams	Ounces		
	Gals/year	Percent	Gals/year	Percent	Gals/year	Percent	Percent	Percent	Gals/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.73	26.7	0.54	6.0	0.5	0.0	10.0	38	0.45	0.16	4.5	117.0	248.0	8.7	2.1	0.018
1971	0.81	26.7	0.59	6.0	0.6	0.0	10.0	38	0.50	0.18	5.0	117.0	248.0	8.7	2.3	0.020
1972	0.62	26.7	0.46	6.0	0.4	0.0	10.0	38	0.39	0.14	3.8	117.0	248.0	8.7	1.8	0.016
1973	0.53	26.7	0.39	6.0	0.4	0.0	10.0	38	0.33	0.12	3.3	117.0	248.0	8.7	1.5	0.013
1974	0.68	26.7	0.50	6.0	0.5	0.0	10.0	38	0.42	0.15	4.2	117.0	248.0	8.7	2.0	0.017
1975	0.79	26.7	0.58	6.0	0.5	0.0	10.0	38	0.49	0.17	4.9	117.0	248.0	8.7	2.3	0.020
1976	0.72	26.7	0.53	6.0	0.5	0.0	10.0	38	0.45	0.16	4.5	117.0	248.0	8.7	2.1	0.018
1977	0.90	26.7	0.66	6.0	0.6	0.0	10.0	38	0.56	0.20	5.6	117.0	248.0	8.7	2.6	0.022
1978	1.10	26.7	0.81	6.0	0.8	0.0	10.0	38	0.68	0.24	6.8	117.0	248.0	8.7	3.2	0.027
1979	1.22	26.7	0.90	6.0	0.8	0.0	10.0	38	0.76	0.27	7.5	117.0	248.0	8.7	3.6	0.030
1980	1.49	26.7	1.10	6.0	1.0	0.0	10.0	38	0.93	0.33	9.2	117.0	248.0	8.7	4.3	0.037
1981	1.32	26.7	0.97	6.0	0.9	0.0	10.0	38	0.82	0.29	8.2	117.0	248.0	8.7	3.8	0.033
1982	1.67	26.7	1.23	6.0	1.2	0.0	10.0	38	1.04	0.36	10.3	117.0	248.0	8.7	4.9	0.042
1983	1.82	26.7	1.33	6.0	1.3	0.0	10.0	38	1.13	0.39	11.2	117.0	248.0	8.7	5.3	0.045
1984	2.11	26.7	1.55	6.0	1.5	0.0	10.0	38	1.31	0.46	13.0	117.0	248.0	8.7	6.1	0.052
1985	2.11	26.7	1.55	6.0	1.5	0.0	10.0	38	1.31	0.46	13.0	117.0	248.0	8.7	6.1	0.053
1986	2.08	26.7	1.53	6.0	1.4	0.0	10.0	38	1.29	0.45	12.9	117.0	248.0	8.7	6.1	0.052
1987	2.23	26.7	1.63	6.0	1.5	0.0	10.0	38	1.38	0.48	13.7	117.0	248.0	8.7	6.5	0.055
1988	2.20	26.7	1.61	6.0	1.5	0.0	10.0	38	1.36	0.48	13.5	117.0	248.0	8.7	6.4	0.055
1989	1.99	26.7	1.46	6.0	1.4	0.0	10.0	38	1.24	0.43	12.3	117.0	248.0	8.7	5.8	0.050
1990	2.38	26.7	1.74	6.0	1.6	0.0	10.0	38	1.48	0.52	14.7	117.0	248.0	8.7	6.9	0.059
1991	2.09	26.7	1.53	6.0	1.4	0.0	10.0	38	1.29	0.45	12.9	117.0	248.0	8.7	6.1	0.052
1992	2.15	26.7	1.58	6.0	1.5	0.0	10.0	38	1.34	0.47	13.3	117.0	248.0	8.7	6.3	0.054
1993	2.45	26.7	1.80	6.0	1.7	0.0	10.0	38	1.52	0.53	15.1	117.0	248.0	8.7	7.1	0.061
1994	2.44	26.7	1.79	6.0	1.7	0.0	10.0	38	1.52	0.53	15.1	117.0	248.0	8.7	7.1	0.061
1995	2.17	26.7	1.59	6.0	1.5	0.0	10.0	38	1.35	0.47	13.4	117.0	248.0	8.7	6.3	0.054
1996	2.34	26.7	1.71	6.0	1.6	0.0	10.0	38	1.45	0.51	14.4	117.0	248.0	8.7	6.8	0.058
1997	2.12	26.7	1.56	6.0	1.5	0.0	10.0	38	1.32	0.46	13.1	117.0	248.0	8.7	6.2	0.053
1998	2.47	26.7	1.81	6.0	1.7	0.0	10.0	38	1.53	0.54	15.2	117.0	248.0	8.7	7.2	0.061
1999	2.46	26.7	1.80	6.0	1.7	0.0	10.0	38	1.52	0.53	15.1	117.0	248.0	8.7	7.1	0.061
2000	2.45	26.7	1.80	6.0	1.7	0.0	10.0	38	1.52	0.53	15.1	117.0	248.0	8.7	7.1	0.061
2001	2.44	26.7	1.79	6.0	1.7	0.0	10.0	38	1.52	0.53	15.1	117.0	248.0	8.7	7.1	0.061
2002	2.46	26.7	1.80	6.0	1.7	0.0	10.0	38	1.53	0.54	15.2	117.0	248.0	8.7	7.2	0.061
2003	2.65	26.7	1.94	6.0	1.8	0.0	10.0	38	1.65	0.58	16.4	117.0	248.0	8.7	7.7	0.066
2004	2.92	26.7	2.14	6.0	2.0	0.0	10.0	38	1.81	0.63	18.0	117.0	248.0	8.7	8.5	0.073

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh weight, single-strength equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Cranberry juice: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Gals/year	Oz/day	G/day		Number	Grams		
	Gals/year	Percent	Gals/year	Percent	Gals/year	Percent	Percent	Percent	Gals/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1971	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1972	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1973	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1974	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1975	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1976	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1977	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1978	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1979	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1980	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1981	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1982	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1983	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1984	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1985	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1986	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1987	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1988	NA	NA	NA	NA	0.00	0.0	10.0	NA	NA	NA	NA	116.0	253.0	8.9	NA	NA
1989	0.15	3.2	0.15	6.0	0.1	0.0	10.0	18	0.12	0.04	1.2	116.0	253.0	8.9	0.6	0.00
1990	0.14	3.2	0.14	6.0	0.1	0.0	10.0	18	0.12	0.04	1.2	116.0	253.0	8.9	0.5	0.00
1991	0.17	3.2	0.17	6.0	0.2	0.0	10.0	18	0.14	0.05	1.4	116.0	253.0	8.9	0.7	0.01
1992	0.17	3.2	0.16	6.0	0.2	0.0	10.0	18	0.14	0.05	1.4	116.0	253.0	8.9	0.6	0.01
1993	0.15	3.2	0.15	6.0	0.1	0.0	10.0	18	0.13	0.04	1.2	116.0	253.0	8.9	0.6	0.00
1994	0.19	3.2	0.19	6.0	0.2	0.0	10.0	18	0.16	0.06	1.6	116.0	253.0	8.9	0.7	0.01
1995	0.17	3.2	0.16	6.0	0.2	0.0	10.0	18	0.14	0.05	1.4	116.0	253.0	8.9	0.6	0.01
1996	0.18	3.2	0.17	6.0	0.2	0.0	10.0	18	0.15	0.05	1.5	116.0	253.0	8.9	0.7	0.01
1997	0.21	3.2	0.20	6.0	0.2	0.0	10.0	18	0.17	0.06	1.7	116.0	253.0	8.9	0.8	0.01
1998	0.21	3.2	0.21	6.0	0.2	0.0	10.0	18	0.17	0.06	1.7	116.0	253.0	8.9	0.8	0.01
1999	0.24	3.2	0.23	6.0	0.2	0.0	10.0	18	0.20	0.07	2.0	116.0	253.0	8.9	0.9	0.01
2000	0.21	3.2	0.20	6.0	0.2	0.0	10.0	18	0.17	0.06	1.7	116.0	253.0	8.9	0.8	0.01
2001	0.17	3.2	0.17	6.0	0.2	0.0	10.0	18	0.14	0.05	1.4	116.0	253.0	8.9	0.7	0.01
2002	0.22	3.2	0.21	6.0	0.2	0.0	10.0	18	0.18	0.06	1.8	116.0	253.0	8.9	0.8	0.01
2003	0.22	3.2	0.21	6.0	0.2	0.0	10.0	18	0.18	0.06	1.8	116.0	253.0	8.9	0.8	0.01
2004	0.22	3.2	0.21	6.0	0.2	0.0	10.0	18	0.18	0.06	1.8	116.0	253.0	8.9	0.8	0.01

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh weight, single-strength equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Grape juice: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Gals/year	Oz/day	G/day		Grams	Ounces		
	Gals/year	Percent	Gals/year	Percent	Gals/year	Percent	Percent	Percent	Gals/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.27	19.1	0.22	6.0	0.2	0.0	10.0	32	0.18	0.06	1.8	154.0	253.0	8.9	1.1	0.007
1971	0.37	19.1	0.30	6.0	0.3	0.0	10.0	32	0.25	0.09	2.5	154.0	253.0	8.9	1.5	0.010
1972	0.24	19.1	0.19	6.0	0.2	0.0	10.0	32	0.16	0.06	1.6	154.0	253.0	8.9	1.0	0.006
1973	0.30	19.1	0.24	6.0	0.2	0.0	10.0	32	0.20	0.07	2.0	154.0	253.0	8.9	1.2	0.008
1974	0.32	19.1	0.26	6.0	0.2	0.0	10.0	32	0.22	0.08	2.1	154.0	253.0	8.9	1.3	0.008
1975	0.28	19.1	0.23	6.0	0.2	0.0	10.0	32	0.19	0.07	1.9	154.0	253.0	8.9	1.2	0.008
1976	0.28	19.1	0.22	6.0	0.2	0.0	10.0	32	0.19	0.07	1.9	154.0	253.0	8.9	1.1	0.007
1977	0.22	19.1	0.18	6.0	0.2	0.0	10.0	32	0.15	0.05	1.5	154.0	253.0	8.9	0.9	0.006
1978	0.38	19.1	0.31	6.0	0.3	0.0	10.0	32	0.26	0.09	2.6	154.0	253.0	8.9	1.6	0.010
1979	0.29	19.1	0.23	6.0	0.2	0.0	10.0	32	0.20	0.07	2.0	154.0	253.0	8.9	1.2	0.008
1980	0.31	19.1	0.25	6.0	0.2	0.0	10.0	32	0.21	0.07	2.1	154.0	253.0	8.9	1.3	0.008
1981	0.29	19.1	0.24	6.0	0.2	0.0	10.0	32	0.20	0.07	2.0	154.0	253.0	8.9	1.2	0.008
1982	0.30	19.1	0.24	6.0	0.2	0.0	10.0	32	0.20	0.07	2.0	154.0	253.0	8.9	1.2	0.008
1983	0.41	19.1	0.33	6.0	0.3	0.0	10.0	32	0.28	0.10	2.8	154.0	253.0	8.9	1.7	0.011
1984	0.36	19.1	0.29	6.0	0.3	0.0	10.0	32	0.24	0.09	2.4	154.0	253.0	8.9	1.5	0.010
1985	0.29	19.1	0.23	6.0	0.2	0.0	10.0	32	0.20	0.07	2.0	154.0	253.0	8.9	1.2	0.008
1986	0.27	19.1	0.22	6.0	0.2	0.0	10.0	32	0.19	0.07	1.9	154.0	253.0	8.9	1.1	0.007
1987	0.37	19.1	0.30	6.0	0.3	0.0	10.0	32	0.26	0.09	2.5	154.0	253.0	8.9	1.5	0.010
1988	0.33	19.1	0.27	6.0	0.3	0.0	10.0	32	0.23	0.08	2.3	154.0	253.0	8.9	1.4	0.009
1989	0.38	19.1	0.31	6.0	0.3	0.0	10.0	32	0.26	0.09	2.6	154.0	253.0	8.9	1.6	0.010
1990	0.35	19.1	0.28	6.0	0.3	0.0	10.0	32	0.24	0.08	2.4	154.0	253.0	8.9	1.5	0.009
1991	0.44	19.1	0.36	6.0	0.3	0.0	10.0	32	0.30	0.11	3.0	154.0	253.0	8.9	1.8	0.012
1992	0.47	19.1	0.38	6.0	0.4	0.0	10.0	32	0.32	0.11	3.2	154.0	253.0	8.9	2.0	0.013
1993	0.43	19.1	0.35	6.0	0.3	0.0	10.0	32	0.30	0.10	2.9	154.0	253.0	8.9	1.8	0.012
1994	0.36	19.1	0.29	6.0	0.3	0.0	10.0	32	0.24	0.09	2.4	154.0	253.0	8.9	1.5	0.010
1995	0.56	19.1	0.45	6.0	0.4	0.0	10.0	32	0.38	0.13	3.8	154.0	253.0	8.9	2.3	0.015
1996	0.47	19.1	0.38	6.0	0.4	0.0	10.0	32	0.32	0.11	3.2	154.0	253.0	8.9	1.9	0.013
1997	0.50	19.1	0.41	6.0	0.4	0.0	10.0	32	0.34	0.12	3.4	154.0	253.0	8.9	2.1	0.013
1998	0.34	19.1	0.27	6.0	0.3	0.0	10.0	32	0.23	0.08	2.3	154.0	253.0	8.9	1.4	0.009
1999	0.54	19.1	0.44	6.0	0.4	0.0	10.0	32	0.37	0.13	3.7	154.0	253.0	8.9	2.2	0.015
2000	0.42	19.1	0.34	6.0	0.3	0.0	10.0	32	0.29	0.10	2.9	154.0	253.0	8.9	1.7	0.011
2001	0.41	19.1	0.33	6.0	0.3	0.0	10.0	32	0.28	0.10	2.8	154.0	253.0	8.9	1.7	0.011
2002	0.45	19.1	0.37	6.0	0.3	0.0	10.0	32	0.31	0.11	3.1	154.0	253.0	8.9	1.9	0.012
2003	0.50	19.1	0.40	6.0	0.4	0.0	10.0	32	0.34	0.12	3.4	154.0	253.0	8.9	2.1	0.013
2004	0.47	19.1	0.38	6.0	0.4	0.0	10.0	32	0.32	0.11	3.2	154.0	253.0	8.9	2.0	0.013

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh weight, single-strength equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Pineapple juice: Per capita consumption adjusted for loss ¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³		Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Gals/year	Oz/day	G/day		Grams	Ounces		
	Gals/year	Percent	Gals/year	Percent	Gals/year	Percent	Percent	Percent	Gals/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.46	41.3	0.27	6.0	0.3	0.0	10.0	50	0.23	0.08	2.2	140.0	250.0	8.8	1.3	0.009
1971	0.45	41.3	0.26	6.0	0.2	0.0	10.0	50	0.22	0.08	2.2	140.0	250.0	8.8	1.2	0.009
1972	0.42	41.3	0.25	6.0	0.2	0.0	10.0	50	0.21	0.07	2.1	140.0	250.0	8.8	1.2	0.008
1973	0.35	41.3	0.21	6.0	0.2	0.0	10.0	50	0.17	0.06	1.7	140.0	250.0	8.8	1.0	0.007
1974	0.30	41.3	0.18	6.0	0.2	0.0	10.0	50	0.15	0.05	1.5	140.0	250.0	8.8	0.8	0.006
1975	0.35	41.3	0.21	6.0	0.2	0.0	10.0	50	0.18	0.06	1.7	140.0	250.0	8.8	1.0	0.007
1976	0.35	41.3	0.21	6.0	0.2	0.0	10.0	50	0.17	0.06	1.7	140.0	250.0	8.8	1.0	0.007
1977	0.41	41.3	0.24	6.0	0.2	0.0	10.0	50	0.20	0.07	2.0	140.0	250.0	8.8	1.1	0.008
1978	0.42	41.3	0.24	6.0	0.2	0.0	10.0	50	0.21	0.07	2.1	140.0	250.0	8.8	1.1	0.008
1979	0.49	41.3	0.29	6.0	0.3	0.0	10.0	50	0.24	0.09	2.4	140.0	250.0	8.8	1.3	0.010
1980	0.52	41.3	0.31	6.0	0.3	0.0	10.0	50	0.26	0.09	2.6	140.0	250.0	8.8	1.5	0.010
1981	0.48	41.3	0.28	6.0	0.3	0.0	10.0	50	0.24	0.08	2.4	140.0	250.0	8.8	1.3	0.010
1982	0.49	41.3	0.29	6.0	0.3	0.0	10.0	50	0.24	0.09	2.4	140.0	250.0	8.8	1.4	0.010
1983	0.48	41.3	0.28	6.0	0.3	0.0	10.0	50	0.24	0.08	2.4	140.0	250.0	8.8	1.3	0.009
1984	0.46	41.3	0.27	6.0	0.3	0.0	10.0	50	0.23	0.08	2.3	140.0	250.0	8.8	1.3	0.009
1985	0.58	41.3	0.34	6.0	0.3	0.0	10.0	50	0.29	0.10	2.9	140.0	250.0	8.8	1.6	0.011
1986	0.67	41.3	0.39	6.0	0.4	0.0	10.0	50	0.33	0.12	3.3	140.0	250.0	8.8	1.9	0.013
1987	0.73	41.3	0.43	6.0	0.4	0.0	10.0	50	0.36	0.13	3.6	140.0	250.0	8.8	2.0	0.014
1988	0.73	41.3	0.43	6.0	0.4	0.0	10.0	50	0.36	0.13	3.6	140.0	250.0	8.8	2.0	0.014
1989	0.76	41.3	0.44	6.0	0.4	0.0	10.0	50	0.37	0.13	3.7	140.0	250.0	8.8	2.1	0.015
1990	0.85	41.3	0.50	6.0	0.5	0.0	10.0	50	0.42	0.15	4.2	140.0	250.0	8.8	2.3	0.017
1991	0.85	41.3	0.50	6.0	0.5	0.0	10.0	50	0.42	0.15	4.2	140.0	250.0	8.8	2.4	0.017
1992	0.81	41.3	0.47	6.0	0.4	0.0	10.0	50	0.40	0.14	4.0	140.0	250.0	8.8	2.2	0.016
1993	0.70	41.3	0.41	6.0	0.4	0.0	10.0	50	0.35	0.12	3.5	140.0	250.0	8.8	1.9	0.014
1994	0.59	41.3	0.35	6.0	0.3	0.0	10.0	50	0.29	0.10	2.9	140.0	250.0	8.8	1.6	0.012
1995	0.65	41.3	0.38	6.0	0.4	0.0	10.0	50	0.32	0.11	3.2	140.0	250.0	8.8	1.8	0.013
1996	0.65	41.3	0.38	6.0	0.4	0.0	10.0	50	0.32	0.11	3.2	140.0	250.0	8.8	1.8	0.013
1997	0.59	41.3	0.34	6.0	0.3	0.0	10.0	50	0.29	0.10	2.9	140.0	250.0	8.8	1.6	0.012
1998	0.49	41.3	0.29	6.0	0.3	0.0	10.0	50	0.24	0.09	2.4	140.0	250.0	8.8	1.4	0.010
1999	0.55	41.3	0.32	6.0	0.3	0.0	10.0	50	0.27	0.10	2.7	140.0	250.0	8.8	1.5	0.011
2000	0.52	41.3	0.30	6.0	0.3	0.0	10.0	50	0.26	0.09	2.6	140.0	250.0	8.8	1.4	0.010
2001	0.53	41.3	0.31	6.0	0.3	0.0	10.0	50	0.26	0.09	2.6	140.0	250.0	8.8	1.5	0.010
2002	0.55	41.3	0.32	6.0	0.3	0.0	10.0	50	0.27	0.09	2.7	140.0	250.0	8.8	1.5	0.011
2003	0.57	41.3	0.34	6.0	0.3	0.0	10.0	50	0.28	0.10	2.8	140.0	250.0	8.8	1.6	0.011
2004	0.46	41.3	0.27	6.0	0.3	0.0	10.0	50	0.23	0.08	2.2	140.0	250.0	8.8	1.3	0.009

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh weight, single-strength equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Prune juice: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Loss from primary to retail weight	Retail weight	Loss from retail/institutional to consumer level	Consumer weight	Loss at consumer level		Total loss, all levels	Per capita consumption adjusted for loss			Calories per serving ³	Serving weight ³			Calories consumed daily ⁴	Servings consumed daily ⁵
						Nonedible share	Other (cooking loss and uneaten food)		Gals/year	Oz/day	G/day		Number	Grams	Ounces		
		Gals/year	Percent	Gals/year	Percent	Gals/year	Percent	Percent	Percent	Gals/year	Oz/day	G/day	Number	Grams	Ounces	Number	Number
1970	0.18	27.7	0.13	6.0	0.1	0.0	10.0	39	0.11	0.04	1.1	182.0	256.0	9.0	0.8	0.004	
1971	0.17	27.7	0.12	6.0	0.1	0.0	10.0	39	0.10	0.04	1.0	182.0	256.0	9.0	0.7	0.004	
1972	0.15	27.7	0.11	6.0	0.1	0.0	10.0	39	0.09	0.03	0.9	182.0	256.0	9.0	0.7	0.004	
1973	0.10	27.7	0.07	6.0	0.1	0.0	10.0	39	0.06	0.02	0.6	182.0	256.0	9.0	0.4	0.002	
1974	0.14	27.7	0.10	6.0	0.1	0.0	10.0	39	0.08	0.03	0.8	182.0	256.0	9.0	0.6	0.003	
1975	0.11	27.7	0.08	6.0	0.1	0.0	10.0	39	0.07	0.02	0.7	182.0	256.0	9.0	0.5	0.003	
1976	0.12	27.7	0.09	6.0	0.1	0.0	10.0	39	0.08	0.03	0.8	182.0	256.0	9.0	0.5	0.003	
1977	0.15	27.7	0.11	6.0	0.1	0.0	10.0	39	0.09	0.03	0.9	182.0	256.0	9.0	0.7	0.004	
1978	0.12	27.7	0.09	6.0	0.1	0.0	10.0	39	0.08	0.03	0.8	182.0	256.0	9.0	0.5	0.003	
1979	0.14	27.7	0.10	6.0	0.1	0.0	10.0	39	0.08	0.03	0.8	182.0	256.0	9.0	0.6	0.003	
1980	0.12	27.7	0.09	6.0	0.1	0.0	10.0	39	0.08	0.03	0.8	182.0	256.0	9.0	0.5	0.003	
1981	0.12	27.7	0.09	6.0	0.1	0.0	10.0	39	0.08	0.03	0.8	182.0	256.0	9.0	0.5	0.003	
1982	0.14	27.7	0.10	6.0	0.1	0.0	10.0	39	0.08	0.03	0.8	182.0	256.0	9.0	0.6	0.003	
1983	0.11	27.7	0.08	6.0	0.1	0.0	10.0	39	0.07	0.02	0.7	182.0	256.0	9.0	0.5	0.003	
1984	0.08	27.7	0.06	6.0	0.1	0.0	10.0	39	0.05	0.02	0.5	182.0	256.0	9.0	0.4	0.002	
1985	0.10	27.7	0.07	6.0	0.1	0.0	10.0	39	0.06	0.02	0.6	182.0	256.0	9.0	0.4	0.002	
1986	0.10	27.7	0.07	6.0	0.1	0.0	10.0	39	0.06	0.02	0.6	182.0	256.0	9.0	0.4	0.002	
1987	0.10	27.7	0.07	6.0	0.1	0.0	10.0	39	0.06	0.02	0.6	182.0	256.0	9.0	0.4	0.002	
1988	0.08	27.7	0.06	6.0	0.1	0.0	10.0	39	0.05	0.02	0.5	182.0	256.0	9.0	0.4	0.002	
1989	0.06	27.7	0.04	6.0	0.0	0.0	10.0	39	0.03	0.01	0.3	182.0	256.0	9.0	0.2	0.001	
1990	0.05	27.7	0.04	6.0	0.0	0.0	10.0	39	0.03	0.01	0.3	182.0	256.0	9.0	0.2	0.001	
1991	0.05	27.7	0.03	6.0	0.0	0.0	10.0	39	0.03	0.01	0.3	182.0	256.0	9.0	0.2	0.001	
1992	0.05	27.7	0.04	6.0	0.0	0.0	10.0	39	0.03	0.01	0.3	182.0	256.0	9.0	0.2	0.001	
1993	0.06	27.7	0.04	6.0	0.0	0.0	10.0	39	0.04	0.01	0.4	182.0	256.0	9.0	0.3	0.001	
1994	0.06	27.7	0.04	6.0	0.0	0.0	10.0	39	0.03	0.01	0.3	182.0	256.0	9.0	0.2	0.001	
1995	0.05	27.7	0.03	6.0	0.0	0.0	10.0	39	0.03	0.01	0.3	182.0	256.0	9.0	0.2	0.001	
1996	0.04	27.7	0.03	6.0	0.0	0.0	10.0	39	0.03	0.01	0.3	182.0	256.0	9.0	0.2	0.001	
1997	0.04	27.7	0.03	6.0	0.0	0.0	10.0	39	0.02	0.01	0.2	182.0	256.0	9.0	0.2	0.001	
1998	0.04	27.7	0.03	6.0	0.0	0.0	10.0	39	0.02	0.01	0.2	182.0	256.0	9.0	0.2	0.001	
1999	0.03	27.7	0.02	6.0	0.0	0.0	10.0	39	0.02	0.01	0.2	182.0	256.0	9.0	0.1	0.001	
2000	0.03	27.7	0.02	6.0	0.0	0.0	10.0	39	0.02	0.01	0.2	182.0	256.0	9.0	0.1	0.001	
2001	0.04	27.7	0.03	6.0	0.0	0.0	10.0	39	0.02	0.01	0.2	182.0	256.0	9.0	0.2	0.001	
2002	0.04	27.7	0.03	6.0	0.0	0.0	10.0	39	0.02	0.01	0.2	182.0	256.0	9.0	0.2	0.001	
2003	0.04	27.7	0.03	6.0	0.0	0.0	10.0	39	0.02	0.01	0.2	182.0	256.0	9.0	0.2	0.001	
2004	0.04	27.7	0.03	6.0	0.0	0.0	10.0	39	0.03	0.01	0.3	182.0	256.0	9.0	0.2	0.001	

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and My Pyramid Plan servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh weight, single-strength equivalent. ³Calories per serving and serving weights were obtained from USDA's Nutrient Database for Standard Reference Release 17, <http://www.nal.usda.gov/fnic/foodcomp/>. ⁴Number of daily servings multiplied by calories per serving. ⁵Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Noncitrus juice: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Retail weight ²	Consumer weight	Total loss, all levels	Per capita consumption adjusted for loss			Calories consumed daily ³	Servings consumed daily ⁴
	Gals/year	Gals/year	Gals/year	Percent	Gals/year	Oz/day	G/day	Number	Number
1970	1.6	1.2	1.1	40.5	1.0	0.3	9.7	5.3	0.04
1971	1.8	1.3	1.2	39.8	1.1	0.4	10.7	5.8	0.04
1972	1.4	1.0	0.9	40.7	0.9	0.3	8.5	4.6	0.03
1973	1.3	0.9	0.9	39.9	0.8	0.3	7.6	4.2	0.03
1974	1.4	1.0	1.0	39.3	0.9	0.3	8.7	4.7	0.03
1975	1.5	1.1	1.0	39.7	0.9	0.3	9.2	4.9	0.04
1976	1.5	1.0	1.0	39.8	0.9	0.3	8.8	4.7	0.04
1977	1.7	1.2	1.1	40.2	1.0	0.4	10.0	5.3	0.04
1978	2.0	1.4	1.4	39.4	1.2	0.4	12.2	6.5	0.05
1979	2.1	1.5	1.4	40.0	1.3	0.4	12.7	6.7	0.05
1980	2.5	1.7	1.6	39.9	1.5	0.5	14.7	7.6	0.06
1981	2.2	1.6	1.5	39.9	1.3	0.5	13.3	6.9	0.05
1982	2.6	1.9	1.7	39.6	1.6	0.6	15.6	8.0	0.06
1983	2.8	2.0	1.9	39.2	1.7	0.6	17.0	8.8	0.07
1984	3.0	2.2	2.0	39.1	1.8	0.6	18.2	9.2	0.07
1985	3.1	2.2	2.1	39.7	1.9	0.6	18.4	9.4	0.07
1986	3.1	2.2	2.1	40.1	1.9	0.7	18.6	9.5	0.07
1987	3.4	2.4	2.3	39.9	2.1	0.7	20.5	10.5	0.08
1988	3.3	2.4	2.2	40.0	2.0	0.7	19.9	10.1	0.08
1989	3.3	2.4	2.3	39.2	2.0	0.7	20.2	10.3	0.08
1990	3.8	2.7	2.5	39.4	2.3	0.8	22.7	11.5	0.09
1991	3.6	2.6	2.4	39.2	2.2	0.8	21.8	11.1	0.09
1992	3.7	2.6	2.5	39.0	2.2	0.8	22.2	11.3	0.09
1993	3.8	2.8	2.6	38.7	2.3	0.8	23.1	11.7	0.09
1994	3.6	2.7	2.5	38.3	2.2	0.8	22.3	11.2	0.09
1995	3.6	2.6	2.5	38.3	2.2	0.8	22.1	11.3	0.09
1996	3.7	2.7	2.5	38.4	2.3	0.8	22.5	11.4	0.09
1997	3.5	2.5	2.4	38.0	2.1	0.8	21.3	10.8	0.09
1998	3.5	2.6	2.4	37.9	2.2	0.8	21.9	10.9	0.09
1999	3.8	2.8	2.7	37.6	2.4	0.8	23.7	12.0	0.10
2000	3.6	2.7	2.5	37.9	2.3	0.8	22.4	11.2	0.09
2001	3.6	2.6	2.5	38.1	2.2	0.8	22.1	11.1	0.09
2002	3.7	2.7	2.6	37.8	2.3	0.8	22.9	11.5	0.09
2003	4.0	2.9	2.7	37.8	2.5	0.9	24.6	12.4	0.10
2004	4.1	3.0	2.8	37.6	2.6	0.9	25.5	12.7	0.10

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and *My Pyramid Plan* servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fruit juice: Per capita consumption adjusted for loss¹

Year	Primary weight ²	Retail weight ²	Consumer weight	Total loss, all levels	Per capita consumption adjusted for loss			Calories consumed daily ³	Servings consumed daily ⁴
	Gals/year	Gals/year	Gals/year	Percent	Gals/year	Oz/day	G/day	Number	Number
1970	11.4	5.7	5.4	57.5	4.8	1.7	48.1	21.1	0.19
1971	12.0	6.0	5.7	57.3	5.1	1.8	50.8	22.3	0.20
1972	11.4	5.7	5.3	57.9	4.8	1.7	47.8	20.8	0.19
1973	11.7	5.7	5.4	58.3	4.9	1.7	48.3	20.8	0.19
1974	12.4	6.2	5.8	57.9	5.2	1.8	52.0	22.6	0.21
1975	13.8	6.8	6.4	58.4	5.7	2.0	57.0	24.4	0.23
1976	14.8	7.3	6.9	58.2	6.2	2.2	61.3	26.5	0.25
1977	13.3	6.6	6.2	58.0	5.6	2.0	55.5	23.9	0.22
1978	13.0	6.5	6.2	57.3	5.5	1.9	55.1	24.0	0.22
1979	13.2	6.7	6.3	57.0	5.7	2.0	56.6	24.8	0.23
1980	14.1	7.2	6.8	56.8	6.1	2.1	60.5	26.5	0.24
1981	13.3	6.7	6.3	57.3	5.7	2.0	56.4	24.4	0.23
1982	15.1	7.7	7.2	56.9	6.5	2.3	64.8	28.3	0.26
1983	13.5	7.0	6.6	56.1	5.9	2.1	58.8	26.0	0.24
1984	13.8	7.2	6.8	55.8	6.1	2.1	60.8	26.8	0.24
1985	14.1	7.4	6.9	56.0	6.2	2.2	61.8	27.2	0.25
1986	14.0	7.3	6.8	55.9	6.2	2.2	61.3	27.0	0.25
1987	13.3	7.0	6.6	55.4	5.9	2.1	58.9	26.2	0.24
1988	13.5	7.1	6.7	55.3	6.0	2.1	59.7	26.6	0.24
1989	11.2	6.1	5.7	54.2	5.1	1.8	51.1	22.9	0.21
1990	13.7	7.3	6.9	54.7	6.2	2.2	61.5	27.4	0.25
1991	12.1	6.6	6.2	54.3	5.6	1.9	55.2	24.8	0.22
1992	13.8	7.4	6.9	54.8	6.2	2.2	62.0	27.7	0.25
1993	13.7	7.4	6.9	54.6	6.2	2.2	62.1	27.6	0.25
1994	13.5	7.2	6.8	54.7	6.1	2.2	61.0	27.0	0.25
1995	14.4	7.7	7.2	54.9	6.5	2.3	64.5	28.7	0.26
1996	14.4	7.7	7.2	54.9	6.5	2.3	64.4	28.5	0.26
1997	14.7	7.8	7.3	55.2	6.6	2.3	65.4	28.9	0.26
1998	13.9	7.5	7.0	54.7	6.3	2.2	62.7	27.7	0.25
1999	14.4	7.8	7.3	54.3	6.6	2.3	65.2	29.1	0.26
2000	14.6	7.8	7.3	54.9	6.6	2.3	65.4	28.9	0.26
2001	12.8	6.9	6.5	54.4	5.8	2.0	57.8	25.6	0.23
2002	13.2	7.1	6.7	54.1	6.0	2.1	60.0	26.8	0.24
2003	13.8	7.5	7.0	54.1	6.3	2.2	62.8	28.0	0.25
2004	13.0	7.2	6.7	53.3	6.1	2.1	60.2	27.0	0.24

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and *My Pyramid Plan* servings. ²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Farm weight. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov

Fruit : Per capita consumption adjusted for loss¹

Year	Per capita consumption adjusted for loss		Calories consumed daily ³	Servings consumed daily ⁴
	Oz/day	G/day	Number	Number
1970	4.3	123.2	62.9	0.69
1971	4.5	126.3	64.5	0.70
1972	4.1	117.4	58.7	0.65
1973	4.3	120.6	61.8	0.67
1974	4.3	123.3	63.3	0.68
1975	4.6	131.2	66.5	0.73
1976	4.8	134.9	68.5	0.74
1977	4.5	128.4	65.5	0.71
1978	4.6	129.8	66.8	0.74
1979	4.6	129.6	66.3	0.71
1980	4.9	137.5	71.1	0.77
1981	4.5	127.9	66.5	0.71
1982	5.0	142.4	74.8	0.81
1983	4.8	136.9	73.1	0.79
1984	4.9	139.1	75.1	0.81
1985	4.9	139.7	75.2	0.81
1986	5.1	143.7	77.7	0.84
1987	5.1	144.0	78.0	0.85
1988	5.1	144.4	78.6	0.85
1989	4.9	137.5	75.5	0.83
1990	5.1	144.5	78.0	0.85
1991	4.7	134.0	73.2	0.78
1992	5.3	148.9	80.3	0.87
1993	5.2	146.9	79.4	0.86
1994	5.2	147.0	78.9	0.86
1995	5.2	146.1	78.7	0.84
1996	5.2	148.2	79.7	0.87
1997	5.4	152.3	80.9	0.88
1998	5.2	147.7	79.4	0.86
1999	5.3	151.0	81.4	0.88
2000	5.3	149.3	79.8	0.86
2001	5.0	140.9	76.1	0.83
2002	5.0	142.2	77.2	0.84
2003	5.2	147.4	79.3	0.86
2004	5.1	144.1	77.9	0.85

¹This table uses aggregate food supply data, adjusts for losses, and converts the remaining supply into daily per capita calories and *My Pyramid Plan* servings.

²The basic consumption estimate is made at a primary distribution level, which is dictated for each commodity by the structure of the marketing system and data availability. Fresh-weight equivalent. ³Number of daily servings multiplied by calories per serving. ⁴Ounces per day divided by serving weight.

Source: USDA/Economic Research Service. Data last updated July 31, 2006. Note: Loss factors presented here are first estimates and are intended to serve as a starting point for additional research and discussion. We welcome suggestions to improve our loss estimates. Contact Jean Buzby at jbuzby@ers.usda.gov or Hodan Farah at hfarah@ers.usda.gov